



The Australian Gas Association
ABN 98 004 206 044

DIRECTORY OF CERTIFIED GAS APPLIANCES AND COMPONENTS

May 2006 Edition

ISSN 1328 – 2700

AGA PRODUCT CERTIFICATION SCHEME

[Please refer to AGA office for entry updates/queries]

DIRECTORY - 2006

IMPORTANT MESSAGES

Whilst every care has been taken to ensure the accuracy of the contents of this Directory, it is important that Certificate Holders and Agents check their respective entries and advise the AGA of any errors and/or omissions. It should be noted that the contact details for individual Certificate Holders and Agents are included under an Index at the back of the Directory.

The Directory is available *free* from the AGA website (www.gas.asn.au) and will be republished periodically throughout the year with appropriate changes included. The online Directory may be printed in full, or in part, if required. Please note that hard copies of the Directory are no longer available for purchase from AGA.

To assist in ensuring the accuracy of AGA records, would you please advise of any alterations or corrections by completing the following form and faxing this page to:

The Manager Administration & Quality, AGA Fax: (03) 9580 5500

PLEASE NOTE CONTACT DETAILS:

2 Park Way (PO Box 122) BRAESIDE VIC 3195 Tele: (03) 9580 4500 Fax: (03) 9580 5500

NB: Where appropriate, please photocopy this form and send/fax a separate page for each Directory entry change.

Category Listing (eg Domestic Cooking Appliances - Freestanding Cookers):

PAGE #

Name of Certificate Holder: _____

Certificate Number: _____

Change(s) requested: _____

AUTHORISED CUSTOMER REPRESENTATIVE REQUESTING AMENDMENT:

PRINTED NAME AND POSITION TITLE : _____

DATE: / / **SIGNATURE :** _____

PREFACE

The Australian Gas Association (AGA) manages and operates Appliance and Component Certification Schemes, with funding largely provided by Certificate Holders through certification fees and badge sales. The Association is an active participant in the standards writing process and recognises others that contribute through their involvement on the *Standards Australia* committees that develop and publish the safety standards that underpin the Schemes. These organisations include the Australian Liquefied Petroleum Gas Association, the Gas Appliance Manufacturers Association of Australia, the Australian Consumer's Association, the National Association of Food Equipment Suppliers, the Australian Barbecue Association and relevant State and Territory Government Statutory Regulating Authorities.

The Australian Gas Association certifies appliances and components for the following categories or any combination of these categories:

- Natural Gas
- Town Gas
- Tempered Liquefied Petroleum Gas
- Liquefied Petroleum Gas

Approval for Liquefied Petroleum Gas appliances is divided into three sub-groups, designated as P (Propane), B (Butane) or U (Universal) gas.

Product Compliance:

Gas Appliances, Components and Equipment that has been certified by AGA to comply with the requirements of the relevant Code/Standard, are subject to the Rules Governing the Scheme and subject to routine and regular product verification audits to confirm continued compliance.

CONTENTS

Page

DOMESTIC AND COMMERCIAL APPLIANCES

AS 4551/AG 101	Domestic Cooking Appliances	6
	Freestanding Cookers	6
	Elevated Cookers	15
	Built-In Cookers and Ovens	15
	Wall Ovens	16
	Hotplates	16
	Counter Top Cookers	28
	Caravan and Marine Cookers	28
AS 4552/AG 102	Water Heaters	30
	Storage Water Heaters	30
	Gas Boosted Solar Water Heaters	33
	Instantaneous Water Heaters	33
	Boilers (Central Heating and/or Water Heating).....	35
AS 4553/AG 103	Space Heating Appliances	37
	Flued Radiant/Convection Heaters	37
	Balanced Flue Convection Heaters	40
	Wall Furnaces	40
	Flueless Radiant/Convection Heaters	41
	Flueless Convection Heaters	42
	Miscellaneous Heaters	42
AS 4565/ AG 403	Overhead Heaters	42
	Radiant Heaters	42
	Internal Use Only	42
	External Use Only	43
	Internal & External Use	46
AG 404	Industrial Direct-Fired Air Heaters	46
AS 4554/AG 104	Laundry Dryers	47
AS 4555/AG 105	Refrigerators	48
AS 4556/AG 106	Indirect Fired Air Heaters	49
	Ducted Air Heaters	49
	Duct and Unit Heaters	52
AS 4552/AG 102/ AS 4556/AG 106	Air Conditioning Units	52
AS 4557	Outdoor Barbecue Grillers	52
AS 4558/AG 108	Decorative Appliances	62
	Gas Log Fires	62
---	Indoor Gas Lights	64
---	Exterior Lights	64
AS 4560	Swimming Pool and Spa Pool Heaters.....	64
AG 110	Swimming Pool and Spa Pool Heaters	65
---	Approved Conversion Procedures	65

COMMERCIAL CATERING EQUIPMENT - SAFETY CERTIFICATION

AS 4563	Boiling Tables	66
AG 301	Boiling Tables	66
AS 4563	Chinese Cooking Tables	67
AG 301	Chinese Cooking Tables	67
AS 4563	Ranges.....	68
AG 301 and 305	Ranges	70
AS 4563	Salamanders, Grillers and Toasters	71
AG 302	Salamanders, Grillers and Toasters	72
AS 4563	Solid Grill Plates and Griddles	72
AG 303	Solid Grill Plates and Griddles	73
AS 4563	Barbecues, Charbroilers and Rotisseries	74
AG 304	Barbecues, Charbroilers and Rotisseries	75
AS 4563	Ovens	76
AG 305	Ovens	76

	Page
AG 306	Boiling Water Units 77
AS 4563	Pasta Cookers..... 77
AS 4563	Stockpots and Brat Pans..... 77
AG 307	Stockpots and Brat Pans 77
AG 308	Atmospheric Steamers 78
AS 4563	Commercial Fryers..... 78
AG 309	Commercial Fryers..... 79
AG 310	Commercial Food Warmers including Bains Marie..... 80
AS 4563	Convection Ovens 80
AG 311	Convection Ovens 81
AS 4563	Steam Convection Ovens 81
AG 311	Steam Convection Ovens 82

LPG PORTABLE & MOBILE APPLIANCES (to AS 2658) SUPPLIED AT CYLINDER OR REGULATED PRESSURES
--

AS 2658	Equipment for use with Refillable Cylinders 83
	Cookers and Barbecues 83
	Camping Lanterns 86
	Heaters 86
	Miscellaneous 87
	Equipment for use with Both Disposable Cartridges and Refillable Cylinders 87
	Cookers and Barbecues..... 87
	Camping Lanterns..... 88
	Equipment for use with Disposable Cartridges 88
	Cookers and Barbecues..... 88
	Camping Lanterns..... 90
	Heaters 91
	Miscellaneous 91

COMPONENTS

AS 4617	Manual Shut-Off Valves 92
	Type 1 - Isolating Valves 92
	Type 2 - Appliance Control Valves 95
	Type 2 - Appliance Control Valves Combined with Flame Safeguard 96
	Type 2 - Miscellaneous Valves 96
AG 201	Manual Shut-Off Valves 96
	Type 1 - Isolating Valves 97
	Type 2 - Appliance Control Valves 100
	Type 2 - Appliance Control Valves Combined with Flame Safeguard 101
	Type 2 - Miscellaneous Valves 102
AS 4618	Appliance Pressure Regulators 102
AG 202	Appliance Pressure Regulators 103
AS 4619	Appliance Thermostats 103
AG 203	Appliance Thermostats 103
AS 4620	Thermoelectric Flame Safeguards 104
AG 204	Thermoelectric Flame Safeguards 104
AS 4621	LPG Regulators..... 104
AG 205	LPG Regulators 104
---	Miscellaneous LPG Devices 105
AS 2473	LPG Cylinder Valves..... 105
AS 4622	Igniters 106
AG 206	Igniters 106
AS/NZS 1869	Hose Assemblies 106
AS 4631	Limited Flexibility Connectors 111
AG 216	Limited Flexibility Connectors 111

	Page
AS 4623	Jointing Materials..... 111
	Jointing Compounds..... 111
	Jointing Materials..... 111
AG 208	Jointing Materials 112
	Jointing Compounds..... 112
	Jointing Materials..... 112
AS 4624	Combination Controls 113
AG 209	Combination Controls 114
EN 298/AS 4625	Air/Fuel Ratio Control Devices 114
EN 298/AG210	Air/Fuel Ratio Control Devices 114
AS 4625/AS 4622	Electronic Flame Safeguards Including Igniters 116
AG 210/AG206	Electronic Flame Safeguards Including Igniters 117
AS 4625	Electronic Flame Safeguards and Detectors 118
AG 210	Electronic Flame Safeguards and Detectors 119
AG 212	Quick-Connect Devices 123
AS 4628	Pressure and Temperature Limit Devices 123
AG 213	Pressure and Temperature Limit Devices 123
AS 4630	Leakage Detection Systems 124
AG 215	Leakage Detection Systems 124
	Miscellaneous Leakage Detection Systems 124
AS 4566	Flue Cowls 124
AG 604	Flue Cowls 125
AG 605	Flues 125
AS 4629	Automatic Shut-Off Valves..... 126
	Class 1 126
	Class 3 128
AG 214	Automatic Shut-Off Valves 129
	Class 1 129
	Class 2 137
	Class 3 138
AS 4629	Vent Valves 138
AG 214	Vent Valves 139

LPG AUTOMOTIVE COMPONENTS

AS/NZS 1425	Vaporiser/Regulators 143
AG 802	Fuel Lock-Off Valves 143
AS/NZS 1425	Fuel Lock Off Valves..... 143
AG 802	Combination Valves 144
AS/NZS 1425	Container Fittings 144
AS/NZS 1869	Hose Assemblies (see general Components section)

NATURAL GAS VEHICLE (NGV) EQUIPMENT

AG 805	Check Valves 146
	Hose Connections 146
	Fuel Lock-Off Valves 146
	Quick-Connect Devices 146
AG 807	Hose Assemblies..... 146

APPROVAL CERTIFICATE SUSPENSIONS / CANCELLATIONS

Certificates Suspended - Awaiting Retest / Audit.....	147
Cancellations	149

INDEX OF LISTED ORGANISATIONS

Index of Listed Organisations.....	158
------------------------------------	-----

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

DOMESTIC AND COMMERCIAL APPLIANCES

DOMESTIC COOKING APPLIANCES

FREESTANDING COOKERS (AS 4551/AG 101)

AGA Consumer Products Ltd T/as Rangemaster - Agent: Andi Appliances Pty Ltd

5601	11.97	Falcon Freestanding Cookers Models: 90 DF†, 110 DF†, Professional 90 Gas†, Professional 90 DF†, Professional 110 Gas†, Professional 110 DF†, Toledo 90 DF†, Toledo 110 DF†, Classic 90 DF† and Classic 110 DF† Note: Model suffix † denotes colour/finish	N	P
6614	7.04	Falcon Dual Fuel Freestanding Cookers Models Elite 110 DF† and Elan 110 DF† Note: Model suffix † denotes colour/finish	N	P

AGA Consumer Products Ltd T/as Aga – Agent: Aga Shop Australia Pty Ltd

5013	12.93	Aga Heat Storage Model: Rayburn Cookmaster 200G	N	
5970	5.00	Aga Heat Storage Open Flue Models: GC, GCB, GE and GEB Power Flue Models: GC, GCB and GE	N	P
6031	12.00	AGA Companion/Module Dual Fuel Cooker Gas Hob, Electric Oven & Grill	N	P
6273	9.02	Dual Fuel Freestanding Cooker Model AGA Masterchef 100DF	N	P
6275	4.03	Aga Heat Storage Plus Dual Fuel Module Models: GC3 and Dual Fuel GC3+ Module	N	P
6495	7.04	Aga Six-Four Series Dual Fuel Model: DC6	N	P

Andi Appliances Pty Ltd

6076	1.01	Smalvic Model AX900FWT Dual Fuel, 5 Burner Gas Cooktop/Electric Grill and Oven	N	P
6346	10.03	Andi Dual Fuel Upright Cooker Models AXC900FWT and AXC1200FWT	N	P

Elba SpA

5883	3.01	Kleenmaid Freestanding Cookers with Electric Ovens Models FEG 600 X and FEG 900 X	N	P
------	------	--	---	---

Elba SpA

6245	4.02	Agent: Kleenmaid Pty Ltd Kleenmaid Dual Fuel Upright Cooker Model FEG905X Agent: Delonghi Australia Pty Ltd Delonghi Dual Fuel Upright Cooker Models D906GWF, D926GWF and L91GWF	N	P
6247	5.02	Agent: Kleenmaid Pty Ltd Kleenmaid Dual Fuel Freestanding Cooker Model FEG605X Agent: Delonghi Australia Pty Ltd Delonghi Dual Fuel Freestanding Cooker Models L61GW and D61GW	N	P

Elba SpA - Agent: Delonghi Australia Pty Ltd

6696	12.04	Delonghi Dual Fuel Upright Cooker Models A106G and A1026G	N	U
6698	2.05	Delonghi Dual Fuel Upright Cooker Model A726 G	N	U
6699	2.05	Delonghi Dual Fuel Upright Cooker Model A1346 G	N	U

Electrical Distributors Australia Pty Ltd

6313	9.02	Euromaid Freestanding Cooker Model: SCNG 7531 Model: SCLPG 7531	N	P
------	------	---	---	---

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Electrolux Home Products Pty Ltd					
5152	8.94	Westinghouse GUJ, Electrolux-Chef GBC and Simpson 71F Series Upright Cookers Westinghouse Models: GUJ411WNG, GUJ411WLP, GUJ411WTNG, GUJ411WTLP, GUJ412WNG, GUJ412WLP, GUJ416WNG, GUJ416WLP, GUJ418WNG and GUJ418WLP Electrolux-Chef Models GBC5005WNG, GBC5005WLP, GBC5035WNG, GBC5035WLP, GBC5045WNG and GBC5045WLP Simpson Models 71F827WNG, 71F827WLP, 71F828WNG and 71F828WLP NG denotes Natural gas LP denotes Propane gas	N		P
5968	4.00	Westinghouse, Electrolux-Chef and Simpson Upright Cookers Westinghouse Models: GUJ510WNG, GUJ510WLP, GUJ511WNG, GUJ511WLP, GUJ512HWNG, GUJ512HWLP, GUJ517WNG, GUJ517WLP, GUJ527WNG, GUJ527WLP, GUJ537WNG and GUJ537WLP Electrolux-Chef Models: GUC5115WNG, GUC5115WLP, GUC5135WNG, GUC5135WLP, GUC5145WNG, GUC5145WLP, GUC5335WNG, GUC5335WLP, GUC5345WNG, GUC5345WLP, GUC5375WNG and GUC5375WLP Simpson Models: GUJ512WNG, GUJ512WLP, 74F861WNG, 74F861WLP, 74F864WNG and 74F864WLP NG denotes Natural gas LP denotes Propane gas	N		P
6197	11.01	Westinghouse DSL Series, Electrolux-Chef GSC Series and Electrolux DSE Series Freestanding Cookers Westinghouse Models DSL635SNG, DSL635SLP, DSL635SLPN, DSL635WNG, DSL635WLP and DSL635WLPN Electrolux-Chef Models GSC6618WNG, GSC6618WLP, GSC6618SNG, GSC6618SLP, GSC6638WNG, GSC6638WLP, GSC6638SNG, GSC6638SLP, GSC6638KNG, GSC6638KLP, GSC6658SNG and GSC6658SLP Electrolux Models DSE6653SNG, DSE6653SLP and DSE6653SLPN S denotes Stainless Steel W denotes White K denotes Black NG denotes Natural gas LP denotes Propane gas LPN denotes Universal LP gas	N		PU
Eurolinx Pty Ltd					
5729	11.98	ILVE Hercules Models P60, P90, PD90, P120, PD120, P150 & PD1006	N		P
5748	11.98	ILVE 863, 864 and 964 Series Upright Cookers Models 863 CCM, 864 PCMP, 964 PCMP, 964 BCMP, 964 PCGG, 964 PCMP and 9641 CMP	N		P
6473	8.03	Ilve Dual Fuel Models T60WMP 4 Burner Hob, T90WMP 5 Burner Hob and T906WMP 6 Burner Hob Note: All models stainless steel finish with wok burner & combination oven/grill	N		P
Fisher & Paykel Appliances Limited					
6048	10.00	Galaxy Dual Fuel Cooker Model DI 1202QG (5 Burner Hotplate with Electric Barbecue, 2 Electric Multi-Function Oven/Grills)	N		U
Fox SpA di R. Bompani & C - Agent: Euro Appliance Centre Pty Ltd					
6412	4.03	Bompani 5 Burner Gas Cooktop, Electric Oven and Grill Model BO 693 KZ/N	N		
Fox SpA di R. Bompani & C					
6578	8.04	Fox, Oranier and Milano Dual Fuel Upright Cookers Fox FO683JA/N Oranier OR683JA/N Milano ML683JA/N Generic No Brand AN683JA/N	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Glem Gas Appliances Pty Ltd					
6200	7.02	Glem Freestanding Cooker Sabaf Burners Models S66 GGES*L, S76 GGES*L, S66 GES*L, S76 GES*L S66 GES*, S76 GES*, S66 GGES*, S76 GGES* Venturi Burners Models S76 GE*, S76 GGE*, S66 GE*, S66 GGE* Note: Model suffix * denotes colour/trim finish	N		P
6201	7.02	Glem Freestanding Cooker Sabaf Burners Models S106 GGES*L, S96 GGES*L, S106 GES*L, S96 GES*L S106 GGES*, S96 GGES*, S106 GES*, S96 GES* Venturi Burners Models S106 GE*, S106 GGE*, S96 GE*, S96 GGE* Note: Model suffix * denotes colour/trim finish	N		P
6287	6.02	Emilia, Daniela and Dolce Freestanding Cookers Models: EL865E*, EL865E*L, EL965E*, EL965E*L, EL865EW*, EL865EW*L, EL965EW*, EL965EW*L, EL865MV*, EL865MV*L, EL965MV*, EL965MV*L, EL865MVW*, EL865MVW*L, EL965MVW*, EL965MVW*L, EL965GGE*, EL965GGE*L, EI965MV*, EI965MV*L, EI965E*, EI965E*L, EI965GGE* and EL965MV*L *Denotes colour/finish trim For Daniela brand add suffix "DAN" to models above For Dolce brand add suffix "DOL" to models above	N		P
6296	6.02	Emilia, Daniela and Dolce Freestanding Cookers Models: EL664MV*, EL664MV*L, EL664E*, EL664E*L, EI664MV*, EI664MV*L, EI664E*, EI664E*L * denotes finish For Daniela brand add suffix "DAN" to models above For Dolce brand add suffix "DOL" to models above	N		P
6634	5.05	Emilia Freestanding Cooker EB534MV*, EB534E*, EB514M*, EB514E* EB534MV*L, EB534E*L, EB514M*L and EB514E*L Note: Suffix * denotes finish	N		P
Glen Dimplex Home Appliances – Agent: Eurolec Appliances Pty Ltd					
6053	9.01	Eurolec Dual Fuel Freestanding Cookers Models: 1200Dfa and 900Dfa Gas Hotplate, Electric Oven and Grill	N		P
Glen Dimplex Home Appliances – Agent: Elmoon Pty Ltd					
6323	12.02	Belling Cookcenter Dual Fuel, Models: 129WCH/GR/BU and CA, 6 Burner Hotplate with Electric Warming Zone Models: 152ACH/GR/CA and SS, 7 Burner Hotplate with Electric Warming Zone All models have three electric ovens and separate electric grill	N		P
6384	6.03	Belling Platinum Dual Fuel Models: db3A** and db92A** 5 Burner Hotplate, 2 Electric Ovens with in-oven Electric Grill Note: ** indicates finish/colour	N		P
Indesit Company Spa - Agent: Arisit Pty Limited					
6038	8.00	Ariston 5 Burner Dual Fuel Model C 67 SP 6 (5 Burner Hotplate and Combination Electric Oven/Grill)	N		P
6441	6.03	Ariston Five Burner Upright Cooker Models XC902GHDC and CP059MD with electric oven and grill	N		P
6484	9.03	Ariston and Indesit 5 Burner Upright with Electric Oven and Grill Ariston Model: CP859MT Indesit Model: KP59MS.C	N		P
6507	11.03	Ariston Four Burner Dual Fuel Model CP649MD	N		P
Lacanche (Australia) Pty Ltd T/as Manorhouse Sinks and Range Cookers					
6686	11.04	Lacanche – Cormatin and Macon Dual Fuel Freestanding Cooker Cormatin Models Classique and Tradition Macon Models Classique and Tradition	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Lofra SpA - Agent: Think Appliances Pty Ltd					
6544	2.04	Lofra Essential, Lofra Professional, Lofra Curva, D'Amani, Pacini and Baumatic 60, 70, 80 and 90 cm Dual Fuel Lofra Essential Models: LEF6GGSS and LEF6GG.2SS - 60 cm Gas Oven, Electric Grill, 4 burner (1W, 1R, 1SR, 1A and 1SO)	N		U
		LEF6EGSS and LEF6EG.2SS - 60 cm Electric Multifunction Oven and Grill, 4 burner (1W, 1R, 1SR and 1A)	N		U
		LEF6EGP - 60 cm Electric Multifunction Oven and Grill, 4 burner (1W, 1R, 1SR and 1A), no FFD	N		U
		LEF7GGSS and LEF7GG.2SS - 70 cm Gas Oven, Electric Grill, 5 burner (1W, 2R, 1SR, 1A and 1SO)	N		U
		LEF7EGSS and LEF7EG.2SS - 70 cm Electric Multifunction Oven and Grill, 5 burner (1W, 2R, 1SR and 1A)	N		U
		LEF8GGSS and LEF8GG.2SS - 80 cm Gas Oven, Electric Grill, 5 burner (1W, 2R, 1SR, 1A and 1LO)	N		U
		LEF8EGSS and LEF8EG.2SS - 80 cm Electric Multifunction Oven and Grill, 5 burner (1W, 2R, 1SR and 1A)	N		U
		LEF9GGSS and LEF9GG.2SS - 90 cm Gas Oven, Electric Grill, 5 burner (1W, 2R, 1SR, 1A and 1LO)	N		U
		LEF9EGSS and LEF9EG.2SS - 90 cm Electric Multifunction Oven and Grill, 5 burner (1W, 2R, 1SR and 1A)	N		U
		LEF9EGP - 90 cm Electric Multifunction Oven and Grill, 5 burner (1W, 2R, 1SR and 1A), no FFD	N		U
		Note: In Essential models = updated version with cast iron pan supports instead of enamel.			
		Lofra Professional Models: LPF6EGSS and LPF6EG.2SS - 60 cm Electric Multifunction Oven and Grill, 4 burner (1W, 1R, 1SR and 1A)	N		U
		LPF9EGSS and LPF9EG.2SS - 90 cm Electric Multifunction Oven and Grill, 5 burner (1W, 1F, 1R, 1SR and 1A)	N		U
		LPF9EGCSS and LPF9EGC.2SS - 90 cm Electric Multifunction Oven and Grill, 4 burner and ceran (1W, 1F, 1SR and 1A)	N		U
		LPF9DEGSS and LPF9DEG.2SS - 90 cm Electric Multifunction Double Oven and Grill, 5 burner (1W, 1F, 1R, 1SR and 1A)	N		U
		Lofra Curva Models: LCF6EGSS and LCF6EG.2SS - 60 cm Electric Multifunction Oven and Grill, 4 burner (1W, 2R, 1SR and 1A)	N		U
		LCF7EGSS and LCF7EG.2SS - 70 cm Electric Multifunction Oven and Grill, 5 burner (1W, 2R, 1SR and 1A)	N		U
		LCF9EGSS and LCF9EG.2SS - 90 cm Electric Multifunction Oven and Grill, 5 burner (1W, 2R, 1SR and 1A)	N		U
		LCF9EGCSS and LCF9EGC.2SS - 90 cm Electric Multifunction Oven and Grill, 4 burner and ceran (1W, 1R, 1SR and 1A)	N		U
		Note: In Professional and Curva models = updated version with new style electronic clock.			
		D'Amani Model: DGEUCCT900 - 90 cm Electric Multifunction Oven and Grill, 5 burner (1W, 2R, 1SR and 1A)	N		U
		DGEUCCT9.C3SS - 90 cm Electric Multifunction Oven and Grill, 5 burner (1W, 2R, 1SR and 1A)	N		U
		Pacini Model: PA0590051 - 90 cm Electric Multifunction Oven and Grill, 5 burner (1W, 2R, 1SR and 1A)	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Lofra SpA - Agent: Think Appliances Pty Ltd Continued					
		Baumatic Models:			
		BAF6001 – 60 cm Electric Multifunction Oven and Grill, 4 Burner (1W, 1R, 1SR and 1A)	N		U
		BAF7002 – 70 cm Electric Multifunction Oven and Grill, 5 Burner (1W, 2R, 1SR and 1A)	N		U
		BAF9003 – 90 cm Multifunction Oven and Grill, 5 Burner (1W, 1F, 1R, 1SR and 1A)	N		U
		BAF9006 – 90 cm Electric Multifunction Oven and Grill, 5 Burner (1W, 2R, 1SR and 1A)	N		U
		BAF9007 – 90 cm Electric Multifunction Oven and Grill, 5 Burner (1W, 2R, 1SR and 1A)	N		U
		Note:			
		W = Wok Burner			
		R = Rapid Burner			
		F = Fish Burner			
		SR = Semi Rapid Burner			
		A = Auxiliary Burner			
		SO = Small Oven (60 and 70 cm cookers)			
		LO = Large Oven (80 and 90 cm cookers)			
		Also suitable for use with New Zealand Natural gas			
Major Electrical Appliances, A Div of Hagemeyer Brands Australia Pty Ltd					
6801	9.05	Blanco Freestanding Cookers Models: BFS95F and BFS95FFF (Centre Fish Burner) Models: BFS95W and BFS95WFF (Centre Wok Burner)	N		P
6824	10.05	Blanco 60 cm Freestanding Gas/Electric Cookers Models: BFS60NX, BFS60NXFF, BFS60WX and BFS60WXFF	N		P
Nomalon Imports Pty Ltd					
5281	5.95	Nardi Sorrento and Senator Dual Fuel Models Sorrento EK664, GK664 and Senator EK955, GK955	N		P
5530	7.97	Viking Professional VGIC, VGRC Series Ranges and VGRT Series Cooktops VGIC Series Ranges (610 mm deep) Models: VGIC245-4B, VGIC305-4B, VGIC365-6B, VGIC365-4Q VGIC365-4G, VGIC485-6G, VGIC485-6Q and VGIC485-4GQ VGRC Series Ranges (685 mm) Models: VGRC365-6B, VGRC365-4Q, VGRC365-4G, VGRC485-6G, VGRC485-6Q, VGRC485-4G, VGRC-4GQ, VGRC605-6GD and VGRC605-6GQD VGRT Series Cooktops (only) Models: VGRT300-4B, VGRT360-6B, VGRT360-4Q, VGRT360-4G, VGRT421-6B, VGRT421-4G, VGRT421-4Q, VGRT480-6G, VGRT480-6Q, VGRT480-4GQ, VGRT600-6G and VGRT600-6GQ	N		P
6582	5.04	Nardi Dual Fuel Models M400 and M640	N		P
Omega Appliances, A Division of Hagemeyer Brands Australia Pty Ltd					
6237	2.02	Omega Freestanding Cooker Models OA2000, OA2100 and OA2200	N		P
Sampford & Staff Pty Ltd					
5150	1.95	La Germania Series Upright Cookers with Wok and Fish Burner Options Models D99020X, LUGF50-90-S, LUEP01-90-S, LUG01-90-S, LUE01-90-S/W, LXUE01-90-S, LUGF01-90-S/W, LUG01-60-S and D64C60X	N		P
6081	5.02	La Germania Upright Cooker Models M8050WOKXEG, D85C21X and D85C20X	N		P
Smeg SpA - Agent: Omega Appliances, A Division of Hagemeyer Brands Australia Pty Ltd					
5611	11.98	Smeg Dual Fuel Freestanding Cookers & Hotplates Models A21X-5, A31X-5 and PVA96-1 Note: Smeg Model PVA96-1 is a 6 burner hotplate only.	N		P
6104	8.01	Smeg Freestanding Cookers Gas Cooktops with Electric Oven/Grill Models: SA9065, SA9066, A11, OF901XA	N		U
6261	6.02	Smeg Freestanding Cookers Models: FS60XNG, FS60WNG, FS60XLPG, FS60WLPG, FS61XLPG, FS61WLPG, FS61XNG, FS61WNG, FS61XPZ5 and SA62MFX5 Models: FS62XLPG, FS62WLPG, FS62XNG and FS62WNG	N		U
6864	11.05	Smeg Freestanding Cooker Models: FS9600XNG and SA92MFX5	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Steel SpA					
6404	4.03	Agent: Kleenmaid Pty Ltd Steel and Kleenmaid Dual Fuel Upright Cookers Models: S12-FF8, S12-FF6T, S12-FF6B, S12-FF6F, S12-FF6G, S12-FF6C, S12-FF4TF, S12-FF4BF, S12-FF4BC, S12-FF4TG, S12-FF4TC, S12-F8, S12-F6T, S12-F6B, S12-F6F, S12-F6G, S12-F6C, S12-F4TF, S12-F4BF, S12-F4BC, S12-F4TG, S12-F4TC S10-FF6, S10-FF4T, S10-FF4B, S10-FF4F, S10-FF4G, S10-FF4C S9-F6, S9-F4T, S9-F4B, S9-F4F, S9-F4G, S9-F4C S7-F4 Note: Suitable for use with New Zealand Natural gas	N		U
		Agent: Ro Gas-Electrical Savoire Faire Dual Fuel Upright Cookers Models: E1220-F8, E1220-F6T, E1220-F6B, E1220-F6F, E1220-F6G, E1220-F6C, E1220-F4TF, E1220-F4BF, E1220-F4BC, E1220-F4TG, E1220-F4TC E1200-F8, E1200-F6T, E1200-F6B, E1200-F6F, E1200-F6G, E1200-F6C, E1200-F4TF, E1200-F4BF, E1200-F4BC, E1200-F4TG, E1200-F4TC E1020-F6, E1020-F4T, E1020-F4B, E1020-F4F, E1020-F4G, E1020-F4C E900-F6, E900-F4T, E900-F4B, E900-F4F, E900-F4G, E900-F4C E700-F4 Note: Suitable for use with New Zealand Natural gas.	N		U
			N		U
			N		U
			N		U
			N		U
			N		U
			N		U
Technika Pty Ltd					
6061	11.00	Technika GHE06T & GHE09TP Multifuel Upright Cooker	N		P
6385	4.03	Technika Dual Fuel Freestanding Cookers Models GHE06TW, GHE09TW and GHE09TW(CAST)	N		P
6858	11.05	Technika GHE Series 60 and 90 cm Dual Fuel 60 cm Model: GHE06TD – Gas Hob, Electric Multifunction Oven and Grill 90 cm Models: GHE09TD – Gas Hob, Electric Multifunction Oven and Grill GHE09TGG – Gas Hob, Gas Oven and Electric Grill	N		P
			N		P
			N		P
Tecnogas SpA					
3446	3.86	Agent: Allenzi Pty Ltd Tecnogas and Allenzi 85-86 Series Dual Fuel Tecnogas Models 8550G6M*BCT, 8550G6C*ABT, 8550G6M*ABT, 8550G6C*BCT, 8550G6M*BA, 855VG6M*BA, 855VG6M*BCT, 855VM4P*BCT, 8550M4M*ABT, 8550M4P*BCT, 855VM4G*BCT, 8550M4M*BCT, 8650G6G*BCT, 8650G6E*BCT, 8650G6E*BBT, 8650M4A*BBT, 8650M4A*BCT, 8650M4E*BBT and 8650M4E*BCT Allenzi Models 8550G6M*BCT, 8550M4P*BCT, 8550M4M*ABT, 855VM4P*BCT, 8650M4A*BBT and 8650M4A*BCT Agent: Eurolec Pty Ltd Eurolec 85-86 Series Dual Fuel Models 855VM4G*BCT, 8650G6G*BCT, 8650G6E*BCT, 8650G6E*BBT, 8650M4E*BBT and 8650M4E*BCT Notes: First & Second characters indicate external dimensions. Third character indicates number of hotplate burners. Fourth character indicates characteristics of hob. Fifth & sixth character indicates type of oven. Seventh character indicates aesthetics. Eighth character indicates colour. Ninth character indicates characteristic of oven. Tenth character indicates characteristic of hob. Eleventh character indicates type of wok burner.	N		P
			N		P
			N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Tecnogas SpA					
4238	9.87	Agent: Allenzi Pty Ltd Tecnogas Models 9650G6C*ABT, 9650G6M*ABT, 9650G6C*BCT, 9650G6M*BA, 9650G6M*BCT, 965VG6M*BA, 9650G6G*BCT, 965VG6M*BCT 90 cm Gas Oven/Gas Grill Models Tecnogas Models 9650M4P*BCT, 9650M4M*BCT, 9650M4M*ABT, 965VM4P*BCT, 965VM4G*BCT, 9650M4G*BCT, 9650M4T*BBT, 9650M4A*BBT and 9650M4E*BBT Allenzi Model ACS96G* Note: 90 cm Gas Oven/Electric Grill Models Tecnogas Models 9650EFE*BB, 9650EFA*BB Note: 90 cm Electrical Oven Models	N		P
		Agent: Eurolec Appliances Pty Ltd Eurolec Model E8973009 Note: 90 cm Gas Oven/Electric Grill Model	N		P
		Agent: Integrated Appliance Group Pty Ltd IAG Model IOC9SG1S/ST Note: 90 cm Gas Oven/Electric Grill Model	N		P
		Agent: Nobel Appliances (WA) Pty Ltd Model FS90 Note: 90 cm Electric Oven Model Note: First and Second characters indicate external dimensions. Third character indicates number of hotplate burners. Fourth character indicates characteristics of hob. Fifth and sixth character indicates type of oven. Seventh character indicates aesthetics. Eighth character indicates colour. Ninth character indicates characteristic of oven. Tenth character indicates characteristic of hob. Eleventh character indicates type of wok burner.	N		P
Tecnogas SpA					
5734	2.00	Agent: Allenzi Pty Ltd Tecnogas and Allenzi Teamline Series Dual Fuel Tecnogas Models: A640G62*AA, A640G6P*AA, C640G62*FF, A640M4P*AA, C640M43*FF, C640M41*SC, C640M41*AC, C640M44*FF, C640M4B*BC, A640EDP*SA, A640EE2*SA, C640EF4*TF, C640EEB*SF, C64VEFB*TF, C74VEF6*TF, W640BC4*SC, C640M46*EF and C640EF6*SF Allenzi Models: A640G62*AA, A643*, A644*, A640EE*, TLE649XS and AW640BC* Note: * denotes colour	N		P
		Agent: Backwell IXL Pty Ltd Modena Teamline Series Dual Fuel Models: 93101, 93103 and 93121 Note: Above models approved for installation with flexible hose assembly.	N		P
		Agent: Eurolec Appliances Pty Ltd Eurolec Teamline Series Dual Fuel Models: C640G6P*AA, A640M4P*AA, C640M4B*BC and A640EDP*SA Note: * denotes colour	N		P
		Agent: Integrated Appliance Group Pty Ltd IAG Teamline Series Dual Fuel Models: IUG6SG1 and IUG6SE1	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Terim SpA 6263	4.02	Agent: Allenzi Pty Ltd Allenzi by Sauter Dual Fuel Freestanding Upright Cookers Model: AS900	N		U
		Note: Also suitable for use with New Zealand Natural Gas			
		Agent: Backwell IXL Pty Ltd Modena Dual Fuel Freestanding Upright Cooker Model: 93143	N		U
		Note: Also suitable for use with New Zealand Natural Gas			
		Agent: Builders Choice Australia Pty Ltd Nobel and Nightingale Dual Fuel Freestanding Upright Cooker Nobel Model: FS90	N		U
		Nightingale Model: NE90SS	N		P
		Note: Also suitable for use with New Zealand Natural Gas			
		Agent: Electrical Distributors Australia Pty Ltd Euromaid Dual Fuel Freestanding Upright Cooker Model: EM90SS	N		U
		Note: Also suitable for use with New Zealand Natural Gas			
		Agent: Electrolux Home Products Pty Ltd Westinghouse Dual Fuel Freestanding Upright Cookers Models: DSK963SNG and DSK965SNG	N		U
		Note: Also suitable for use with New Zealand Natural Gas			
		Agent: Eurostyle (SA) Pty Ltd Euro Dual Fuel Freestanding Upright Cooker Model: ENF90BSS	N		U
		Note: Also suitable for use with New Zealand Natural Gas			
		Agent: Integrated Appliance Group IAG Dual Fuel Freestanding Upright Cooker Model: IOC9SE1	N		U
		Note: Also suitable for use with New Zealand Natural Gas			
Agent: Prime Benefits Pty Ltd T/as Kitchenmaid Terim Dual Fuel Freestanding Upright Cookers Models: 190.50TC/FEM, 190.50TC/FEMW, 190.60TC/FEM, 190.60TC/FEMW, 192.50TC/FEM, 192.50TC/FEMW, 192.60TC/FEM, 192.60TC/FEMW, 196.50TC/FEM, 196.50TC/FEMW, 196.50TC/PE-FEM, 196.50TC/PE-FEMW, 196.60TC/FEM, 196.60TC/FEMW, 108.50TC/FEM, 108.50TC/FEMW, 108.60TC/FEM, 108.60TC/FEMW, 106.50TC/FEM, 106.50TC/FEMW, 106.50TC/PE-FEM, 106.50TC/PE-FEMW, 106.60TC/FEM, 106.60TC/FEMW	N		U		
Note: Also suitable for use with New Zealand Natural Gas					
Agent: Ro Gas -Electrical Savoir Faire Dual Fuel Freestanding Upright Cookers Models: C900, CR900, C920, CR920, SFD900, SFD900, C1020, CEV1020, C1000 and CEV1000	N		U		
Note: Also suitable for use with New Zealand Natural Gas					
Agent: The Indent Appliances Group Ltd Nouveau Dual Fuel Freestanding Upright Cooker Model: NYA196.50PE/TCFEM	N		U		
Note: Also suitable for use with New Zealand Natural Gas					

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Terim SpA					
6306	11.02	Agent: Electrical Distributors Australia Pty Ltd Euromaid Dual Fuel Freestanding Upright Cooker Model GFS60MSS Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Eurostyle (SA) Pty Ltd Euro Dual Fuel Freestanding Upright Cooker Model EFS60MSS Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Monsilk Pty Ltd Nobel Dual Fuel Freestanding Upright Cooker Model FS60 Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Prime Benefits Pty Ltd T/as Kitchenmaid Terim Dual Fuel Freestanding Upright Cookers Models PP66.T40FEMW/TC, CP66.40FEM/TC2, CP66.40FEMW/TC1, CP66.T40FEM/TC and CP66.T40FEMW/TC Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Ro Gas-Electrical Savoir Faire Dual Fuel Freestanding Upright Cookers Models SFD600, C600, SFDC600 and CC600 Note: Also suitable for use with New Zealand Natural Gas	N		U
		Agent: The Indent Appliances Group Ltd Nouveau Dual Fuel Freestanding Upright Cooker Model N6640FEV Note: Also suitable for use with New Zealand Natural Gas	N		U
Terim SpA					
6498	10.03	Agent: Prime Benefits Pty Ltd T/as Kitchenmaid Terim Dual Fuel Upright Cookers Models: 1017PX, 1017PA, 2017PX, 2017PA, 1117PX, 1117PA, 2117PX and 2117PA Notes: (i) Dual Fuel – Gas Cooktop/Electric Oven (ii) Also suitable for use with New Zealand Natural gas.	N		U
		Agent: Eurostyle (SA) Pty Ltd Euro Dual Fuel Upright Cooker Model: EEF90MSS Notes: (i) Dual Fuel – Gas Cooktop/Electric Oven (ii) Also suitable for use with New Zealand Natural gas.	N		U
		Agent: Builders Choice Australia Pty Ltd XPER Dual Fuel Upright Cookers Models: 1017PX, 1017PA, 2017PX, 2017PA, 1117PX, 1117PA, 2117PX and 2117PA Notes: (i) Dual Fuel – Gas Cooktop/Electric Oven (ii) Also suitable for use with New Zealand Natural gas.	N		U
Think Appliances Pty Ltd					
6272	6.02	Baumatic, D'Amani, Dolce, Linea and Sagi 60 and 90 cm Dual Fuel 60 cm Models: Baumatic BA2360, BAF2360 D'Amani DGEUCCP6, DGEUCCPF6 Dolce DFS600, DFS600F Linea LUC600, LUC600.2 (alternative clock), LUCF600 Sagi SAUCCP6, SAUCCPF6 90 cm Models: Baumatic BK2460, BKF2460 D'Amani DGEUCCP9, DGEUCCPF9, DGEUC9CAV, DGEUCF9CAV Dolce DFS900, DFS900F Linea LUC900, LUCF900 Sagi SAUCCP9, SAUCCPF9 Note: F denotes – with FFD	N		P
6279	6.02	Baumatic Dual Fuel Models BA2850, BA2850.2, BA2950 and BA2950.2	N		P
6290	8.02	Baumatic 70, 90, 100, 110 and 116 cm Dual Fuel Freestanding Models TS7 (70 cm Gas Top and Electric Oven) TS9, BATS1, and BATS1.2 (90 cm Gas Top and Electric Oven) TS10 (100 cm Gas/Electric Top and Two Electric Ovens) TS12 (116 cm Gas/Electric Top and Two Electric Ovens) Note: Difference between BATS1 and BATS1.2 is aesthetic only (ie knobs and oven door). BATS1.2 and TS9 are identical	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Woodland Home Products Pty Limited					
5050	2.94	St George Dual Fuel Freestanding Cooker Models FED3B*, FED4*, FED3B2* and FED4A* * Denotes colour variation	N		U
5372	10.96	St George Freestanding Cooker Models FE904B*, FE904B1* FE904B2*, FE905*, FE904C* and FE904C2* * Denotes colour variation	N		U

ELEVATED COOKERS (AS 4551/AG 101)
--

Electrical Distributors Australia Pty Ltd

6170	11.01	Dual Fuel Cooker Euromaid Model: MDA 200 4 Burner Cooktop with Electric Grill and Oven	N		P
------	-------	---	---	--	---

Electrolux Home Products Pty Ltd

6256	4.02	Chef GEC Series Elevated Cooker Models: GEC1235WNG-L, GEC1235WLP-L, GEC1235WNG-R and GEC1235WLP-R	N		P
		Models: GEC1255WNG-L, GEC1255WLP-L, GEC1255WNG-R and GEC1255WLP-R	N		P
		Models: GEC1385WNG-L, GEC1385WLP-L, GEC1385WNG-R and GEC1385WLP-R	N		P
Note: NG = Natural gas, LP = Propane, L or R = Left or right hand oven configuration.					

BUILT-IN COOKERS AND OVENS (AS 4551/AG 101)
--

Electrolux Home Products Pty Ltd

5697	5.98	Chef Select, Chef Classic, Westinghouse, Electrolux and Philco Underbench Ovens Chef Select Models GOS611WNG, GOS611WLP, GOS611SNG, GOS611SLP, GOS631WNG, GOS631WLP, GOS631SNG, GOS631SLP, GOS631KNG and GOS631KLP	N		PU
		Chef Classic Models GOCE671WNG, GOCE671WLP, GOCE671SNG, GOCE671SLP, GOCE671TRNG, GOCE671TRLP, GOCE671SANG, GOCE671SALP, GOCE671BSNG, GOCE671BSLP, GOCE671TNNG and GOCE671TNLP	N		PU
		Westinghouse Models GWH472WNG, GWH472WLP, GWH472SNG, GWH472SLP, GWH476WNG, GWH476WLP, GWH476SNG, GWH476SLP, GOL472WNG, GOL472WLP, GOL472SNG, GOL472SLP, GOL476WNG, GOL476WLP, GOL476SNG, GOL476SLP, GOL476KNG and GOL476KLP	N		PU
		Electrolux Models GOC633WNG, GOC633WLP, GOC633SNG, GOC633SLP, GOC673WNG, GOC673WLP, GOC673SNG and GOC673SLP <i>Philco Models GWH472WLP*</i> , <i>GWH472SLPH*</i> , <i>GWH476WLP*</i> and <i>GWH476SLPH*</i> <i>*For Hong Kong Market for use with Hong Kong LP (Universal LP) gas</i> W denotes white S denotes stainless steel K denotes black TR denotes terracotta SA denotes sandstone BS denotes bluestone TN denotes tungsten NG denotes natural gas LP denotes propane gas	N		PU
6134	5.01	Chef GGC641 and Electrolux GGC643 Series Underbench Oven Chef GGC641 Series Models GGC641SNG, GGC641SLP, GGC641WNG and GGC641WLP	N		PU
		Electrolux GGC643 Series Models GGC643SNG, GGC643SLP, GGC643WNG and GGC643WLP	N		PU
Note: S indicates stainless steel, W indicates white					

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Tecnogas SpA					
5971	5.00	Agent: Allenzi Pty Ltd Tecnogas and Allenzi Built-In Wall Oven with Electric Grill Tecnogas Models HC00M44KF1 and HC00M44*F7 Allenzi Model HC00M44KF1 Note: * denotes colour variation	N		P
		Agent: Integrated Appliance Group Pty Ltd IAG Built-In Wall Oven and Electric Grill Models IOS6G1 and IOS6WG1	N		P
WALL OVENS (AS 4551/AG 101)					
Electrolux Home Products Pty Ltd					
5757	11.98	Westinghouse, Chef Classic and Electrolux-Chef Wall Oven and Grill Westinghouse Models GWH538*, GWH540*, GWH645*, GWH745*, GXL540* and GXL650* Chef Classic Models GXC611*, GXC641* and GXC651* Electrolux-Chef Model GXC643* Note: *denotes colour variation or stainless steel	N		PU
			N		PU
Nomalon Imports Pty Ltd					
6105	5.01	Viking Professional Series EVGSO166 (Single Oven) Built-In Oven with Grill	N		P
HOTPLATES (AS 4551/AG 101)					
Abey Australia Pty Ltd					
6875	12.05	Jollynox 1, 2, 4 and 5 Burner Built-In Cooktops Models: PISL1CZI, PISL20ZI, PISL40ZI, PISL4CZI and PISL10004CZI Note: Also certified for New Zealand Natural gas	N		U
Andi Appliances Pty Ltd					
5327	2.97	Andi and Concept 4 Burner Built-In Hotplates Andi Models: AS4D2, AS4DV2, ASX4D2, ASX4DV2, PSX400D2, PS400D2, PSX400DV2 and PS400DV2 Concept Models: CS400D2, CS400DV2, CSX400D2 and CSX400DV2 Note: Model number dissection A = Andi brand C = Concept brand P = Professional style cast iron trivets, glass control panel auto ignition S = 60 cm wide hob X = Stainless steel hob – Without X White enamelled hob 400 = 4 burner for Andi and Concept brands D = Double ring or wok burner V = Flame failure safety valve	N		P
			N		P
5741	11.98	Andi and Concept 5 Burner Built-In Hotplates Andi Models: ANX5DP2, ANX5DPV2, AN5DP2, AN5DPV2, PNX500DP2, PN500DP2, PNX500DPV2 and PN500DPV2 Concept Models: CNX500DP2, CNX500DPV2, CN500DP2 and CN500DPV2 Note: Model Prefix A = Andi brand C = Concept brand P = Professional style cast iron trivets, glass control panel N = 90 cm wide hob X = Stainless steel hob – Without X hob is white 500 = 5 burners for Andi and Concept brands 5 = 5 burners for Andi brands D = Double ring wok burner P = Fish burner V = Flame failure safety valve	N		P
			N		P
6058	1.01	Andi Inbuilt Single (Wok), 2 and 3 Burner Hotplates Models APC452, APC45V2, C1XBDC2 and C2XG2	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Andi Appliances Pty Ltd Continued					
6212	6.02	Concept 4 and 5 Burner Built-In Hotplates Models C344M, C144W, C344VM, C144VW, C144DW, C144DVW, C344DM, C344DW, C344DVM, C344DVW, C365PETCM, C65PETCW, C365PETCVM and C65PETCVW Note: Last character denotes colour M = Stainless Steel W = White V = FFD	N		P
Andi-Co Australia Pty Ltd					
6112	6.01	AEG Hotplates Models: 3531WK-m (Single Wok Burner), 6531DG-m (2 Burner) and 6562G-m (4 Burner)	N		P
6549	2.04	AEG 4 and 5 Burner Hotplates Models EA4VRXPOXP (4 Burner) and EF5VRXPOXP (5 Burner)	N		P
Appliance Technology Australia Pty Ltd					
5603	1.98	Highland Cooktops Model HW1 Single Wok Burner	N		U
		Model SIG-2 Dual Wok Burner	N		U
5649	4.98	Highland Trinity HT3 Series Cooktops Models HT3CN, HT3CL, HT3SSN and HT3SSL Singapore Models HT3CUL and HT3SSUL for use with Singapore LPG	N		P
6012	9.00	Bosch and Highland Hotplates Bosch Models NHT715NG and NHT715LP Highland Models HC4SSN and HC4SSL	N		P
		Models NHT715NG, NHT715LP, HGC1NG and HGC1LP	N		P
6226	12.01	Highland Osca HO4 Series Cooktops Models HO4SSN and HO4SSL (All Gas) Models HO4CEN and HO4CEL (Dual Fuel)	N		P
			N		P
6391	10.03	Highland Open Griddle Cooktop Models: HDBBQN and HDBBQL	N		P
6590	5.04	Highland 4 and 6 Burner Hotplates Models HBMF100-NG, HBMF100-LP, HP4SSN and HP4SSL	N		U
Asko Appliances (Aust) Pty Ltd					
5691	11.98	Asko 4 Burner Hotplate Models H1A/11/A02 and H2A/11/A02	N		P
6483	10.03	Asko Hotplate Models H5A/11/A01 H5B/11/A01	N		P
6865	10.05	Asko 4 and 5 Burner Hotplates, Models: T120 and T130	N		P
Austcrown (International) Pty Ltd					
5335	7.97	Austcrown Single Wok Burner Cooktop Models SG 201 NG and SG 201 PG	N		P
A'Vard Industries Pty Ltd					
6338	9.02	1, 2, 3 and 4 Burner Built-In Hotplates Goldline Models: GL301N, GL302N, GL2N, GL3N, GL4N and GL603N Brandt Models: TG308XCI, TG309XCI De Dietrich Model: DTG308XCI Note: Brandt and De Dietrich models single burner only Also suitable for use with Hong Kong Town Gas	N		PU
			N		PU
			N		PU

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Bertazzoni SpA					
5830	5.99	Agent: Robert Bosch (Australia) Pty Ltd Bosch Models NGT 915 HAU, NGT 915 IAU and NGT 912 HAU 5 Burner with Fish and Wok Burners	N		PU
		NGT 615 XAU and NGT 612 XAU 4 Burner with Wok Burner Note: All models with flame failure devices.	N		PU
		Agent: Sampford & Staff La Germania Models P9901D4 and P990a D4, 5 Burner with Fish and Wok Burners	N		PU
		P9101D4, P910aD4 TX (Cast Iron Trivets) and P910aD4 MX (Enamel Trivets) - 5 Burner with Wok Burner	N		PU
		P9801D4, P980aD4, P6801D4, P680aD4 TX (Cast Iron Trivets) and P680aD4 MX (Enamel Trivets) - 4 Burner with Wok Burner	N		PU
		P6401 D4 and P640a D4, 4 Burner Note: Flame Failure Devices included on versions not indicating "a" suffix.	N		PU
		Agent: Whirlpool Australia Whirlpool AKM Models AKM 156/IX/2, AKM 156/WH/2, AKM 156/IX/3, AKM 156/WH/3, AKM 156/IX/4, AKM 156/WH/4, AKM 156/IX/5 and AKM 156/WH/5 (Enamel Trivets) - 4 Burner	N		PU
		AKM 157/IX/2, AKM 157/WH/2, AKM 157/IX/3, AKM 157/WH/3, AKM 157/IX/4, AKM 157/WH/4, AKM 157/IX/5 and AKM 157/WH/5 (Enamel Trivets) 4 Burner with Wok Burner	N		PU
		AKM 158/IX/2, AKM 158/WH/2, AKM 158/IX/3, AKM 158/WH/3, AKM 158/IX/4, AKM 158/WH/4, AKM 158/IX/5 and AKM 158/WH/5 (Enamel Trivets) – 5 Burner with Wok Burner	N		PU
		AKM 160/IX/2, AKM 160/IX/3, AKM 160/IX/4, AKM 160/IX/5, AKM 497/IX and AKM 497/IX/1 (Cast Iron Trivets) - 4 Burner with Wok Burner	N		PU
		AKM 498/IX and AKM 498/IX/1 (Cast Iron Trivets) – 5 Burner with Wok Burner	N		PU
		Kitchenaid AKF Models AKF 568/IX/2 and AKF 568/IX/3, 4 Burner with Wok Burner Note: All models without Flame Failure, unless indicated.	N		PU
Bompani Australia Pty Ltd					
6251	7.02	Tecnocook or Bompani HG Series 4 Burner Hotplates, Including Wok Models HGW651, HGX651 and HGK651 Note: W indicates White, X indicates Stainless Steel and K indicates Black.	N		P
BSH Home Appliances Pty Ltd					
6962	5.06	Bosch Glass Hotplates 4 Burner Model: PHW206FAU with Wok and FFD	N		U
		5 Burner Model: PHL206FAU with Wok and FFD Note: Also suitable for use with New Zealand Natural gas	N		U
Candy Elettrodomestici Srl - Agent: Dom Tech Appliances Pty Ltd					
6764	4.05	Candy Five Burner Model P9SPDXAUS	N		P
6765	4.05	Candy Four Burner Model PLDA640XAUS	N		P
Elba SpA					
5439	1.97	Delonghi (Type C5G) Models LGHS90, LGHW90, DGHS90, GHS90 Delonghi (Type C4G) Models LGHS, LGHW, DGHW, DGHS Delonghi Trend (Type C4G) Models CGHS, CGHW, CGHWS and CGHWW Kleenmaid (Type C5G) Models CH 95S, CH 35, Note: Type C4G = 4 burner hotplate Type C5G = 5 burner hotplate	N		U
			N		U
			N		U
			N		U
6268	5.02	Delonghi P6D Series, Models LGHW60, LGHS60 and DGHS60	N		P
6297	7.02	Delonghi Model DGHS70	N		P
6524	1.04	Delonghi Hotplate Models DGHS90W and DGHS90WF	N		U
6525	1.04	Delonghi Hotplate Models DGHS70W and DGHS70WF	N		U
6553	5.04	Nobel Hotplates P60 Series Models: ZNF4A/WH, ZNF4A/BL, ZNF4A/SS, ZNF4CTA/WH, ZNF4CTA/BL, ZNF4CTA/SS, COL4G/WH, COL4G/BL, ZNF4CTA/WH-FFD, ZNF4CTA/BL-FFD and ZNF4CTA/SS-FFD	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Elba SpA					
6294	9.02	Agent: Delonghi Australia Pty Ltd 1 and 2 Burner Hotplates P3S Models Delonghi Models: DS302G and DS30W	N		P
		Agent: Monsilk Pty Ltd Nobel Models: ZNF2A/WH, ZNF2A/BL, ZNF2A/SS, ZNF2A/WH-FFD, ZNF2A/BL-FFD, ZNF2A/SS-FFD	N		P
Electrical Distributors Australia Pty Ltd					
6440	7.03	Euromaid Hotplates Models AO980SS, AO980W, AO980WFS and AO980SSFS	N		P
Electrolux Home Products Italy SpA Agent: Electrolux Home Products Pty Ltd					
6377	4.03	Gallery and Zanussi Series Cooktops Models ZGF681IX, ZGF681ICX, ZGF981ICX, ZGF991ICX, EHG66X, EHG66W, EHG65X, EHG65W, EHG97X, EGG76U and EGG76X	N		U
Electrolux Home Products Pty Ltd					
4517	6.90	Westinghouse "H" Series, Models GHH10* & GHH101VW 4 Burner *denotes colour variation	N	TLP	T U
6362	6.03	Westinghouse GHL Series, Simpson 72G and 72H Series, Electrolux-Chef GHS, GHC, GHCF and GHCG Series, Electrolux GHE, GHEF and GHEG Series and Chef GHS, GHC, GHCF and GHCG Hotplates Westinghouse Models: GHL11, GHL12, GHL15, GHL16, GHL17, GHL24, GHL26, GHL90, GHL92, GHL95, GHL765, GHL795, GHL44* and GHL46* Simpson Models: 72G311, 72G313, 72G953, 72G957 and 72H313 Electrolux-Chef Models: GHS603, GHS613, GHC603, GHC613, GHC643, GHCF613, GHCF643, GHCG603, GHCG623, GHS903, GHS913, GHS933, GHC943, GHCF943, GHCG903 and GHCG923 Electrolux Models: GHE603, GHE613, GHE643, GHEF613, GHEF643, GHEG603, GHEG623, GHE903, GHE913, GHE933, GHE943, GHEG903, GHEG923 and GHEF943 Chef Models: GHS604, GHS614, GHC604, GHC614, GHC644, GHCF614, GHCF644, GHCG604, GHCG624, GHS904, GHS914, GHS934, GHC944, GHCG904, GHCG924 and GHCF944 Note: All model numbers suffixed by either of the following: W: White Enamel, K: Black Enamel or S: Stainless Steel, NG: Natural Gas, LP: Propane Gas *Westinghouse Models GHL44 and GHL46: Glass Top Versions	N N N N N		U U U U U
6457	6.03	Electrolux EHT, EHG and EHM Series Hotplates Models: EHT689, EHT989, EHG678, EHG682, EHG978, EHG982, EHG977, EHG983, EHM684 and EHM984 Also for use with Singapore Town Gas (known as City Gas) Note: All model numbers suffixed by either of the following: W: White Enamel or, X: Stainless Steel and CG: Singapore Town Gas or LP: Universal LP Gas. This series of appliances has been fully assessed to the Requirements of Standard EN 30.			U

Cert Number	Date Certified	Appliance	TYPE OF GAS				
			Nat	TLP	Town LPG		
Elitre Co Ltd							
6352	12.02	Groovy, Garwoods, Philco, Cellini, Rasonic and Cimatch 2 and 3 Burner Glass Top Hotplates Single Tube Model (S Type): Groovy Models: GR-220 and GR-320 Garwoods Models: GT-228, GT-228AC, GT-328, GT-328AC, GT-368 and GT-368AC Philco Models: PE752GH*, PE752GH-WT*, PE752GH/LP, PE752GH-WT/LP, PE752GH/NG, PE752GH-WT/NG, PE752GH/AC*, PE752GH-WT/AC*, PE752GH/LP/AC, PE752GH-WT/LP/AC, PE752GH/NG/AC, PE752GH-WT/NG/AC, PE863GH*, PE863GH-WT*, PE863GH/LP, PE863GH-WT/LP, PE863GH/NG, PE863GH-WT/NG, PE863GH/AC*, PE863GH-WT/AC*, PE863GH/LP/AC, PE863GH-WT/LP/AC, PE863GH/NG/AC, PE863GH-WT/NG/AC, PG365G*, PG365G-WT*, PG365G/LP, PG365G-WT/LP, PG365G/NG, PG365G-WT/NG, PG365G/AC*, PG365G-WT/AC*, PG365G/LP/AC, PG365G-WT/LP/AC, PG365G/NG/AC and PG365G-WT/NG/AC Cellini Models: CH752GH*, CH752GH-WT*, CH752GH/LP, CH752GH-WT/LP, CH752GH/NG, CH752GH-WT/NG, CH752GH/AC*, CH752GH-WT/AC*, CH752GH/LP/AC, CH752GH-WT/LP/AC, CH752GH/NG/AC, CH752GH-WT/NG/AC, CH863GH*, CH863GH-WT*, CH863GH/LP, CH863GH-WT/LP, CH863GH/NG, CH863GH-WT/NG, CH863GH/AC*, CH863GH-WT/AC*, CH863GH/LP/AC, CH863GH-WT/LP/AC, CH863GH/NG/AC and CH863GH-WT/NG/AC Rasonic Models: RG-LPD2BB, RG-TGD2BB*, RG-NGD2BB, RG-LPD2BW, RG-TGD2BW*, RG-NGD2BW, RG-LPA2BB, RG-TGA2BB*, RG-NGA2BB, RG-LPA2BW, RG-TGA2BW*, RG-NGA2BW, RG-LPD3BB, RG-TGD3BB*, RG-NGD3BB, RG-LPD3BW, RG-TGD3BW*, RG-NGD3BW, RG-LPA3BB, RG-TGA3BB*, RG-NGA3BB, RG-LPA3BW, RG-TGA3BW*, RG-NGA3BW, RG-LPD3SBB, RG-TGD3SBB*, RG-NGD3SBB, RG-LPD3SBW, RG-TGD3SBW*, RG-NGD3SBW, RG-LPA3SBB, RG-TGA3SBB*, RG-NGA3SBB, RG-LPA3SBW, RG-TGA3SBW* and RG-NGA3SBW Cimatch Models: CG289-AC*, CG289/LP-AC, CG289/W-AC*, CG289/LPW-AC, CG289, CG289/LP, CG289/W*, CG289/LPW, CG389-AC*, CG389/LP-AC, CG389/W-AC*, CG389/LPW-AC, CG389*, CG389/LP, CG389/W*, CG389/LPW, CG386-AC*, CG386/LP-AC, CG386/W-AC*, CG386/LPW-AC, CG386*, CG386/LP, CG386/W* and CG386LPW Dual Tube Model (F Type): Groovy Models: GR-220FD and GR-320FD Garwoods Models: GT-228FD and GT-328FD Cellini Models: CH7528G*, CH7528GW*, CH7528G/LP, CH7528GW/LP, CH7528G/NG, CH7528GW/NG, CH7528G/AC*, CH7528GW/AC*, CH7528G/LP/AC, CH7528GW/LP/AC, CH7528G/NG/AC, CH7528GW/NG/AC, CH7521G*, CH7521GW*, CH7521G/LP, CH7521GW/LP, CH7521G/NG, CH7521GW/NG, CH7521G/AC*, CH7521GW/AC*, CH7521G/LP/AC, CH7521GW/LP/AC, CH7521G/NG/AC, CH7521GW/NG/AC, CH8638G*, CH8638GW*, CH8638G/LP, CH8638GW/LP, CH8638G/NG, CH8638GW/NG, CH8638G/AC*, CH8638GW/AC*, CH8638G/LP/AC, CH8638GW/LP/AC, CH8638G/NG/AC, CH8638GW/NG/AC, CH8631G*, CH8631GW*, CH8631G/LP, CH8631GW/LP, CH8631G/NG, CH8631GW/NG, CH8631G/AC*, CH8631GW/AC*, CH8631G/LP/AC, CH8631GW/LP/AC, CH8631G/NG/AC and CH8631GW/NG/AC Philco models: PH7528B*, PH7528W*, PH7528B/LP, PH7528W/LP, PH7528B/NG, PH7528W/NG, PH7528B/AC*, PH7528W/AC*, PH7528B/LP/AC, PH7528W/LP/AC, PH7528B/NG/AC, PH7528W/NG/AC, PH7521B*, PH7521W*, PH7521B/LP, PH7521W/LP, PH7521B/NG, PH7521W/NG, PH7521B/AC*, PH7521W/AC*, PH7521B/LP/AC, PH7521W/LP/AC, PH7521B/NG/AC, PH7521W/NG/AC, PH8638B*, PH8638W*, PH8638B/LP, PH8638W/LP, PH8638B/NG, PH8638W/NG, PH8638B/AC*, PH8638W/AC*, PH8638B/LP/AC, PH8638W/LP/AC, PH8638B/NG/AC, PH8638W/NG/AC, PH8631B*, PH8631W*, PH8631B/LP, PH8631W/LP, PH8631B/NG, PH8631W/NG, PH8631B/AC*, PH8631W/AC*, PH8631B/LP/AC, PH8631W/LP/AC, PH8631B/NG/AC, PH8631W/NG/AC	N				U
		Dual Tube Model (R Type): Groovy Models: GR-200 and GR-300 Garwoods Models: GT-228RD and GT-328RD Cimatch Models: CG288-AC*, CG288/LP-AC, CG288/W-AC*, CG288/LPW-AC, CG288*, CG288/LP, CG288/W*, CG288/LPW,	N			U	
			N			U	

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Elitre Co Ltd Continued					
		CG388-AC*, CG388/LP-AC, CG388/W-AC*, CG388/LPW-AC, CG388*, CG388/LP, CG388/W* and CG388/LPW	N		U
		Note: (i) * Models suitable for use with Hong Kong Town Gas (ii) Appliances available with 1.5 Vdc or 220V/240V 50 Hz Ignition System			
Eurolinx Pty Ltd					
4791	5.93	ILVE Model PC96, 5 Burner with Wok and Fish Burner	N		P
4846	5.92	ILVE Model 30, 2 Burner	N	T	P
		ILVE Model 30C, Single Wok Burner	N	T	P
4904	2.93	ILVE Models 360, 4 Burner	N		P
		360C, 4 Burner with Wok	N		P
		361, 3 Burner with Electric Solid Plate	N		P
		361C, 3 Burner with Wok and Electric Solid Plate	N		P
		Note: Previous to the date 3.01 all models suitable for use with ULPG.			
5147	10.94	ILVE Model P965, 5 Burner with Wok and Fish Burner	N		P
		ILVE Model P965B, 4 Burner with Wok and Electric BBQ	N		P
5546	7.98	ILVE Models 39PC, 5 Burner with Wok and Fish Burner	N		P
		39BC, 4 Burner with Wok and Electric Barbecue	N		P
		391C, Dual Energy 5 Burner with Wok	N		P
		381C, Dual Energy 4 Burner with Wok	N		P
		Note: Previous to the date 3.01 all models suitable for use with ULPG.			
5685	8.98	ILVE Models P95, 5 Burner with Wok and Fish Burner	N		P
		P95C, 5 Burner with Wok	N		P
		P65, 4 Burner with Wok	N		P
5712	6.98	ILVE Model 370C, 5 Burner Cooktop with Wok Burner	N		P
6274	9.02	ILVE Model H 60 C – 4 Burner with Wok Burner	N		P
6452	7.03	Ilve Model H70C – 5 Burner with Wok Burner	N		P
6453	7.03	Ilve Model H90CC – 5 Burner with Central Wok Burner	N		P
		Ilve Model H90FC – 5 Burner with Central Fish Burner*	N		P
		*Available with optional Tepanyaki Plate			
Fiori Holdings Australia Pty Ltd					
6408	3.03	Fiori Hotplates Models PR4.4 and PS4.4TC	N		P
6466	8.03	Fiori 5 Burner Hotplate Model P5.5TCHD	N		P
6855	2.06	Fiori Hotplate Model: P 5.4 TC	N		P
Fisher & Paykel Appliances Limited					
5473	9.96	Fisher & Paykel CG602 Series Four Burner Models CG602, CG602W, CG602F, CG602WF, CG602WFC, CG602QJET and CG602MJET	N		U
		Note: Suffixes W = with wok, F = Flame Failure Device, C = Cast Iron Trivets			
		*Models CG602QJET and CG602MJET	N		U
		* Note: These two models are CG602WFC with cosmetic differences only.			
5612	11.97	Fisher & Paykel CG902 Series 5 Burner Model CG902WC (with Wok and Fish Burner)	N		U
		Model CG902WFC (with Flame Failure Device and Enamelled Cast Iron Trivets)	N		U
		Model CG902QJET (as per CG902WFC with cosmetic differences)	N		U
		Model CG902MJET (as per CG902QJET with cosmetic differences)	N		U
6091	5.01	Fisher & Paykel Titan CG913 Series 5 Burner with Wok Burner and Auto Re-ignition on all burners			
		Model CG913T	N		U
		Model CG913TM (as per model CG913T with alternative Wok Burner and Stainless Steel Finish)	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Fox SpA di R. Bompani & C					
6432	7.03	Agent: Euro Appliance Centre Pty Ltd Bompani 4 Burner Cooktops Models: BO210JN/N, BO213JN/N, BO213JO/N	N		P
		Agent: Milano Enterprises Pty Ltd Milano 4 Burner Cooktop Model: ML26002SS	N		P
		Agent: Oranier Australia Pty Ltd Boreal 4 Burner Cooktops Models: BR210JA/N, BR213JA/N and BR213JA/A	N		P
		Agent: Seeley International Pty Ltd (SA) Tudor 4 Burner Cooktops Models: TDA630S, TDA631S and TDA630W	N		P
Fox SpA di R. Bompani & C					
6564	7.04	Milano and Oranier 5 Burner Built-In Agent: Milano Enterprises Pty Ltd Milano Model ML293YA/N	N		P
		Agent: Oranier Australia Pty Ltd Oranier Model OR293YB/N	N		P
Fox SpA di R. Bompani & C - Agent: Omega Appliances, A Division of Hagemeyer Brands Aust P/L					
6650	10.04	Omega 2 Burner Built-In Model OA19	N		P
Franke Australia Pty Ltd					
6403	3.03	Franke Belinox, Trend, Design Plus and Design Glass 4 and 5 Burner Hotplates Belinox Models: BE60 4G, BEW60 4G, BE260 4G, BE60 4G-TC, BEW60 4G-TC and BE260 4G-TC Trend Models: TR60 4G, TR60 4G-TC, TR2P60 4G-TC-FFD, TR60 4G-TC-HT, TR70 4G-TC and TR70 5G-TC Design Plus Models: DP86 4G-TC and DPA83 4G-TC Design Glass Models: DG60 4G-TC, DG60 4G-TC-HT Note: All models are also suitable for New Zealand Natural Gas	N		U
6534	3.04	Franke Five Burner Hotplate Model DPR97 5G-TC-HT Note: Also suitable for use with NZ Natural gas	N		U
6541	3.04	Franke DP 90 Series 4 and 5 Burner Model DP90 4G-TC-VC (4 burner plus electric element) Model DP90 5G-TC-M (5 burner) Note: Also suitable for use with NZ Natural gas	N		U
6839	10.05	Franke 2 and 5 Burner Hotplates 2 Burner Models: BE30 2G (1 x Rapid and 1 x Auxiliary Burners) BE30 2G FFD (1 x Rapid and 1 x Auxiliary Burners and FFD) 5 Burner Model: BE90 5G TC (1 x Wok, 1 x Rapid, 2 x Semi-Rapid and 1 x Auxiliary Burners) Note: Also suitable for use with New Zealand Natural gas	N		U
6907	3.06	Franke 4 and 5 Burner Built-In 4 Burner Model: AX604G-TC-HT 5 Burner Models: AX705G-TC-HT and AX905G-TC-HT Note: Also suitable for use with New Zealand Natural Gas	N		U
Glem Gas Appliances Pty Ltd					
6232	7.02	Emilia Hotplate Model EC75GW* and EC75GW*L Note: Model suffix "*" denotes colour/trim finish	N		P
6233	5.02	Emilia Hotplates Models EC64G*, EC64G*L, EC64GW* and EC64GW*L Note: Suffix * denotes colour/trim finish	N		P
6689	1.05	Glem Gas Hotplates Models C64GW*, C75GW*, C95GW*, C64GW*L, C75GW*L and C95GW*L Note: Suffix * denotes colour/trim finish	N		P
Hon Shen Pty Ltd					
6503	11.03	Meiya and Yisoon Built-In Hotplates Meiya Models MG2, M11, MG11, MG22, M131, MG131, MG232, MG331, M123 and M321 Yisoon Models Y81G, Y82, Y82G, Y82GL, Y83, Y83G, Y83GL, Y812, Y821, and Y821G	N		P
			N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Indesit Company Spa - Agent: Arisit Pty Limited					
5664	3.98	Ariston 4 Burner Hotplate Model PF 740 MSD	N		P
5688	5.98	Ariston 6 Burner Hotplate Model PF 760 MS	N		P
5727	10.98	Ariston 4 Burner Hotplates Models PH640MS, PH640MT and PH640MST	N		P
5728	11.98	Ariston 4 and 6 Burner 4 Burner Models: PH940MT	N		P
		PH941MSTB (with electric element)	N		P
		PH941MSTV (with electric ceramic plate)	N		P
		6 Burner Models: PH960, PH960MTGH, PH941MSTBGH, PH941MSTVGH and PH960MTGH	N		P
		Note: Suffix GH after the model number denotes optional cast iron trivets.			
6138	6.01	Ariston 6 Burner Hotplate Model XP90G	N		P
6331	10.02	Ariston 4 Burner Hotplates Model PF640A	N		P
		Model PF640AS with Flame Failure Device	N		P
6529	12.03	Arisit 4 Burner Hotplate Models PF640E, PF640ET and PF640EST	N		P
6794	5.05	Ariston 1, 3 and 4 Burner Models PH723RQOGH (1 Burner with 3 Electric Ceramic Elements)	N		P
		PH741RQOGH (3 Burner with 1 Electric Ceramic Element)	N		P
		PH750RTGH (4 Burner)	N		P
		Note: Suffix "GH" indicates cast iron trivets			
ItalStile Srl					
5760	9.99	Technika and Tuscany 1, 2, 3, 4 and 5 Burner Hotplates Model 40G1 (4 Burner – 60 cm)	N		P
		Model 40G1-F/F (4 Burner with Flame Failure)	N		P
		Model 40GTC (3 Burner with Wok)	N		P
		Model 40GTC-F/F (3 Burner with Wok and Flame Failure)	N		P
		Model EL4GTC (3 Burner with Wok – 60 cm)	N		P
		Model PA5GTC (4 Burner with Wok – 70 cm)	N		P
		Model DL4G (4 Burner – 90 cm)	N		P
		Model DL4GTC (3 Burner with Wok – 90 cm)	N		P
		Model DL5GTC (4 Burner with Wok – 90 cm)	N		P
		Model DL5GPTC (3 Burner with Wok and Fish – 90 cm)	N		P
		Model 10GI (Wok – 30 cm)	N		P
		Model 11GI (Fish – 30 cm)	N		P
		Model 20GI (2 Burner – 30 cm)	N		P
6814	6.05	Tuscany, Nouveau, Gianni, San Marco, Platinum and Sagi 1, 2, 3, 4 and 5 Burner Built-In Model 40GI (60 cm 4 Burner)	N		P
		Model 40GI-F/F (60 cm 4 Burner with Flame Failure)	N		P
		Models 40GTC and EL4GTC (60 cm 3 Burner plus Wok Burner)	N		P
		Model 40GTC-F/F (60 cm 3 Burner plus Wok Burner and Flame Failure)	N		P
		Model PA5GTC (70 cm 4 Burner plus Wok Burner)	N		P
		Model DL4G (90 cm 4 Burner)	N		P
		Model DL4GTC (90 cm 3 Burner plus Wok Burner)	N		P
		Model DL5GPTC (90 cm 3 Burner plus Wok and Fish Burners)	N		P
		Model 20GI (30 cm 2 Burner)	N		P
		Model 11GI (30 cm Fish Burner)	N		P
		Model 10GI (30 cm Wok Burner)	N		P
Kleenmaid Pty Ltd					
6485	8.04	Kleenmaid 1, 2, 5 and 6 Burner Hotplates Models CH311*(**), CH311WOK(**), CH611*(**), CH711*(**), CH911*(**), CH915*(**) and CH920*(**)	N		P
		X after 5 th character denotes Stainless Steel			
		W after 5 th character denotes White Vitreous Enamel			
		A after 5 th character denotes Aluminium			
		FF at end of model code denotes Flame Failure Device			
6486	8.04	Kleenmaid 4 Burner Built-In Hotplates Models CH607* and CH609*	N		P
		X after 5 th character denotes Stainless Steel			
		W after 5 th character denotes White Vitreous Enamel			
		A after 5 th character denotes Aluminium			

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town	LPG
Major Electrical Appliances Pty Ltd, A Division of Hagemeyer Brands Australia Pty Ltd						
5825	7.99	Blanco Hotplate Models BCGR31W2, BCGR32N2, BCGR73W2, BCGR64N2, BCG640NX, BCG640NW, BCG641WX, BCG641WW, BCG641WB, BCG641WAL, BCG640NXC, BCG640NWC, BCG641WXC, BCG641WWC, BCG641WBC, BCG641WALC, BCG95X, BCG95W, BCG95XC, BCG95WC, BCGR31W2FF, BCGR32N2FF, BCGR73W2FF, BCGR64N2FF, BCG640NXFF, BCG640NWFF, BCG641WXFF, BCG641WWFF, BCG641WBFF, BCG641WALFF, BCG640NXFFC, BCG640NWFFC, BCG641WXFFC, BCG641WWFFC, BCG641WBFFC, BCG641WALFFC, BCG95XFF, BCG95WFF, BCG95XFFC, BCG95WFFC	N			U
6303	9.02	Blanco 5 Burner Built-In Models BCGR75W2, BCGR75W2FF, BCGF75, BCGF75FF, BCGR95WX and BCGR95WXFF	N			U
6615	8.04	BCGC74W, BCGC74WFF, BCGC74B, BCGC74BFF, BCGC74X and BCGC74XFF	N			U
6924	4.06	Blanco Hotplates Models: GMS4400MX, GWS5500MXT and GWS4400MXT	N			P
Meridian Maestro Pty Ltd						
4801	4.92	Tudor Romeo by Braemar Hotplates Models 465, 600, 900, Wok 600, Wok 900 and Twin 900	N			P
Miele Australia Pty Ltd						
4490	2.91	Miele Models KM83-1 and KM83-2, 2 Burner	N	TLP	T	P
		Miele Models KM93-1 and KM93-2, 4 Burner	N	TLP	T	P
5267	3.95	Miele Model KM81-2, Single Burner	N			U
5313	12.95	Miele 4 Burner Cooktop Models KM300G & KM310G	N			U
5963	3.00	Miele KM400 Series Hotplate Models KM404 and KM405, 2 Burner KM406, Single Wok Burner KM414 and KM417, 4 Burner	N			U
6332	9.02	Miele 4 Burner Cooktop Models: KM 362 G, KM 362-1 G and KM 362-1 LP	N			U
6367	12.02	Miele 5 Burner Cooktops, Models: KM 390 G, KM 391 G and KM 390 LP	N			U
6415	3.03	Miele 5 Burner Cooktops, Models KM 370 G, KM 370-1 G, KM370-1 LP and KM 371 G	N			U
Mistral International Pty Ltd						
6851	10.05	Mistral 4 Burner Models: MGH10 and MGH10/SS Note: Also suitable for use with New Zealand Natural Gas	N			U
Monsilk Pty Ltd						
6619	8.04	Nobel 4 Burner Built-In Hotplate Models ZNF4A* and ZNF4TCA* * denotes W = White, B = Black & SS = Stainless Steel	N			U
Nationwide Electrical Wholesale Pty Ltd						
5657	8.98	Gas On-Haba - Wok Burner Hotplate Model GO 103 & GO 210, Single Burner Model GO 203 & GO 220, Dual Burner				P P
Nomalon Imports Pty Ltd						
6372	4.03	Nardi 4 and 5 Burner Built-in Hotplates Models CH40AVDX and CH55AVDX	N			P
Omega Appliances, A Division of Hagemeyer Brands Australia Pty Ltd						
5470	6.97	Omega Teba Models OA21-1G and OA21-1GFFD	N			P
5850	7.00	Omega Models OA22, OAR22, OAR700 and OAR950 Hotplates Note: Add suffix "X" for Stainless Steel Models, "W" for White, FFD – Flame Failure Device	N			P
Pider Metal Products Co Ltd						
6589	9.04	Pider 4A, 3A & 2A Series 2, 3 and 4 Burner Models C4A-N/LSB/E, C4A-N/LGB/E, C3A-N/LSB/E, CSA-N/LGB/E, C2A-N/LSB/E and C2A-N/LGB/E	N			P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Sampford & Staff Pty Ltd					
5948	10.00	Gaggenau KG260, VG231 and VG232 Series Hotplates Models KG260-214AU, KG260-224AU and KG260-234AU (4 Burner) VG231-231AU (Wok Burner) VG232-212AU, VG232-222AU and VG232-232AU (2 Burner)	N		P
			N		P
			N		P
5966	10.00	Neff Models T2333 and T2363, 4 Burner Neff Models T2940 and T2950, 5 Burner	N		P
			N		P
6185	9.01	Neff 5 and 2 Burner Hotplates Models T2583N0 and T2583N1 (5 Burner with Wok) N2263N0 (2 Burner)	N		P
			N		
6419	3.03	Neff and Bosch 4 and 5 Burner Hotplates with Wok Neff Models T2766NOAU (5 Burner) and T2186NOAU (4 Burner) Bosch Models PCL 785 FAU (5 Burner), PCH 615 FAU, PCH 615 DAU and PCH 612 DAU (4 Burner)	N		P
			N		P
6720	7.05	Gaggenau 1, 2 and 5 Burner Hotplates Models KG291-210AU, KG291-110AU, VG411-210AU, VG411-110AU, VG421-210AU and VG421-110AU	N		P
Smeg SpA – Agent: Omega Appliances, A Division of Hagemeyer Brands Australia Pty Ltd					
4571	5.92	Smeg Hotplate Models SA33X, SA133AW, SA34AX, SAR134AX, SAR134W, SAR134BK, SA134W, SAR804W, SAR804P, SAR804B, SAR804A, SAR809W, SAR93AX, SAR193AW, SAR191W, SAR191BK, SAR191AX, SAR64AX, SAR64W, SAR65X, SA134AS, SAR134AS, SAR93AS, SAR193AS and SAR67AS	N		U
5759	4.00	Smeg Hotplate Models SA60W, SA60X, SAR60W, SAR60X, CIR60X, SAR574, SAR575, SAR572AX, SAR531, SRV532, SRV531, CIR576X, CIR574 and CIR575	N		P
5867	5.00	Smeg Hotplates Models PA64SX (4 Burner), PA705SX (5 Burner) and PA106SX (6 Burner)	N		P
6430	5.03	Smeg Freestanding Cooktop Models: PGFA95F-1, PGFA95F-2, PLDA21AC and PLDA24	N		U
Technika Pty Ltd					
6344	1.03	Technika 1, 2, 3, 4 & 5 Burner Built-In Hotplates Models 10G1-2, 11G1-2, 20G1-2, 40G1-2, 40G1COLN-2, 40GTC-2, PA5GTC-2, DL4GTC-2, DL5GTC-2 and DL5GPTC-2 Models 40G1-2 and 40GTC-2, (with and without FFD) Models PA5GTC-2 and DL5GPTC-2 (option: enamel trivets) Model DL4GTC-2 (cast iron or enamel trivets) Model DL5GTC-2 (option: cast iron trivets)	N		P
6630	8.04	Technika 4 & 5 Burner Built-In Gas Hotplates Models TB64GSS, TB75GWSS and TB95GWSS	N		P
Tecnogas SpA - Agent: Allenzi Pty Ltd					
6480	12.03	Tecnogas and Allenzi 4 and 5 Burner Models PF640* (no FFD), PFV640* (with FFD), PF750* (no FFD) and PFV750* (with FFD) Note: *denotes colour/finish	N		P
			N		P
Teka Australia Pty Ltd					
6761	7.05	Teka CG LUX 2, 3, 4 and 5 Burner Glass Model CG LUX 75 2G AI TR (2 Wok Burners, vitreous enamel pan supports) Model CG LUX 86 3G AI TR (3 Burner, 2 Wok Burners, vitreous enamel pan supports) Models CG LUX 60 4G AI and CG LUX 70 4G AI (4 Burner, cast iron pan supports) Model CG LUX 70 5G AI (5 Burner, vitreous enamel pan supports) Model CG LUX 70 5G AI TR (5 Burner, centre wok, vitreous enamel pan supports)	N		U
			N		U
			N		U
			N		U
6284	8.02	Teka 4 and 5 Burner Stainless Steel Built-In 4 Burner Models: EF/60 4G AI F, EF/60 4G AI V 5 Burner Models: E/70 5G AI TR F, E/70 5G AI TR V, EF/90 5G AI TR F, EF/90 5G AI TR V Notes: Front Controls. Enamel Trivets with option of Cast Iron. F = Flat Controls, V = Vertical Controls	N		P
			N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS				
			Nat	TLP Town	LPG		
Terim SpA 6307	11.02	Agent: Andi Appliances Pty Ltd Andi 5 Burner Built-In Hotplates Models: A344DM, APLE95TM, APFH75TM, APFX75TN Also suitable for use with New Zealand Natural Gas	N		U		
		Agent: Backwell IXL Pty Ltd Modena 4 and 5 Burner Built-In Hotplates Models: 91001, 91101, 91142, 91141 and 91121 Also suitable for use with New Zealand Natural Gas	N		U		
		Agent: Electrolux Home Products Pty Ltd Electrolux 5 Burner Built-In Hotplate Model: EHG77X Also suitable for use with New Zealand Natural Gas	N		U		
		Agent: Eurostyle (SA) Pty Ltd Euro 4 and 5 Burner Built-In Hotplates Models: EC4GW, EC4GSS, EC3WGW, EC3WGSS, E5B90WH, E5B90SS and E70GCTSS Also suitable for use with New Zealand Natural Gas	N		U		
		Agent: Integrated Appliance Group Pty Ltd IAG 5 Burner Built-In Hotplate Models: ICD9SG2 and ICD9SG3 Also suitable for use with New Zealand Natural Gas	N		U		
		Agent: Monsilk Pty Ltd Nobel 5 Burner Built-In Hotplates Models: EU930, EU930CIT, EU930FFD, EU930CITFFD, EU730, EU730CIT, EU730FFD and EU730CITFFD Also suitable for use with New Zealand Natural Gas	N		U		
		Agent: Prime Benefits Pty Ltd T/as Kitchenmaid Terim 4 and 5 Burner Built-In Hotplates Models: PR4.4, PR4.4(SS), PR4.4V, PR4.4TC, PR4.4TC(SS), PR4.4VTC, PR6.5PE/TC(GE), PR6.5PE/TC(GE)(SS), PR6.5PE/TC(GP), PR6.5VPE/TC(GE), PR6.5VPE/TC(GP), PR6.5/TC(GE), PR6.5/TC(GP), PR6.5V/TC(GE), PR6.5V/TC(GP), P5.5TC(GE), P5.5TC(GL), P5.5TC(GP), P5.5TC(GP)CG, P5.5VTC(GE), P5.5VTC(GL), P5.5VTC(GP) and P5.5VTC(GP)CG Also suitable for use with New Zealand Natural Gas	N		U		
		Agent: Ro Gas-Electrical Savoir-Faire 5 Burner Built-In Hotplates Models: TEH900, TH900, TH900FFD, TE700, T700, TE700FFD and T700FFD Also suitable for use with New Zealand Natural Gas	N		U		
		Agent: The Indent Appliances Group Ltd Nouveau 4 Burner Built-In Hotplates Models: NP44S, NP4TCW and NP4TCS Also suitable for use with New Zealand Natural Gas	N		U		
		6493	9.03	Agent: Andi Appliances Pty Ltd Andi 4 Burner Built-In Hotplates Models APFH64TE and APFX64TC Also suitable for use with New Zealand Natural Gas	N		U
				Agent: Backwell IXL Pty Ltd Modena 4 Burner Built-In Hotplates Models 91002 and 91102 Also suitable for use with New Zealand Natural Gas	N		U
				Agent: Electrolux Home Products Pty Ltd Electrolux 4 Burner Built-In Hotplate Model EHT6984X Also suitable for use with New Zealand Natural Gas	N		U
				Agent: Hagemeyer Brands Australia Pty Ltd De Dietrich 4 Burner Built-In Hotplate Model DTE526XU1 Also suitable for use with New Zealand Natural Gas	N		U
				Agent: Integrated Appliance Group Pty Ltd IAG 4 Burner Built-In Hotplate Model ICD6SG2 Also suitable for use with New Zealand Natural Gas	N		U
		Agent: Prime Benefits Pty Ltd T/as Kitchenmaid Terim 4 Burner Built-In Hotplates Models PFL4.4(GE), PFL4.4(GP), PFL4.4V(GE), PFL4.4V(GP), PFL4.4/TC(GE)SS, PFL4.4/TC(GE)WH, PFL4.4/TC(GE)BL, PFL4.4/TC(GE)SS, PFL4.4/TC(GP)WH, PFL4.4/TC(GP)BL, PFL4.4/TC(GP)SS, PFL4.4V/TC(GE), PFL4.4V/TC(GE)SS, PFL4.4V/TC(GE)SS, PFL4.4V/TC(GP)BL and PFL4.4V/TC(GP)SS Also suitable for use with New Zealand Natural Gas	N		U		
		Agent: Ro Gas-Electrical Savoir Faire 4 Burner Built-In Hotplates Models T600SS-GE, T600W-GE, T600B-GE, T600B, T600SS, T600BFFD and T600SSFFD Also suitable for use with New Zealand Natural Gas	N		U		

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Think Appliances Pty Ltd					
5792	9.99	Franke, Dolce, Lofra and Sagi 4 and 5 Burner Built-in Hotplates Franke Models: FGC60P*, XBFCT-G60, XBFCT-GW60, FDC90R*, and FGC90P Dolce Models: DLGC6 and DLGCW6 Lofra Model: LEICG64W Sagi Models: SACG6004W, SACG6004, SACG6005W, SACG6005, SACG7002 Note: *Models available with or without FFD A = Auxiliary burner SR = Semi-Rapid burner R = Rapid burner W = Wok burner F = Fish burner E = Electric element	N		P
6309	8.02	D'Amani 5 Burner Built-in Hotplate Models: DGC95CW (cast iron trivets and manual ignition) DGC95CWA (cast iron trivets and auto ignition) DGC95WA (enamel mild steel trivets and auto ignition)	N		P
6311	8.02	Baumatic, Linea, Pacini and Venini 1, 2, 4, 5 and 6 Burner Built-in Hotplates Baumatic Models: BAWK1, BAG2, BA60G, BA61, BA61F*, BA61FC*, BA68, BA69, BA15.5, BA16.5* and BA19.5* Linea Models: L50, LF50*, L50.2SS, L50.2W, L51, LF51*, L51.2SS, L51.2W, L70.5 and L90.5 Pacini Model: PA0260011 Venini Models: V4GC6, V3G1WC6, VGC6 and VGCWS6 Note: * Models with FFD; A = Auxiliary Burner; S = Semi-Rapid Burner; R = Rapid Burner; W = Wok Burner; E = Electric Element; F = Fish Burner	N		P
6319	8.02	D'Amani and Sagi 5 Burner Hotplates D'Amani Model DGC95W Sagi Model SA4GW9	N		P
6321	10.02	D'Amani 4 and 5 Burner Built-in Hotplates 4 Burner Models DGC64A, DGC64FA(FFD), DGC64WA and DGC64FWA(FFD) 5 Burner Models DGC75WASS and DGCWAFSS	N		PU
6328	4.03	Franke and Sagi 4 Burner Built-in Hotplates Franke Model FWG60E Sagi Models SA3GW6 and SA4G6	N		P
6334	11.02	Franke and Sagi 4 and 5 Burner Built-In Hotplates Franke Models FGC60E (4 Burner) and FWG70R (5 Burner) Sagi Model SA4GW70 (5 Burner)	N		P
6531	1.04	D'Amani Five Burner Models DGC95CEXWASS (non FFD) and DGCF95CEXWASS (FFD)	N		P
6694	2.05	Baumatic and Lofra 4 Burner Baumatic Model BT66SS Lofra Model LOICG74WSS Note: Both models also suitable for use with New Zealand Natural Gas	N		U
6829	12.05	Lofra 4 and 5 Burner Built-In 4 Burner Model: LPICG64WSS 5 Burner Models: LPICG75WSS, LPICG95WSS, LEICG75WSS, LEICG95WSS	N		U
6955	5.06	Baumatic 1, 2, 4 and 5 Burner Built-In One Burner Model: BACG3005 (30 cm) Two Burner Model: BACG3006 (30 cm) Four Burner Model: BA62 (60 cm) Five Burner Models: BA72 (70 cm) and BA92 (90 cm) Note: Also suitable for use with New Zealand Natural gas	N		U
Turboair SpA - Agent: Global Gas					
6592	8.04	Turbo Single Wok and 2 Burner Hotplates Models T1109SS (Single Wok Burner) and T1209SS (2 Burner)	N		P
Whirlpool Europe srl - Agent: Whirlpool (Australia) Pty Ltd					
6897	1.06	Whirlpool AKT Series 1, 2, 4 and 5 Burner Built-In One Burner Model: AKT306/.. Two Burner Model: AKT302/.. Four Burner Models: AKT616/.., AKT619/.. and AKT699/.. Five Burner Models: AKT717/.. and AKT915/.. Note: “..” represents the colour denomination: Wh – White and IX - Inox	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

Woodland Home Products Pty Limited

5257	6.95	St George Hotplate Models CG60WOK2E*, CG90WOK2E*, CG60WOKFFE*, CG90WOKFFE* and CG90WOKFFFB*	N		U
		* Denotes colour variation			
6265	4.02	St George Hotplate Models CG29* and CG29WOK*	N		U
		* Denotes colour variation			
6910	5.06	St George Hotplates Models: 5566010, 5566800, 5567100 and 5567800	N		U

COUNTER TOP COOKERS (AS 4551/AG 101)

Austcrown (International) Pty Ltd

4739	8.91	Rambo Single Wok Burner Model RB 18	N		P
		Rambo Double Wok Burner Model RB 28	N		P
5334	7.97	Model CK 801 Single Burner	N		P
		Model CK 802 Dual Burner	N		P
5651	4.98	Model CK 107 Single Burner Wok Hotplate			P
		Model CK 203 Two Burner Wok Hotplate			P

B & S Commercial Kitchen Appliances Pty Ltd

5521	2.97	ADL Series Chinese Combination Counter Top Cookers Models WT/HP/IR/01/96, HP/IR/GP/02/96 and WT/HP/03/96 comprising boiling burners, infrared toasters, griddle plate, wok burner	N		
------	------	---	---	--	--

Bromic Pty Ltd

4866	5.99	Companion Counter Top Cookers Models DC100 Single Burner and DC200 Double Burner	N		P
------	------	--	---	--	---

Galaxy Import-Export Company Pty Ltd

5569	4.99	Tiger Models YC808 and YC-409 Single Burner Hotplate			P
		YC818, YC828, YC828S, YC888 & YC888S Double Burner Hotplates			P

Qingdao Hengfeng Metal Products Co Ltd – Agent: IFA Australia Pty Ltd

6276	6.02	Cookmate Counter Top Cookers Models CT285 (single burner) and CT700-2 (double burner)			P
------	------	---	--	--	---

Steel SpA

6405	4.03	Steel, Kleenmaid and Savoir Faire Series Dual Fuel Cooktops			
		Agent: Kleenmaid Pty Ltd			
		Steel and Kleenmaid Models: S12-8, S12-6T, S12-6B, S12-6F, S12-6G, S12-6C, S12-4TF, S12-4BF, S12-4BC, S12-4TG, S12-4TC, S9-6, S9-4T, S9-4B, S9-4F, S9-4G, S9-4C, S9-6R and S7R-4	N		U
		Agent: Ro Gas-Electrical			
		Savoir Faire Models: T1200-F8, T1200-F6T, T1200-F6B, T1200-F6F, T1200-F6G, T1200-F6C, T1200-F4TF, T1200-F4BF, T1200-F4BC, T1200-F4TG, T1200-F4TC, T900-F6, T900-F4T, T900-F4B, T900-F4F, T900-F4G, T900-F4C, TR900 and T700	N		U
		Note: All models are suitable for use with New Zealand Natural Gas.			

Yanvin International (Aust) Pty Ltd

6497	3.04	Midea, Davidson and Toyo Single and Double Burner Models JZ20Y.1-T04 and JZ20Y.2-T21			P
------	------	--	--	--	---

CARAVAN AND MARINE COOKERS (AS 4551/AG 101)

Bromic Pty Ltd

4779	7.92	Lido “Junior” Model 59L Caravan Cooker			P
		Lido “Junior M” Model 59LT Marine Cooker			P

Camec Pty Ltd

5158	10.94	SMEV 7000 Series – Caravan & Marine 3 & 4 Burner Hob plus Oven/Grill			P
		SMEV 8000 Caravan & Marine Series Oven/Grill			P
5608	9.97	SMEV 2000-2500 Caravan & Marine 2 Burner Hotplate			P
		SMEV 2000 Caravan & Marine 2 Burner and Sink Combination Unit			P
		SMEV 4000-4500 Caravan & Marine 4 Burner Hotplate & Optional 550 Grill Box			P
5824	2.99	Smev Series 8000/8123VD Caravan & Marine			
		2 & 3 Burner Hotplates and Sink Combo			P
5912	9.99	SMEV 555 Caravan and Boat Series Grill Compartment			P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Camec Pty Ltd Continued					
6490	9.03	Smev Series 400, 4 Burner Hotplate/Grill/ Oven and Hotplate/Grill Models 401 (Hotplate/Grill/Oven) and 402 (Hotplate/Grill)			P
Casale Trim Co Pty Ltd					
6488	1.04	Swift 500 Series Caravan Cookers Models 501 (Upright Version 4 Burner Hotplate, Grill and Oven), 502 (Built-in Version 4 Burner Hotplate, Grill and Oven), 503 (Built-in Version 4 Burner Hotplate and Grill), 504, 505 and 506 (Built-in Versions 4 Burner Hotplates), 507 (Built-in Version 3 Burner Hotplate), 508 (Built-in Version 2 Burner Hotplate) and 509 (Elevated Version 4 Burner Hotplate, Grill and Oven) Note: All models have option of replacing rear left hand gas burner with electric element.			U U U U U U
Dometic Pty Ltd					
5536	10.97	Spinflo Cara 3200 Model OV3521 Oven and 3500 Model OG3557 Oven with Grill			P P
5537	10.97	Spinflo Built-In Model 854F 4BF 4 Burner Hotplate Model 854F 4BGF 4 Burner and Grill Combination Model C656/N 4 Burner, Grill & Sink Model H200F 2 Burner Hotplate Model H250F Midi Hob 2 Burner & Grill			P P P P P
5538	10.97	Spinflo Freestanding 2 Burner Hotplate and Grill for Caravan use Model Mk12FC/F-2BG			P
5710	8.98	Spinflo Model Integ grill 5500-4BG (4 burner hotplate and combined oven/grill) for caravan installation Spinflo Minigrill Model 5700-4BGF (4 burner hotplate and grill) for caravan installation			P P
5957	12.00	Caprice Model 6000 4BGF Inbuilt Gas Cooker incorporating Oven, Grill and Cooktop			P
6011	1.02	Cramer Hotplate Models CE99/41, CE99/44 and EK2000/EK1314			P
ENO					
6744	12.05	Eno Marine Two Burner Table Cooker and Three Burner Built-in Hob Two Burner Table Model: 0823.80 Three Burner Built In Model: 4330			P P
Glen Dimplex Home Appliances					
5940	2.00	Agent: Coromal Caravans Pty Ltd Belling Models: 500DIT-T1, 4 Burner Hotplate and Grill 500DIT-T2, 4 Burner Hotplate, Grill and Oven DF500DIT-T1, Dual Fuel Hotplate and Grill DF500DIT-T2, Dual Fuel Hotplate, Grill and Oven Agent: Dometic Pty Ltd Stoves Newhome Models: 500DIT-T1, 4 Burner Hotplate and Grill 500DIT-T2, 4 Burner Hotplate, Grill and Oven DF500DIT-T1, Dual Fuel Hotplate and Grill DF500DIT-T2, Dual Fuel Hotplate, Grill and Oven Stoves Newhome DF500DIT-T1, Dual Fuel Hotplate and Grill Stoves Newhome DF500DIT-T2, Dual Fuel Hotplate, Grill and Oven Agent: Jayco Caravan Manufacturing Stoves Newhome Models: 500DIT-T1, 4 Burner Hotplate and Grill 500DIT-T2, 4 Burner Hotplate, Grill and Oven DF500DIT-T1, Dual Fuel Hotplate and Grill DF500DIT-T2, Dual Fuel Hotplate, Grill and Oven Stoves Newhome DF500DIT-T1, Dual Fuel Hotplate and Grill Stoves Newhome DF500DIT-T2, Dual Fuel Hotplate, Grill and Oven			P P P P P P P P P P P P P P P P
Maxco Industries Pty Ltd					
4533	5.90	Broadwater 2 and 4 Burner Marine Cookers Models Brigantine, Schooner and Sloop – 4 Burner Hotplate Grill & Oven Cutter – 2 Burner Hotplate, Grill & Oven Gaffer – 2 Burner Hotplate & Grill Ketch – 4 Burner Hotplate & Grill Skiff - 2 Burner Hotplate			U U U U U
6347	11.02	Maxie, Maxie Leisure or Tudor Two Burner Benchtop Caravan Hotplate Model T2H			P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town LPG	
Ocean Solutions Pty Ltd						
6837	9.05	Force 10 Freestanding Marine Cookers Models: 63251, 63351, 63451, 73251, 73351 and 73451				P
RFD (Australia) Pty Ltd						
3892	2.85	Neptune Portable Upright Cooker Model 2000				P
Serada Ltd – Agent: Camec Pty Ltd						
6304	11.02	Serada Gas Quip Model OH1506 Hob, Grill and Oven Model MK12FC/F-2BG Hob and Grill				P P
Spinflo Limited						
6909	3.06	Marine/Caravan Caprice Cooker and Mini Grill Models: OH6000 Mk1 Caprice (Product code SOH6094Z) HG5700 Mk 1 Mini Grill (Product code SHG5794Z)				P P
6922	4.06	Marine/Caravan Cooker and Grill Models: H200F 2 Series (Product code HB2000Z) H250F Midi (Product code HM22200Z)				P P
6926	5.06	Spinflo C656 and 854F Series Marine/Caravan Cookers With/Without Sink C656 Series Combination Units C656 2BF (Product Code CU64260Z) C656 2BGF (Product Code CU68243Z) C656/N 4BGF (Product Code CU68443Z) 854F Series Built-In Hobs 854F 4BF (Product Code HB84960Z) 854F 4BGF (Product Code HB84860Z)				P P
6934	5.06	Spinflo Marine/Caravan Cookers Models: OH70000 Triplex LPG, OH71000 Triplex DF, OG70000 Duplex and OV70000 Mk3 Oven Only				P

WATER HEATERS

STORAGE WATER HEATERS (AS 4552/AG 102)

Note: Energy labelling not applicable where appliances are in excess of 50 MJ/h gas consumption.

			Annual Energy Cons. (MJ/year)	Star Rating/ Shading		
Aqua-Max Pty Ltd						
4767	11.91	Aqua-Max Model G200N & G200LP	20 303	5.2/157°	N	P
5658	5.98	Aqua-Max Kwikot Series (External) Models G40N & G40NMN G40LP & G40NMLP	22 830 22 830	4.0/120° 4.0/120°	N	P
6114	3.01	Aqua-Max (External) Models G205N, G205NMN, G205LP, G205NMLP and G440N	20 631	5.1/153°	N	P
6705	6.05	Aquamax 135 (External) Models 118 00 00 and 122 00 00	20 775	5.0/151°	N	
Camec Pty Ltd						
5674	4.98	Atwood Caravan Water Heater Model I6-6E (A)	Not tested	1.0/30°		P
Dometic Pty Ltd						
5801	12.98	Truma Caravan Gas Storage Water Heater with additional electric heating (optional) Models B10 & B14	Not tested			P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town	LPG
Dux Manufacturing Limited						
4227	7.87	Dux Proflo/Marathon Internal and External and Dux Sunpro Solar Preheated Storage Water Heaters				
		Proflo 111 Proflo (External) Models:				
		90FN-B, 90FL-B, 90FT-B,	24 544	3.1/95°	N	T U
		135FN-B, 135FL-B, 135FT-B,	24 834	3.0/90°	N	T U
		170FN-B, 170FL-B, 170FT-B	24 843	3.0/90°	N	T U
		Proflo 111 Proflo (Internal) Models:				
		135IN-B, 135IT-B, 135IL-B	24 136	3.4/101°	N	T U
		170IN-B, 170IT-B, 170IL-B	24 808	3.0/91°	N	T U
		Proflo 111 Marathon (External) Models:				
		90TN-B, 90TL-B, 90TT-B	24 544	3.1/95°	N	T U
		135TN-B, 135TL-B, 135TT-B	24 834	3.0/90°	N	T U
		170TN-B, 170TL-B, 170TT-B	24 843	3.0/90°	N	T U
		Dux Sunpro 305 (External) Model:				
		170FNS	N/A	N/A	N	
6554	3.04	Dux Prodigy Storage Water Heater				
		Models: 330TN, 330TL	20 723	5.0/151°	N	P
		Models: 360TN, 360TL	20 645	5.0/152°	N	P
6758	4.05	Dux 400L Centaur Storage Water Heater				
		4D126N	Not applicable		N	
		4D126L	Not applicable			P
6803	7.05	Dux Centaur 250L Outdoor Storage Water Heater Model 2D116N				
		Model 2D116L	Not applicable		N	
			Not applicable			P
6862	1.06	Dux Prodigy 4				
		Model: 135ZNA	22 413	4.2/126.3°	N	
		Model: 170ZNA	22 730	4.1/121.5°	N	
Edwards Hot Water a Div. of Rheem Australia Pty Ltd						
5027	2.94	Edwards Heatmate Internal and External Hot Water Circulator Model: 250				
		Note: (Internal = natural draught flue)	Not applicable		N	P
		(External = balanced flue)				
Hot Water Systems Australia Pty Ltd						
4380	11.88	Aquaheat/Ace Storage Water Heater				
		Model: 200 and 280 Solar	22 100	4.4/134°	N	
Morcraft Industries Pty Ltd						
4834	11.90	Heatmaster Model 150 Litre External	26 500	2.1/65°	N	P
Rheem Australia Pty Limited						
3340	1.82	Rheemglas and Rheemglas Premier Internal Mains Pressure Rheemglas Models:				
		Models 300090N0, 300090T0, 300090P0, 300090B0	23 337	3.8/113°	N	TLP T PB
		Models 300135N0, 300135T0, 300135P0, 300135B0	23 951	3.4/103°	N	TLP T PB
		Models 300170N0, 300170T0, 300170P0, 300170B0	24 404	3.2/97°	N	TLP T PB
		Rheemglas Premier 400 Models:				
		400090N0, 400090T0, 400090P0, 400090B0	23 813	3.5/105°	N	TLP T PB
		400135N0, 400135T0, 400135P0, 400135B0	23 951	3.4/103°	N	TLP T PB
		400170N0, 400170T0, 400170P0, 400170B0	24 404	3.2/97°	N	TLP T PB
5055	3.94	Rheem 620 Series (Indoor) and 630 Series (Outdoor)				
		Models 620260N0, 620260T0, 620260P0, 620260B0	28 168	1.3/41°	N	TLP T PB
		Models 630260N0, 630260T0, 630260P0, 630260B0	26 402	2.2/67°	N	TLP T PB
5468	12.96	Rheem 621 Series Indoor and 631 Series Outdoor				
		Models 621265N0, 621265T0,				
		621265P0 & 621265B0	Not applicable		N	TLP T PB
		Outdoor Models 631265N0, 631265T0,				
		631265P0 & 631265B0	Not applicable		N	TLP T PB
5469	12.96	Rheemglas Premier 621 (Indoor) and 631 (Outdoor) Series				
		Models 621275N0, 621275T0, 621275P0	Not applicable		N	TLP T PB
		& 621275B0	Not applicable		N	TLP T PB
		631275N0, 631275T0, 631275P0 & 631275B0	Not applicable		N	TLP T PB
		Note: Room Sealed Conversion Kit Available for 631 Series Models				

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town	LPG
Rheem Australia Pty Limited Continued						
5745	12.98	Vulcan Freeloader 648, Vulcan 641 Series & Aquahot 241 Series Vulcan Freeloader Models: 648170N0 & 648170P0	22 734	4.0/122°	N	P
		Vulcan 641 Models: 641090N0, 641090P0	23 400	3.6/110°	N	P
		641135N0, 641135P0	23 800	3.5/106°	N	P
		641170N0, 641170P0	24 300	3.2/98°	N	P
		Aquahot Models: 241135N0, 241135P0	23 800	3.5/106°	N	P
		241170N0, 241170P0	24 300	3.2/98°	N	P
5877	9.99	Rheem Rheemglass 350 Series Models 350330N0, 350330P0, 350330B0, 350330L0	20 310	5.2/157°	N	PBU
		Models 350360N0, 350360P0, 350360B0, 350360L0	20 650	5.0/152°	N	PBU
		Rheem Optima 850 Series Models 850330N0, 850330P0, 850330B0, 850330L0	20 310	5.2/157°	N	PBU
		Models 850360N0, 850360P0, 850360B0, 850360L0	20 650	5.0/152°	N	PBU
5902	11.99	Rheem Rheemglas 311 Series, Rheem Optima 811 Series, Everhot 647 Series and RheemPlus 314 Series External Mains Pressure Rheem Rheemglas 311 Series Models: 311090N0, 311090T0, 311090P0, 311090B0	23 979	3.4/103°	N	TLP T PB
		311135N0, 311135T0, 311135P0, 311135B0	24 314	3.2/98°	N	TLP T PB
		311170N0, 311170T0, 311170P0, 311170B0	24 901	2.9/89°	N	TLP T PB
		Rheem Optima 811 Series Models: 811090N0, 811090T0, 811090P0, 811090B0	23 979	3.4/103°	N	TLP T PB
		811135N0, 811135T0, 811135P0, 811135B0	24 314	3.2/98°	N	TLP T PB
		811170N0, 811170T0, 811170P0, 811170B0	24 901	2.9/89°	N	TLP T PB
		Everhot 647 Series Models: 647320N0, 647320T0, 647320P0 and 647320B0	24 901	2.9/89°	N	TLP T PB
		RheemPlus 314 Series 314135N0, 314135P0,	25 028	2.9/87°	N	P
		314170N0, 314170P0	25 862	2.5/75°	N	P
6179	11.01	Rheem Heavy Duty Mains Pressure Quick Recovery Internal and External Internal Models 620130N0, 620130P0	23 951	3.4/103°	N	P
		External Models 630130N0, 630130P0	24 314	3.2/98°	N	P
Rinnai Australia Pty Ltd						
6239	2.02	Rinnai Demand Duo Internal and External Domestic and Commercial Internal Models: DD16i/250, DD16i/315, DD20i/250, DD20i/315, DD26i/250, DD26i/315, DD200i/250, DD200i/315	Not applicable		N	P
		External Models: DD16/250, DD16/315, DD18/250, DD18/315, DD24/250, DD24/315, DD26/250, DD26/315, DD200/250, DD200/315, DD32/250, DD32/315, DD250/250, DD250/315	Not applicable		N	P
		Note: Energy labelling not required, appliances are in excess of 50 MJ/h gas consumption.				
Solahart Industries Pty Ltd						
5951	5.00	Vulcan 648145N0 & 648145P0 Outdoor Storage Water Heaters	22 818	4.0/120°	N	P
Suburban Manufacturing Company - Agent: Coast To Coast RV Services						
4624	10.90	Suburban Caravan Units Models SW6PA and SW6DA	Not tested			P
		Model SW6DEA (Dual Fuel)	Not tested			P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

GAS BOOSTED SOLAR WATER HEATERS (AS 4552/AG 102)

			Annual Energy Cons. (MJ/year)	Star Rating/ Shading			
BSP Enterprises Pty Ltd							
4567	5.90	Gas Assisted Solar (G.A.S.) and Gaspack Hot Water Services, Manual and Electronic Ignition Models	Not tested	1.0/30°	N		P
Hot Water Systems Australia Pty Ltd							
4380	11.88	Aqua-Heat/Ace Model 280	22 100	4.4/134°	N		
Rheem Australia Pty Limited – Agent: Solahart Industries Pty Ltd (for Solahart models only)							
6166	8.01	Rheem Rheemglas 531 Series Models 531260N0, 531260P0 and 531260B0	Not tested	-	N		PB
		Rheem Optima 581 Series Models 581260N0, 581260P0 and 581260B0	Not tested	-	N		PB
		Solahart Streamline Gas SL Series Models SL260N0 and SL260P0	Not tested	-	N		P
		Solahart Streamline Gas SLV Series Models SLV260N0, SLV260P0 and SLV260B0	Not tested	-	N		PB
		Solahart Streamline Gas SLX Series Models SLX260N0, SLX260P0 and SLX260B0	Not tested	-	N		PB
Solahart Industries Pty Ltd							
4766	12.91	Solahart Gas Booster Heating Element Model FD 15-12 & FD 15-12SL	Not applicable		N	TLP	P

INSTANTANEOUS WATER HEATERS (AS 4552/AG 102)

			Annual Energy Cons. (MJ/year)	Star Rating/ Shading			
Aqua-Max Pty Ltd							
6036	10.01	Aquamax Continuum 20 & 24 (External) Model GQ-2012WE	20 702	5/152°	N		U
		Model GQ-2412WE	20 680	5/152°	N		U
Douglas and Company							
5797	1.99	Douglas Internal Balanced Flue Instantaneous Model BF 250	22 051	4.0/120°	N		
Dux Manufacturing Limited							
5575	10.98	Dux Endurance 20i (Internal) Water Heaters Models 20iN	20 071	5.3/161°	N		
		Model 20iL	20 071	5.3/161°			P
6447	9.03	Dux Endurance Instantaneous Water Heater Models GK 2420	20 117	5.3/160°	N		P
		GK 2620	20 117	5.3/160°	N		P
		GK 2620 with fixed outlet @ 50°C	19 094	5.8/175°	N		P
6448	8.03	Dux Endurance External Mains Pressure Water Heater Models GK 1620	20 252	5.2/158°	N		P
		GK 1620 with fixed outlet @ 50°C	20 395	5.2/156°	N		P
		GK 1820	20 517	5.1/154°	N		P
		GK 2020	20 516	5.1/154°	N		P
		GK 2020 with fixed outlet @ 50°C	20 279	5.3/158°	N		P
Morcraft Industries Pty Ltd							
6072	10.00	Heatmaster 250 IBF Internal Balanced Flue	22 750	4.0/121°	N		

Cert Number	Date Certified	Appliance	TYPE OF GAS					
			Nat	TLP	Town	LPG		
Paloma Industries Ltd - Agent: Rheem Australia Pty Ltd								
6004	9.00	Paloma, Rheem Integrity, Solahart and Everhot External						
		Paloma Models: PH181CWH, PH201CWH	20 447	5.2/155°	N			P
		PH241CWH	20 300	5.3/157°	N			PU
		PH261CWH	20 453	5.2/155°	N			P
		Rheem Integrity Models: 871018N0, 871018NF, 871018PF, 875018NF, 875018PF, 871020N0, 871020NF, 871020PF	20 447	5.2/155°	N			P
		871024N0, 871024NF, 871024PF, 871024LF, 875024NF, 875024PF, 875024LF	20 300	5.3/157°	N			PU
		871026NF, 871026PF, 875026NF, 875026PF	20 453	5.2/155°	N			P
		Solahart Models: 10143200, 10143201	20 447	5.2/155°	N			P
		10143240, 10143241	20 300	5.3/157°	N			P
		10143260, 10143261	20 453	5.2/155°	N			P
		Everhot Models: 271024NF, 271024PF, 275024NF, 275024PF	20 300	5.3/157°	N			P
		271026NF, 271026PF, 275026NF and 275026PF	20 453	5.2/155°	N			P
Primo-Tech Pty Ltd								
6861	12.05	Merlin External Model: 600E	20 224	5.3/159°	N			
Rheem Australia Pty Limited								
5929	8.00	Vulcan 231 Series External Models 231010N0, 231010N0/4 231010N0/6, 231010P0, 231010P0/4, 231010P0/6	20 112	5.3/160°	N			P
		231014N0 and 231014P0	20 348	5.2/157°	N			P
		231016N0 and 231016P0	20 637	5.1/153°	N			P
5944	3.01	Vulcan Indoor Models – 221 Series 221010N0 and 221010P0 221014N0 and 221014P0	19 790	5.5/165°	N			P
			20 649	5.0/152°	N			P
6067	1.01	Vulcan External 232 Series Models 232010N0, 232010N0/6, 232010P0 and 232010P0/6	23 250	3.8/114°	N			P
Rinnai Australia Pty Ltd								
5511	8.97	Rinnai Models REU2018W-A (Infinity 18 External) REU2020W-A (Infinity 20 External) REU2422W-A (Infinity 22 External) REU2425W-A (Infinity 25 External) REU2008W-A (B-1200 External)	20 301 20 301 20 301 20 850 20 301	5.3/159° 5.3/159° 5.0/150° 5.0/150° 5.3/159°	N N N N N			P P P BP P
5618	12.97	Model REU 2006 FFU (Infinity 2006) Internal	21 188	4.8/144°	N			P
6071	1.01	Rinnai External Instantaneous Water Heaters Model REU-V3232W-A (Infinity 32) Model REU-V3232WC-A (HD250E)	20 311 20 311	5.2/157° 5.2/157°	N N			P P
6330	11.02	Rinnai "V" Series Models REU-V2632W-AK (Infinity 26 Plus External) REU-V2632WC-AK (Rinnai HD200E External) REU-V2020W-AK (Infinity 20 External) REU-V2018W-AK (Infinity 18 External) REU-V2626W-AK (Infinity 26 External) REU-V2632FFU-A (Infinity 26 Plus Internal) REU-V2632FFUC-A (Rinnai HD200i Internal) REU-V1616W-AK (Infinity 16 External) REU-V1620W-AK (Infinity V1200 External) REU-V1616WF-A (Infinity 16FE Internal)	19 578 19 578 19 578 19 578 20 484 18 969 18 969 19 853 19 853 20 221	5.6/168° 5.6/168° 5.6/168° 5.6/168° 5.1/155° 5.9/177° 5.9/177° 5.4/164° 5.4/164° 5.3/159°	N N N N N N N N N N			P P P P BP P P P P P
Robert Bosch (Australia) Pty Ltd								
2386	11.85	W125K...T Series Flued Indoor	23 400	3.7/111°	N	TLP	T	P
3867	4.85	TF250...T Series "Water Wizard 600" Outdoor Kleenheat Gas 600 by Bosch	21 700 21 700	4.5/137° 4.5/137°	N N	TLP	T	P P
3960	6.85	TF325...R Series "Water Wizard 780" Outdoor	22 900	3.9/118°	N	TLP	T	P
4053	4.86	TF400...TR Series "Water Wizard 960" Outdoor	22 200	4.2/128°	N			P
4720	12.91	WR400-1K...TA Flued Indoor	25 087	2.9/87°	N			PU
5363	5.97	Bosch Internal Models WR250-8GNG and WR250-8GLP	22 073	4.5/135°	N			U

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP Town	LPG	
Robert Bosch (Australia) Pty Ltd Continued						
5385	5.97	Bosch Internal Models WR400-8GNG and WR400-8GLP	21 572	4.6/138°	N	U
5386	5.97	Bosch 10H External Models TF250-8GNG and TF250-8GLP	20 687	5.1/153°	N	PU
5387	5.97	Bosch 13H External Models TF325-8GNG and TF325-8GLP	21 676	4.6/138°	N	PU
5388	5.97	Bosch 16H External Models TF400-8GNG and TF400-8GLP	20 719	5.0/151°	N	PU
5918	5.00	Bosch 16E (External 125 MJ/h) Model YS1639R	20 561	5.1/153°	N	U
		Bosch 18E (External 150 MJ/h) Model YS2039R	20 770	5.0/150°	N	U
6030	8.00	Bosch 22E Model YS2439R (External)	20 877	4.9/149°	N	U
		Bosch 24ES Model YS2441R (External)	20 877	4.9/149°	N	U
6505	1.04	Bosch Highflow External Model 17E (YS1750R***)	19 757	5.5/166°	N	U
		Model 21E (YS2150R***)	20 695	5.0/152°	N	U
		Model 25E (YS2550R***)	20 639	5.1/153°	N	U
		Model 25EC (YS2550R***)	20 639	5.1/153°	N	U
		Note: *** Indicates antifrost, set water temperature or water temperature maximum.				
6599	6.04	Bosch Internal Instantaneous Water Heaters Models WR325-8GNG and WR325-8GLP	21 124	4.8/144°	N	U
6743	3.05	Bosch Commercial Internal/External Models 32 (KM3211WH) and 32Q (KM3211WHQ)	21 212	4.8/144°	N	U
Servgas Pty Ltd						
5449	12.96	Instantaneous Water Heater Model: Aqua Powered 250 NG	19 213	5.8/174°	N	
Shriro Australia Pty Ltd						
4345	7.88	Everdure Model SD2-10 Skyliner External	25 072	2.9/87°	N	P
Takagi Industrial Co Ltd – Agent: Namrah Australia Pty Ltd T/as GCS Trading Truma Gas Equipment						
6623	1.05	Edwards Comfort, Chromagen and Zip (External)				
		Edwards Comfort Models:				
		100a	19 751	5.5/166°	N	P
		200a	19 647	5.5/167°	N	P
		Chromagen Models:				
		Chromagen T18, Solar First G18, Eternity 18	19 751	5.5/166°	N	P
		Chromagen T20, Solar First G20, Eternity 20	19 647	5.5/167°	N	P
		Zip Models:				
		Aquapoint 18	19 751	5.5/166°	N	P
		Aquapoint 20	19 647	5.5/167°	N	P
6624	1.05	Edwards Comfort, Chromagen and Zip (External)				
		Edwards Comfort Models:				
		300a	19 940	5.4/163°	N	P
		400a	19 915	5.4/163°	N	P
		Chromagen Models:				
		Chromagen T24, Solar First G24, Eternity 24	19 940	5.4/163°	N	P
		Chromagen T26, Solar First G26, Eternity 26	19 915	5.4/163°	N	P
		Zip Models:				
		Aquapoint 24	19 940	5.4/163°	N	P
		Aquapoint 26	19 915	5.4/163°	N	P
BOILERS (Central Heating and/or Water Heating) (AS 4552/AG 102)						
Aira Pty Ltd						
4525	2.90	Laars “C” Boiler Outdoor			N	P
Cambro Boilers Pty Ltd						
3559	7.83	Cambro Mk II Internal and External Boiler			N	P
4853	6.92	Cambro Mk 3 Models 30, 40 and 60 Internal and External Central Heating and Hot Water Boilers			N	P
		Models 30HW, 40HW and 60HW Internal and External Hot Water Boilers			N	P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town	LPG
Ferrol SpA - Agent: Auric Industries Pty Ltd						
6301	8.02	Pegasus F2/F3 Series Boilers for Central Heating Models F2 51, F2 68, F2 85, F2 102, F3 119 and F3 136	N			PU
6373	12.02	Ferrol Boilers for Central Heating	N			U
6822	9.05	Models Rendimax N 16EL PV, N 23EL PV, N 30EL PV and N 36EL Tempra Central Heating Boiler Models: Tempra 30 I and Tempra 30 O	N			U
IG Hendy Manufacturing Pty Ltd						
5234	5.95	Hendy Hydronic 120 Outdoor Central Heating Boiler	N			P
Hurlcon Research Pty Ltd						
6423	5.03	Hurlcon HB and HM Series Hydronic Boilers Models: HB100, 150, 200, 250, 300, 400 and 500	N			PU
		Models: HM200, 250, 300, 400 and 500	N			PU
6833	8.05	Hurlcon HW Series External Wall Hung Models: HW130, HW160	N			U
		Models: HW130 Modulating, HW160 Modulating	N			U
Hydroheat Supplies Pty Ltd						
6253	3.02	Baxi Luna Internal and External Mounted Water Heating Boilers Model: 1.240i (Internal)	N			P
		Models: 1.240Fi, 1.310Fi and 310Fi (Internal/External)	N			P
Hydronic Systems (Australia) Pty Ltd T/as Hunt Heating						
3899	6.85	Sime Internal Combination Boilers Models Format 25OF and 30OF	N			P
5383	4.97	Sime Model Format 30 BF Internal Combination Boiler	N			P
		Sime Model Format 30I Internal Central Heating Boiler	N			P
		Sime Model Format 30E External Central Heating Boiler	N			P
5814	6.99	Sime RX37, 48 and 55 Internal Boilers	N			P
5906	2.00	Sime RMG65, 75, 85 and 95E AUS Internal Central Heating Boilers	N			P
6108	6.01	Sime Planet Internal Power Flued Hydronic Models 25BFR and 25BFT	N			P
6557	5.04	Sime Format Internal and External Models 34i and 34e Central Heating Boilers Models 34IBF and 34EBF Central Heating and Domestic Hot Water Boilers	N			P
Lochinvar Corporation - Agent: Tomlinson Boilers (A Div of RCR Tomlinson Ltd)						
4915	10.92	Lochinvar Power-Fin Internal and External Commercial Mains Pressure Water Heaters Models P (B or F) N250 and P (B or F) L250	N			P
Ollin Sustainable Technologies Pty Ltd						
6563	5.04	Ollin External Combination Water Heater Model OC 841260	N			
Parsons Boilers and Heating Equipment						
2487	7.76	Parsons Boiler Model 160GM and 190GM Indoor Central Heating and Hot Water Boiler	N			
4831	7.92	Parsons Model 160GM Outdoor Central Heating & Hot Water Boiler	N			
Rheem Australia Pty Ltd (Vic)						
2554	9.76	Raypak, Raytherm and Hurricane Series 5 Boiler/Circulator Models 109, 147, 195, 275, 345 and 425 (Model prefix MM, OO, FP, SP, EP and HL)	N	TLP	T	P
5402	8.97	Raypak RB2100 Series V Boiler Models 197, 227, 347 and 427 with options BMMI/O, CMMI/O, BOOI/O, COOI/O, FP and SP	N	TLP	T	P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

SPACE HEATING APPLIANCES

FLUED RADIANT/CONVECTION HEATERS (AS 4553/AG 103)

			Annual Energy Cons. (MJ/year)	Star Rating/Shading			
Australian Heating Distributors Pty Ltd							
5498	3.97	Regency/Masport Inbuilt with Decorative Log Effect Model I31-2	18 026	1.1/34°	N		P
5810	3.99	Regency/Masport Inbuilt Decorative Log Effect Models I43	22 041	1.0/30°	N		P
5815	4.99	Regency/Masport Inbuilt Room Sealed with Decorative Log Effect Model PG36	15 180	2.7/81°	N		P
6231	4.02	Regency and Masport Freestanding Decorative Log Effect Models Regency F38-2 and Masport F38-1	18 751	1.8/55°	N		P
		Models Masport FG38 and Regency FG38	15 801	3.3/99°	N		P
6379	5.03	Regency and Masport Room Sealed Convection Heaters Models P121, P121LC, P1F21RC & P131 Pier	23 643	1.4/43°	N		P
6904	3.06	Regency Inbuilt Log Effect Model: I35	17 696	1.9/56°	N		U
		Note: Annual Energy Consumption, Star Rating & Red Band Shading varies depending on flue length. The above is for flue length of 0.6 m. For flue length of 4.5 m AEC = 18 892, SR & RBS = 1.1/34°.					
		Model: IG35	13 791	3.3/98°	N		U
		Note: The above is for flue length of 0.6 m. For flue length of 4.5 m AEC = 14 767, SR & RBS = 3.3/98°.					
		Note: Also suitable for use with NZ Natural gas					
Australian Heating Distributors Pty Ltd – Agent: Masport Australia Pty Ltd							
5613	3.98	Decorative Log Effect Heater Models Regency F33 and Masport F33	to be retested		N		P
Climate Technologies Pty Ltd (Trade Name: Bonaire Pyrox)							
4644	11.90	Model HE304M/21M Console	to be retested		N	TLP	P
		Model HE304M/25M Console	to be retested		N	TLP	P
Climate Technologies Pty Ltd (Trade Name: Vulcan)							
4949	3.93	48 Series Heritage Manual Models 4804 to 4807 Inbuilt and 4808 to 4811 Console	to be retested		N	TLP T	P
		Electronic Models 4814 to 4817 Inbuilt and 4818 to 4821 Console	to be retested		N	TLP T	P
Dragon Wholesaling Pty Ltd							
6295	8.02	Lopi Inbuilt Room Sealed Heater with Decorative Log Effect Model 35CB	15 485	1.0/30°	N		P
AF Gason Pty Ltd							
5578	6.98	Eureka and Jindara Inbuilt and Freestanding Log Effect					
		Eureka Topaz and Jindara Hume	13 666	2.7/83°	N		
		Eureka Topaz and Jindara Hume	10 128	3.2/98°			P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP Town	LPG	
Hearth & Home Technologies Inc – Agents: Jetmaster (Vic) Pty Ltd, Jetmaster Fireplaces Aust Pty Ltd						
5542	9.99	Heat-N-Glo Freestanding Room Sealed Log Effect Space Heater, Model Townsend-AU	19 005	1.0/30°	N	P
5543	4.01	Heat-N-Glo Inbuilt Room Sealed Log Effect Space Heater, Models ATS-AUST, AT-Grand-AU, AT-Supreme-AU	24 640	1.0/30°	N	P
		ATS-AU-D	18 185	2.0/61°	N	P
5667	9.99	Heat-N-Glo Freestanding Room Sealed Log Effect Space Heater, Model Baystove-AU	21 115	1.0/30°	N	P
6027	7.00	Heat-N-Glo Inbuilt Room Sealed Log Effect Space Heater, Model ST-38HV-AU	22 490	1.8/55°	N	P
Heat-N-Glo Fireplace Products Inc - Agent: Jetmaster Fireplaces Aust Pty Ltd						
5666	6.98	Heat-N-Glo Model SL-550TRS-AU with Decorative Log Effect	18 253	1.0/30°	N	P
5668	12.98	Heat-N-Glo Room Sealed Inbuilt Log Effect Model 6000 XLS-AU	18 008	2.4/73°	N	P
		Model 6000 XLT-AU	20 375	1.5/45°	N	P
Jarrahdale Solid Fuel Heating (trading name for RJ Metal Pty Ltd)						
6205	2.02	Jarrahdale Freestanding Decorative Log Effect Model Innovator	15 603	1.1/33°	N	
Masport Limited						
6361	1.03	Masport Decorative Log Effect Space Heaters				
		Piccolo Inbuilt NG/LP	18 744	1.5/46°	N	P
		Sofia EIS Inbuilt NG/LP	16 150	3.0/90°	N	P
		Madrid EIS Inbuilt NG/LP	16 150	3.0/90°	N	P
		Madrid ECS Inbuilt NG/LP	16 150	3.0/90°	N	P
6481	10.03	Masport Monaco S2 Series and Cardrona Freestanding Decorative Log Fires				
		Monaco Model ACC	19 133	2.0/60°	N	PU
		Monaco Model ECS	16 241	3.0/90°	N	PU
		Cardrona Model STD	18 318	1.5/45°	N	PU
		Cardrona Model ACC	18 318	1.5/45°	N	PU
Pecan Engineering Pty Ltd						
5954	4.00	Pecan Nectre and Maxiheat Freestanding Log Effect Space Heaters				
		Models Nectre 2000 Freestanding	14 521	1.7/52°	N	P
		Maxiheat Elite (Electronic Ignition)	13 774	2.3/70°	N	
		Maxiheat Elite (Electronic Ignition)	13 473	1.9/56°		P
		Maxiheat Bellfire (Manual Ignition)	16 492	1.4/41°	N	
		Maxiheat Bellfire (Manual Ignition)	18 290	1.0/30°		P
Real Flame Pty Ltd						
5694	7.98	Real Flame Model Wildfire Montigo W38DV Inbuilt Decorative Log Effect	18 391	1.0/29.5°	N	P
6877	12.05	Real Flame Inbuilt Decorative Effect Model: Pyrotech	17 097.38	1.58/47°	N	P
Rheem Australia Pty Ltd (Vic)						
6802	12.05	Raypak Vermont Freestanding Decorative Log Effect Model: RFSDV34RFN	21 280	1/30°	N	
		Model: RFSDV34RFP	22 284	1/30°		P
6815	12.05	Raypak Vermont Natural Vent Fireplace Inserts Model: LHEC30RFNAU	20 348	1/30°	N	
		Model: LHEC30RFP AU	20 928	1/30°		P

Cert Number	Date Certified	Appliance			TYPE OF GAS		
					Nat	TLP Town	LPG
Rinnai Australia Pty Ltd							
4276	1.88	Model REH280E and REH 280EB (Spectrum 28) Inbuilt and Console		to be retested		N	P
4277	4.88	Model REH300E (2001) Inbuilt and Console		to be retested		N	P
4308	6.88	Model REH300FT (Ultima) Inbuilt and Console		to be retested		N	P
5643	4.99	Rinnai Flamefire Series Log Effect					
		Model Freestanding FS35R Royale	17 179	2.1/64°	N		P
		Model Inbuilt IB35R Royale	15 275	2.6/80°	N		P
		Model Inbuilt IB30 Classique	13 569	3.0/91°	N		P
		Model Freestanding FS35ETR Royale	13 605	2.5/77°	N		P
		Model Inbuilt IB35ETR Royale	12 589	2.6/79°	N		P
		Model Freestanding Timberflame ETR	13 605	2.5/77°	N		P
		Model Inbuilt Timberflame ETR	12 589	2.6/79°	N		P
		Model IBF (Inbuilt Slimfire 25)	9 197	2.8/86°	N		P
		Model IBFSS (Inbuilt Slimfire 25)	9 197	2.8/86°	N		P
6613	7.04	Rinnai Model REH 241 EC (Sapphire 24 Console)	9 293	2.1/66°	N		P
Sampford & Staff Pty Ltd							
5261	4.96	Cannon Fitzroy Inbuilt and Freestanding Log Effect		to be retested		N	P
		Cannon Fitzroy Deluxe Freestanding Log Effect		to be retested		N	P
5809	2.99	Cannon Carlton Freestanding Log Effect	12 716	3.5/107.5°	N		P
6118	3.01	Cannon Inbuilt and Freestanding Log Effect Space Heater					
		Canterbury and Fitzroy Profile Inbuilt Models	10 452.7	3.7/113°	N		P
		Canterbury and Fitzroy Profile Freestanding and Inbuilt (Fireplace Installation) Models	10 283.41	4.0/121°	N		P
Shamic Sheetmetal (Aust) Pty Ltd							
6165	8.01	Coonara, Heatcharm and Arrow Inbuilt and Freestanding Decorative Log Effect					
		Coonara Inbuilt Model: Chateau	13 624	4.2/127°	N		P
		Coonara, Heatcharm and Arrow Freestanding and Inbuilt Model: Hermitage	13 424	4.6/139°	N		P
Sherwood Industries Ltd – Agent: 28 Newlands Road Holdings Pty Ltd T/as Garth Sheetmetal							
6413	3.03	Envirogas Freestanding Decorative Log Effect Space Heater Model EG 40	23 350	1.4/42.7°	N		P
Sherwood Industries Ltd - Agent: AF Gason Pty Ltd							
5526	5.97	Envirogas Freestanding and In-Built Log Effect Model 828 BV FS (Freestanding)		To Retest		N	P
		Model 828 BV FPI (Inbuilt)		To Retest		N	P
Stove Builder International Inc – Agent: Melton Craft Pty Ltd							
5655	6.98	Osburn Freestanding Decorative Log Effect Model: LA30DVS (room sealed)	19 338	2.0/60°	N		P
		Model: LA30 (open flued)	22 244	1.0/30°	N		P
Ultimate Distribution Australia Pty Ltd							
6286	7.02	Millennium and Esprit Flued Radiant/Convection Log Effect Space Heaters Freestanding Models					
		Millennium UGL40NG/Esprit UGL70NG	19 473	2.5/77°	N		
		Millennium UGL33NG/Esprit UGL63NG	17 764	2.2/68°	N		
		Millennium UGL40LP/Esprit UGL70LP	25 816	1.2/36°			P
		Millennium UGL33LP/Esprit UGL63LP	17 854	1.3/40°			P
		In-built Models					
		Millennium UGL39NG/Esprit UGL69NG	20 947	2.1/64°	N		
		Millennium UGL32NG/Esprit UGL62NG	16 567	2.2/66°	N		
		Millennium UGL39LP/Esprit UGL69LP	21 759	2.2/67°			P
		Millennium UGL32LP/Esprit UGL62LP	16 798	1.9/57°			P
6854	11.05	Ultimate Freestanding and Inbuilt Gas Log Effect Space Heater Model: Allure	14 230	1/30°	N		

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

BALANCED FLUE CONVECTION HEATERS (AS 4553/AG 103)
--

			Annual Energy Cons. (MJ/year)	Star Rating/Shading		
Aurora Climate Systems Pty Ltd						
5446	10.96	Archer Gas Log Space Heater (Decorative Log Effect) Models FSP100NA/LP, FS101NA/LP and IS102NA/LP	9342	5.5/166°	N	P
Australian Heating Distributors Pty Ltd						
6240	4.02	Regency/Masport Freestanding Room Sealed with Decorative Log Effect Model FG37	11 522	3.2/96°	N	P
		Model FG39	16 387	3.2/96°	N	P
6702	1.05	Regency and Masport Room Sealed Model PG33	10 178	3.0/90°	N	U
		Model P33	14 110	1.4/47°	N	U
6783	5.05	Regency and Masport Freestanding Decorative Log Effect Model HG35 Note: Also suitable for use with New Zealand Natural Gas	15 065	2.8/83°	N	PU
Bowin mfg Pty Ltd						
5788	12.98	Model PF25 Powered Flue	10 460	5.2/156°	N	P
		Model PF35 Powered Flue	13 604	5.2/158°	N	P
5789	12.98	Model XLE25 Powered Flue	10 460	5.2/156°	N	P
		Model XLE35 Powered Flue	13 604	5.2/158°	N	P
Noirot Australia Pty Ltd						
6254	4.02	Auer Balanced Flue Gas Heaters Modulgaz Models MV230	6333	1.1/32°	N	U
		MV240	8161	1.3/39°	N	U
Rinnai Australia Pty Ltd						
5209	2.95	Room Sealed Space Heaters Models: RHFE-308FTR	4 398	4.3/130°	N	P
		RHFE-431FTR	6 365	4.5/136°	N	U
		RHFE-556FTR and FDT	7 741	4.3/129°	N	U
		RHFE-557FTR	8 048	4.2/126°	N	U
5941	3.00	Forced Draught, Power Flued Space Heaters Models: RHFE-1004FTR and RHFE-1004FDT	11 884	4.3/129°	N	U
Robinson Willey Limited - Agent: Bowden Heating Pty Ltd						
6396	7.03	Robinson Willey "RS" Series Models: Firecharm RS, Sahara RS and Salisbury 2RS	8727	1/30°	N	P
Sampford & Staff Pty Ltd						
6809	6.05	Cannon Room Sealed, Power Flued Decorative Log Effect Space Heater Model: Fitzroy Profile PWR	10 345	4.4/131°	N	P

WALL FURNACES (AS 4553/AG 103)

			Annual Energy Cons. (MJ/year)	Star Rating/Shading		
Climate Technologies Pty Ltd						
5605	3.98	Vulcan Silhouette Series Wall Furnace Models 4700001SB, 4700002SB,	10 923	3.5/105°	N	P
		4700011SB, 4700012SB,	17 155	2.9/88°	N	P
		4690001, 4690002,	13 351	2.5/77°	N	P
		4690011 and 4690012	20 487	2.1/63°	N	P
6704	2.05	Vulcan Console and Inbuilt Convection Wall Furnaces Model: 4720001	13 945	2.4/70.9°	N	
		Model: 4720011	20 526	2.2/65.8°	N	

Cert Number	Date Certified	Appliance	TYPE OF GAS				
			Nat	TLP	Town	LPG	
Seeley International Pty Ltd							
5903	2.00	Braemar WF2000 - Models 26N, 26P 30N and 30P 40N and 40P	14 693 18 187	2.2/65° 1.4/42°	N N		P P
FLUELESS RADIANT/CONVECTION HEATERS (AS 4553/AG 103)							
			Annual Energy Cons. (MJ/year)	Star Rating/Shading			
Ambience Appliances Pty Ltd							
5255	4.96	G4000 Decorative Log Effect	to be retested		N		P
Climate Technologies Pty Ltd (Trade Name: Bonaire Pyrox)							
4936	12.92	Elite Model RT 15	4853	5.9/177°	N		PU
		Elite Model RT 18	5818	5.9/177°	N		PU
4937	12.92	Elite Model RT 21	6904	5.9/177°	N		PU
		Elite Model RT 25	7191	5.9/177°	N		PU
Masport Pty Ltd							
5545	8.97	Masport Sante Fe Flueless Decorative Log Effect Heater Model: MG 3000	10 805	4.6/137°	N		P
Paloma Industries - Agent: Paloma Australia							
5766	2.99	Paloma Models: PG 451S	1991	5.9/177°	N		P
		PG 651S	3319	5.9/177°	N		P
		PG 851S	4757	5.9/177°	N		P
5899	7.00	Paloma Model PG 311F	4247	5.9/177°	N		P
Renegade Gas Pty Ltd							
6728	4.05	Two Burner Flueless Space Heater Supaheat 21 Supaheat 21	6099 7069	5.9/177° 5.9/177°	N		P
Rheem Australia Pty Ltd (Vic)							
6451	10.03	Paloma Flueless Space Heater Model PG-1000EF	4664	5.9/177°	N		U
Rinnai Australia Pty Ltd							
4020	2.86	Model R650 PMS "Cosyglow"	4040	5.9/177°	N	TLP	T P
4021	2.86	Model R850 PMS "Econoheat"	4794	5.9/177°	N	TLP	T P
4162	3.87	Model RE480 PMS "Glow Ray"	2850	5.9/177°	N		T P
5219	3.95	Model REH151UCH (Titan Mk II)	4846	5.9/177°	N		P
		Model REH181UCH (Graduate)	5497	5.9/177°	N		P
		Model REH212UCH (Galaxy)	6396	5.9/177°	N		P
		Model REH252UCH (Granada)	7358	5.9/177°	N		P
Shriro Australia Pty Ltd							
4918	10.92	Everdure Finline Cavalier 2311 Cavalier 2311 WM (Wall Mounted)	to be tested to be tested		N N		P P
		Lancer 2415	5316	5.9/177°	N		P
		Crusader 3518	5290	5.9/177°	N		P
		Commander 3621	6611	5.9/177°	N		P
		Brigadier 3725	8295	5.9/177°	N		P
5355	4.96	Everdure Finline Brigadier 2725T (Manual) Brigadier ECR (Electronic) Crusader 2518T (Manual) Crusader ECR (Electronic) Commander 2621T (Manual) Commander ECR (Electronic) Lancer 2415T (Manual) Lancer EC (Electronic)	8925 5290 6611 6611 5316	5.9/177° 5.9/177° 5.9/177° 5.9/177° 5.9/177°	N N N N N		P P P P P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

FLUELESS CONVECTION HEATERS (AS 4553/AG 103)

			Annual Energy Cons. (MJ/year)	Star Rating/Shading		
Bowin mfg Pty Ltd						
4573	11.90	Bowin LB90, LB90F LO-NOX 9MJ, 17MJ, 22MJ & 28MJ	Not tested	-	N	P
4675	4.91	Bowin LN8	6237	1.4/43°	N	P
4792	4.92	Bowin "Federation" Fire	9667	3.6/110°	N	
4814	4.92	Bowin SLE1	6654	5.9/177.5°	N	P
4970	4.93	Bowin SLE2	9289	5.9/177.5°	N	P
6401	3.03	Bowin Flueless Convection Space Heater Model Quickheat	7898	5.8/173°	N	P
Rheem Australia Pty Ltd (Vic)						
6540	2.04	Paloma Flueless Space Heaters Models PG511FR PG711FR	5596 6790	5.9/177° 5.9/177°	N N	P P
Rinnai Australia Pty Ltd						
4911	2.93	Model RCE-417	5046	5.8/175°	N	P
5217	3.95	Model RCE-406TRH Model RCE-406TRH-3 Model RCE-506	5242 6164 5668	5.8/175° 5.8/175° 5.8/175°	N N N	P P P
		Model RCE-516, RCE-516TR, RCE-516TRH Model RCE-516TRH-3	6561 7710	5.8/176° 5.8/176°	N N	P P
5631	2.98	Model RCE-229H	2431	5.7/173°	N	P
5807	3.99	Rinnai Models RCE-329H RCE-329H-3	3779 4106	5.7/172° 5.6/169°	N N	P P
5808	3.99	Model RCE-560 PTR Model RCE-460 PTR	6103 5519	5.7/171° 5.5/167°	N N	P P
6376	4.03	Rinnai Flueless Convection Heaters Models RCE-670TRE (Avenger 25TRE) and RCE-670TR (Avenger 25TR) Model RCE-570TR (Blaze 21TR) Models RCE-470TRE (Capella 18TRE) and RCE-470TR (Capella 18TR)	7452 6717 6167	5.8/174° 5.8/174° 5.7/173°	N N N	P P P
Shriro Australia Pty Ltd						
6789	5.05	Everdure Lumina Flueless Convection Space Heater Models: EVC24 and Series II	8930	5.9/177°	N	

MISCELLANEOUS HEATERS (AS 4553/AG 103)

Ferguson Corporation Pty Ltd						
5848	4.99	H & A-Tec CO ² Generator Series 2 Models				P

OVERHEAD HEATERS

RADIANT HEATERS

INTERNAL USE ONLY (AG 403)

Aira Pty Ltd						
4258	8.87	Aira RTH Series, Models 60 and 80 Model 110 Model 160			N N N	T P P
5492	2.98	Super Ray WMA, WEA and WFA Series Overhead Radiant Heaters Models WMA16N, WMA16L, WMA24N, WMA24L, WMA40N, WMA40L, WMA48N and WMA48L WEA16N, WEA16L, WEA24N, WEA24L, WEA40N, WEA40L, WEA48N and WEA48L WFA16L, WFA24L and WFA40L			N N	P P P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town LPG	
Applied Investments Pty Ltd						
5287	6.95	Supaglo 410 (12/2400) Mobile Industrial Heater				P
Celmec International Pty Ltd						
3502	4.83	Radiant Tube Heaters Reflect-O-Ray 2700-24 Alpha and multi-burner series	N			P
5632	9.97	Radiant Tube Heaters Heatray Series Forced Draft Models 2400, 2405, 2410, 2415, 2700, 2705, 2710, 2715 Induced Draft Models 2700-24 and multi-burner series	N			P
5791	11.98	Heatray Manual Models 102, 102S, 104, 106 & 108 Heatray Electronic Models 112, 112S, 114, 116 & 118	N	TLP	T	P
Gameco (NSW) Pty Ltd						
5502	5.98	Gasolec Overhead Radiant Heaters, Models M2 and M8 Note: These appliances operate at higher than normal pressures. Contact AGA Technical Office for details.	N			P
Gas Fired Products (UK) Ltd - Agent: Patarker Pty Ltd						
4647	9.91	Space-Ray Brooders Models SRB38-L1, SRB38-N1, SRB38-L9-S, SRB-N9-S SRB38-L-MBC For agricultural applications and poultry production	N			P
Heating Australia Pty Ltd						
4008	11.85	Zone Ray Models RTH 40U/70U/120U/135U, RTH 40L/70L/120L/135L, RTH 140D/240D/270D, RTH 135LB Zone Ray Models RTH 45U/75U/125U, RTH 45L/75L/125L, RTH 145D/245D Comfortmaster Models CMH 87U/S, CMH 913U/S and CMH 1216U/S Weatherking Models WKR 078U/S, WKR 130U/S and WKR 1612U/S Amray Models 1000U/S, 2000U/S and 3000U/S	N			P
Hurll Nu-Way Pty Ltd						
2991	8.79	SBM Portable Overhead Radiant Heater Models GM12S/SP, GM16S/SP and SM20S/SP				P
3712	2.84	SBM Infrared Livestock Heater Models: 1ZRFS, 2ZRFS/ZRFA, 3ZRFS/ZRFA, 6ZRFS/ZRFA, 8ZRFS/ZRFA, 12ZRFS/ZRFA, 16ZRFS/ZRFA				P
Roberts Gordon LLC - Agent: Hurll Nu-Way Pty Ltd						
6399	4.03	Blackheat Overhead Radiant Tube Heating Systems Models BH15, BH20, BH25, BH30, BH35, BH40, BH45 and BH50	N			U
Saacke Australia Pty Ltd						
4769	5.92	Ambi-Rad Models AR22 and AR13	N			P
5290	2.96	Ambi-Rad Model AR35	N			P
Sierra Space Heating Ltd (UK) - Agent: Sierra Products Pty Ltd						
4964	4.93	Sierra Overhead Indoor Radiant Cone Heater Models 400N, 1000N and 1500N Models 400P, 1000P and 1500P	N			P

EXTERNAL USE ONLY

AG 403

(Note: All certificates listed under this heading are required to be assessed to AS 4565)

Bromic Pty Ltd

5708	12.98	Helios Outdoor Heaters Models DeLuxe, Standard, High Tech, Fixed Pole, Applique & Professional Solo Mio Outdoor Heater Model Movable (9kg & 15kg Models)	N			P
			N			P

Sierra Products Pty Ltd

6066	10.00	Sierra SA8 Portable Infra-Red Outdoor Patio Heater				P
------	-------	--	--	--	--	---

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Sierra Space Heating Ltd (UK) - Agent: Sierra Products Pty Ltd					
4800	3.92	Sierra Outdoor Patio Heater, Standard & Traditional Model 13N Model 11P & 11P Mobile	N		P
TPA Metals & Machinery (Shenzhen) Co Ltd					
6109	5.01	Hotrocks Model PH-06 Outdoor Radiant Patio Heater			P
AS 4565					
Arlec Australia Limited					
6610	8.04	Sunshine and Homemaker Lifestyle Outdoor Radiant Patio Heaters Sunshine Models: PHP, PHS, PHT-AU and PHW Homemaker Lifestyle Models: HPH5S45			P P
Beams Gas Ignitor Co Ltd					
6181	8.01	Garth and Fortuna Network 800 Series Outdoor Patio Heaters Agent: 28 Newlands Road Holdings Pty Ltd T/as Garth Sheetmetal Garth Models 810 (Type 1/Type2) Powder Coated and 820 (Type 1/Type 2) Stainless Steel Agent: Fortuna Network Pty Ltd Fortuna Network Model GZ-18S (Type 1/Type 2) Stainless Steel			P P
Bromic Pty Ltd					
6550	3.04	Companion and Coolabah Radiant Patio Heater Companion Models: Comp 701, Comp 702, Comp 703, Comp 704, Comp 705, Comp 706, Comp 707, Comp 721, Comp 722, Comp 723, Comp 724, Comp 725, Comp 726, Comp 727, Comp 731, Comp 732, Comp 733, Comp 734, Comp 735, Comp 736, Comp 737 Coolabah Models: COO706, C00707			P P
6727	3.05	Bromic 3 Burner Radiant Heater Models: Heat Flo (wall and trolley mounted options) Heat Flow (wall mounted option only)	N		P
Changzhou Gardensun Furnace Co Ltd - Agent: Sino Trade Winds Inc					
6520	12.03	Garden Sun or Jumbuck Outdoor Patio Heater Model: JDS01-021 Note: Optional 60 cm diameter table available under Jumbuck brand			U
6739	11.05	HeaterMax Table Top Model: WJP-001			P
Changzhou Wujing Health Equipment Co					
6784	6.05	Health Equipment Outdoor Patio Heaters Models HSS01 and DS0121			U
Chiaphua Industries Limited - Agent: Rinnai Australia Pty Ltd					
6757	4.05	Rinnai PatioPal Patio Heater Model: PATPAL			P
China Link Overseas Co Ltd					
6680	10.04	Elite and Solimar Patio Heaters Models P110 and P120			P
Coleman Brands Pty Ltd					
6407	4.03	Coleman Patio Heater and Light, Models 504A751A and 504A750A			P
6873	2.06	Coleman Sunforce + Patio Heater Model: 203069			P
Focus Lifestyle Products Pty Ltd					
6357	11.02	Focus, Grand Hall, Rinnai, Gas House and Jackeroo Table Top Patio Heaters Model PH105A			PU
Garden Flame Gas Appliances Co Ltd – Agent: Cape Trading Sales					
6400	3.03	Garden Flame and Hotspot Garden Pro/Professional/Evolution Freestanding and Table Mounted Patio Heaters Freestanding Models: Garden Flame SC01, PC01, SV01, PV01, SC-E, PC-E, SV-E, PV-4 Hotspot Garden Pro D-SC01, D-PC01, D-SV01, D-PV01 Hotspot Bullet Professional DB-SC01, DB-PC01, DB-SV01, DB-PV01 Hotspot Evolution DS-SC01, DS-PC01, DS-SV01, DS-PV01 Table Mounted Models: Garden Flame TSC01 and TSV01			P P P P P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
GLG Australia Pty Ltd					
6069	3.01	Maxiheat Outdoor Patio Heater Model MXOPHSS	N		P
6752	8.05	GLG Outdoor Domestic Patio Heater Models Patiomaster and Patiomaster Flex			P
Guangzhou Panya Fengye Electrics Co Ltd					
6730	2.05	Outdoor Patio Heater Models PV-40, SV-40 and VT-40			P
Ibosa Australia Pty Ltd					
6628	8.04	Little Man Outdoor Patio Heaters Models: LM-Patio-SS (Stainless Steel) and LM-Patio-PC (Powder Coat)			P
Primo Leisure Pty Limited					
6632	9.04	Primo Leisure Pty Ltd Outdoor Patio Heaters Models BH71040G/S/W and BH74886G/S/W			P
Promo Trading Co Ltd - Agent: Rayclub Pty Ltd T/as 96 In The Shade					
6576	5.04	Outdoor Patio Heater Samson PH2800			P
Shinerich Industrial Limited – Agent: Sitro Group Australia Pty Ltd					
6591	7.04	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat, Jackeroo Patio Models PH400, PH406, PH409, VHL100 & KP416			P
Sitro Group Australia Pty Ltd					
6246	6.02	Gasmaster, Gasmate, Jumbuck and Jackeroo Table Top Patio Heater Models TTH20 and TTH20/1			P
6410	6.03	Gasmaster, Gasmate, Jumbuck, Eurolec, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo PH Series Outdoor Patio Heaters Models: PH900, JMPH901, PH910, PH920, PH1000, PH1000CB, PH910BC, PH910CC, PH910Z, PH1005CC and PH1009			P
6555	7.04	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor and Jackeroo Tabletop Patio Heaters Models G7050305 and G7051305			P
6586	8.04	Maxi Heat Tabletop Patio Heater Model MXTTHSS			P
6587	8.04	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Patio Heaters with Light Model PH200			P
6587	8.04	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Outdoor Patio Heater with Light Models PH300 and PH309			P
6703	6.05	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor Maxi Heat, Jackeroo Table Top Patio Heaters Models TTH60 and TTH60SS			P
6722	6.05	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo PH945, PH1045 and NG Series Patio Heaters PH945 Series Models: PH945, PH945SS and KP945SS			P
6722	6.05	PH1045 Series Models: PH1045, PH1045SS, PH1045PP, KP100, KP100SS and KP100PP			P
6722	6.05	NG Series Models: NGH45, NG1P45, NG2P45 and NGW45	N		
6723	6.05	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Table Top Patio Heaters Models TTH80 and TTH80SS			P
6738	7.05	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo PH400L Series Patio Heaters with Light Models PH400L, PH406L, PH407L and PH409L			P
6786	11.05	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Models: PH500 and PH509			P
6847	5.06	Jackeroo KT Series and Gasmaster, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat, Gasmate TT Series Table Top Patio Heaters KT Series Models: KT400, KT406, KT407, KT409 and KT410			P
6847	5.06	TT Series Models: TT400, TT406, TT407, TT409 and TT410			P
Star Products					
6126	6.01	Star Products Bedrock Blazer and Budget Series Outdoor Patio Heater			P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP Town	LPG	
Technika Pty Ltd						
6176	8.01	Technika External Patio Heaters Model: WS14 Model: WS14N				P
TPA Metals & Machinery (Shenzhen) Co Ltd						
6003	9.00	Aira Ultra Mate, Buddy, Hotrocks, Masport Open, Outback, and UB47 Patio Heater Models PH-02 and PH-09				P
6257	5.02	Aira Ultra Mate, Bondi, Gascraft, Hotrocks, Masport Deluxe Patio Heater, Masport Supreme Patio Heater Models PH-04, PH-05 and PH-20				P
United Four Co Ltd - Agent: Aussie Outdoor Imports and Exports Pty Ltd						
6300	8.02	Solimar Patio Heaters Models P1010 Orchid and P1021 Edelweis				P
28 Newlands Road Holdings Pty Ltd T/as Garth Sheetmetal						
6543	3.04	Garth and Sunco Outdoor Balcony Heaters Models 200P (Painted Construction) and 200S (Stainless Steel Construction)				P
INTERNAL & EXTERNAL USE (AS 4565/AG 403)						
(Those marked * still to be assessed against AS 4565)						
Parasol Heaters Australia Ltd						
6130	6.01	Parasol Ozglow Portable and Fixed Patio Heaters Internal Models SPI 40 and HEI 40 (Electronic Version) External Models P 40, SP 40, F 40, HE 40 and HE 40 Hi/Lo Note: HE and HEI models are electronic versions. Models SP 40 and F 40 also suitable for use with Hong Kong Taipo Town Gas.				N N P
Techrite Controls Australia Pty Ltd						
5802	5.99	*Infrared Dynamics Sunpack Model S34 Patio Heater For Indoor and Outdoor use.				N U
INDUSTRIAL DIRECT-FIRED AIR HEATERS (AG 404)						
Note: Depending upon the application, assessment against parts of other standards such as AS 4553/AG 103 and AS 4556/AG 106 may apply.						
Agricultural Automation Pty Ltd						
6302	11.02	Tecnoclima Cikki Models 70 and 70SS				N P
Applied Investments Pty Ltd						
6146	5.01	Jetaire Industrial Mobile Air Heater Models LG90 and LG165				P
Ecotherm Pty Ltd						
5739	11.98	ECO Model Series 50M, 70M, 100M, 130M and 150M				P
Heating Australia Pty Ltd						
5475	3.97	Zoneray Models CBH150, CBH200, CBH240 Zoneray Model CBH220				N P
Hired Hand Inc						
5095	5.94	Hired Hand Model Super Saver XL-225-OSM Outdoor Mounted Agricultural Heater				N P
Imexco Australia Pty Ltd						
6218	11.01	Airstream Pura-Fire Agricultural Heater Model C225				P
Ryan-Ryte Enterprises Pty Ltd						
6546	3.04	Ermaf Agricultural Hot Air Heater GP70				P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Spitwater Australia Pty Ltd					
4064	8.86	Jetfire Model 33			P
4449	8.89	Jetfire Model 90A			P
4569	5.90	Jetfire Model 33A (Automatic)			P
4837	4.94	Jetfire Model 70A			P
4838	4.94	Jetfire Model 90SA			P
5292	8.99	Jetfire Models J25 & J25A			P
5887	8.99	Jetfire Model J50A			P
6241	6.02	Jetfire Models J8 and J15			P
Webster Industries (trading name for Astrojet Steam Cleaners Pty Ltd)					
3302	10.81	Wildcat Models 340 and 400			P
3339	1.82	Wildcat Model 130			P
3524	5.83	Wildcat Model HE220			P
		Note: Originally assessed against AS 4553/AG 103			
3894	3.85	Wildcat Model 180			P
5816	2.99	Warmygas Models W50 & W130			P
LAUNDRY DRYERS (AS 4554/AG 104)					
Advance Commercial Laundry Equipment Pty Ltd					
5561	9.98	ADG Rotary Dryers, Models ADG30D, 50D, 60D, 75D, 81D, 115D and 120D	N		P
Alliance Laundry Systems LLC – Agent: Speed Queen Equipment Sales Pty Ltd					
3849	2.86	Huebsch, Lavamac, Primus, Speed Queen, UniMac, Cissell and IPSO 050 Series Commercial Laundry Dryers Huebsch Models: HA050N and HA050L Lavamac Models: LA050N, LA050L and LDR530 Primus Models: PA050N, PA050L and D25-G Speed Queen Models: SA050N and SA050L UniMac Models: UA050N and UA050L Cissell Models: CA050N and CA050L IPSO Models: BA050N and BA050L	N N N N N N N		P P P P P P P
4944	1.93	Huebsch, Lavamac, Primus, Speed Queen, IPSO, Cissell and UniMac 075 Series Commercial Tumble Dryers Huebsch Models: HA075N and HA075L Lavamac Models: LA075N, LA075L and LDR635 Primus Models: PA075N, PA075L and D35-G Speed Queen Models: SA075N and SA075L UniMac Models: UA075N and UA075L Cissell Models: CA075 and CA075L IPSO Models: BA075N and BA075L	N N N N N N N		P P P P P P P
4945	5.95	Speed Queen Gas Laundry Dryers, Metered/Non-Metered Single/Stacked Washer/ Dryer Combination Models SDG009*F3060, SDG109*F3060, SDG409*F3060, SDGX09*F3060, SDGY09*F3060, SDGT09*F3060, SDGA09*J3060, SDGB09*J3060, SDGC09*J3060, SDGF09*J3060, SDGH09*J3060, SDGJ09*J3060, SFGX09*F3060, SFGY09*F3060, SFGT09*F3060, SFGA09*J3060, SFGB09*J3060, SFGC09*J3060, SFGF09*J3060, SFGH09*J3060, SFGJ09*J3060, SSG009*F3060, SSG109*F3060, SSG409*F3060, SSGX09*F3060, SSGY09*F3060, SSGT09*F3060, SSGA09*J3060, SSGB09*J3060, SSGC09*J3060, SSGF09*J3060, SSGH09*J3060, SSGJ09*J3060, SSG019*F3060, SSG119*F3060, SSG419*F3060, SSGX19*F3060, SSGY19*F3060, SSGT19*F3060, SSGA19*J3060, SSGB19*J3060, SSGC19*J3060, SSGF19*J3060, SSGH19*J3060, SSGJ19*J3060 and STGX19*F3060	N		P
5635	8.98	Note: Single or Double Stacked. Metered or non-metered. IPSO, Cissell, Huebsch, Lavamac, Primus, Speed Queen and UniMac Rotary Laundry Dryers Models: IPSO BA025N/L, Cissell CA025N/L, Huebsch HA025N/L, Lavamac LA025N/L (LDR220), Primus PA025N/L (DA11-G), Speed Queen SA025N/L and UniMac UA025N/L	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Alliance Laundry Systems LLC – Agent: Speed Queen Equipment Sales Pty Ltd Continued					
5636	8.98	IPSO, Cissell, Huebsch, Lavamac, Primus, Speed Queen and UniMac Rotary Laundry Dryers Models: IPSO BA030N/L, Cissell CA030N/L, Huebsch HA030N/L, Lavamac LA030N/L (LDR270), Primus PA030N/L (DA 13-G), Speed Queen SA030N/L and UniMac UA030N/L	N		P
5637	8.98	Cissell, Huebsch, IPSO, Lavamac, Primus, Speed Queen and UniMac Rotary Laundry Dryers Models: Cissell CA035N/L, Huebsch HA035N/L, IPSO BA035N/L, Lavamac LA035N/L (LDR350), Primus PA035N/L (DA15-G), Speed Queen SA035N/L and UniMac UA035N/L	N		P
5638	8.98	IPSO, Cissell, Huebsch, Lavamac, Primus, Speed Queen and UniMac Commercial Laundry Dryers Models: IPSO BAT30N/L, Cissell CAT30N/L, Huebsch HAT30N/L, Lavamac LAT30N/L (LDR270/270), Primus PAT30N/L (DA1313-G), Speed Queen SAT30N/L and UniMac UAT30N/L	N		P
5646	8.98	Huebsch, Lavamac, Primus, Speed Queen and UniMac Rotary Laundry Dryers Models: Huebsch HA120N/L and HA170N/L Lavamac LA120N/L (LDR1025) and LA170N/L (LDR1425) Primus PA120N/L (D55-G) and PA170N/L (D77-G) Speed Queen SA120N/L and SA170N/L UniMac UA120N/L and UA170N/L	N N N N N		P P P P P
Alliance Laundry Systems LLC - Agent: Kleenmaid Pty Ltd					
4946	5.95	Speed Queen and Kleenmaid Gas Laundry Dryers Single/Stacked Washer/Dyer Combination Speed Queen Models LGS37A*F3060, FGS17A*F3060 and LTS99A*N3060 Kleenmaid Models LGK37A*F3060 and LTK99A*N3060	N N		P P
The Dexter Company – Agent: Lindsay Family Pty Ltd					
5753	4.00	Dexter Commercial Dryers DL2X30, DLC30, DLR30, DSTD30H, DSTD30K	N		P
Electrolux Laundry Systems, A Division of Electrolux Pty Ltd					
5500	4.97	Wascator Models T3290, T3530, T3650 and T1000	N		P
6383	3.03	Electrolux Wascator Double Stack Laundry Dryer Model: T4300S	N		P
6552	4.04	Electrolux Wascator Gas Laundry Dryer Models T31200 and T3900	N		P
IPSO Pacific Pty Ltd					
5835	7.99	IPSO/Cissell Models DR30, DR50, DR75 and ST30 Models DR50R, DR75R, DR125R and L125R SM/CM	N N		P P
Maytag (Australia) Pty Ltd					
4774	1.92	Maytag Commercial Dryers Jupiter I Models: MDG14PD***, MDG14PN***, MLG15PD***, MLG15MN***, MDG21PD***, MDG21PN*** and MLG23PD*** Jupiter II Models: MDG16CS***, MDG16MN***, MDG16PD*** and MLG19PD*** Note: *** suffix denotes production, country and colour and are subject to change.	N N		P P
Miele Australia Pty Ltd					
4736	8.91	Miele Commercial Laundry Dryers, Models T6251G, T6351G, T6551G, T6751G, T5250G, T5350G, T5550G and T5750G	N		U
REFRIGERATORS (AS 4555/AG 105)					
Bromic Pty Ltd					
6577	7.04	Companion Portacool Portable LPG Cooler Model 35 EGP			P
Brown & Watson International Pty Limited					
6597	6.04	AC PRO Three Way Portable Refrigerator Model XC-35L Note: 35 Litre – 240 VAC 12 DC & Gas			U

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town LPG	
Dometic Pty Ltd						
3105	6.80	Electrolux Models RM2453 and RM2553 for LP Gas and Electric Operation (for use in recreational vehicles)				P
3151	10.80	Model RGE 400				P
3382	5.78	Dometic Model RM2350 Refrigerator for LP Gas and Electric Operation				P
3418	10.82	Finch Fridge Model B533 Portable Cooler				P
3437	7.83	Electrolux Refrigerators/Freezers for use in Recrcational Vehicles Models RM4211, RM7401, RM7651, RM7851				P
3626	10.83	Electrolux/Dometic Portable Refrigerator/Freezer Chescold Explorer Model F400 and Chescold Model RC 1180				P
5961	11.00	Electrolux Model RM 4601 Two Door Refrigerator				P
6887	12.05	Dometic Three-way Inbuilt Refrigerator/Freezers with Electronic Control Models: RM2355, RM2455, RM2555 and RM4605				P
Nattkom Pty Ltd T/as D.P. Refrigeration						
4222	6.87	Consul Refrigerator Model: CQD22				P
6433	7.03	Frostek Chest Freezers Models Frostek-160 G and Frostek-240 G				P
Sitro Group Australia Pty Ltd						
6673	11.04	Gasmate and Jackeroo Three Way Portable Refrigerators Gasmate Model G3PR35L Jackeroo Model J3PR35L				U
Waeco Pacific Pty Ltd						
6903	1.06	Waeco Coolfun and Mobicool Three Way Portable Refrigerator Waeco Coolfun Model: CA-35-12240PB37 Mobicool Model: A-35-12240PB37				U
Zero Appliances (Pty) Ltd – Agent: Camec Pty Ltd						
6060	7.01	Zero CR100T, CR190T Caravan/RV/Domestic				P
6122	9.01	Zero GR265D Two Way Domestic Refrigerator				U
6142	8.01	Zero GEV70 Caravan/RV/Freezer				U
6188	9.01	Zero CR35 Three Way Portable Refrigerator				U

INDIRECT FIRED AIR HEATERS

DUCTED AIR HEATERS (AS 4556/AG 106)

			Annual Energy Cons. (MJ/year)	Star Rating/ Shading		
Carrier Air Conditioning Pty Ltd (Brivis Plant)						
5503	4.97	Brivis Multi-Plex Series Internal & External Models ME20I, ME20IXA, ME20E, ME20EXA, ME30I, ME30IXA, ME30E, ME30EXA	151/m ³	4.0/120°	N	U
		ME351	151/m ³	4.0/120°	N	
		HE20I, HE20IXA, HE20E, HE20EXA	132/m ³	5.1/153°	N	U
		HE30I, HE30IXA, HE30E and HE30EXA	126/m ³	5.5/165°	N	U
5895	12.99	Brivis 2 Piece Wombat Series Internal Ducted Central Heaters Models 2PW15, 2PW20, 2PW20XA, 2PW26 and 2PW26XA	171/m ³	3.0/90°	N	P
5975	2.05	Brivis Buffalo Classic External Models 15, 20, 20XA, 26 and 26XA	176/m ³	2.8/84°	N	P
5976	2.05	Brivis Upflow Classic Internal Models 20, 20XA, 26 and 26XA	184/m ³	2.5/75°	N	P
5977	2.05	Brivis Downflow Classic Internal Models 20 and 20XA	184/m ³	2.5/75°	N	P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP Town	LPG	
Climate Technologies Pty Ltd						
5721	5.99	Vulcan V5 and Pyrox P5 Series Internal/External High Efficiency Modulating Central Heaters				
		Models				
		V5 15I/E	142/m ³	4.4/133°	N	U
		V5 21I/E	133/m ³	5.0/150°	N	U
		V5 21I X/A	133/m ³	5.0/150°	N	U
		V5 30I/E	133/m ³	5.0/150°	N	U
		V5 30I X/A	133/m ³	5.0/150°	N	U
		P5 21I/E	133/m ³	5.0/150°	N	U
		P5 30I/E	133/m ³	5.0/150°	N	U
		P5 30I X/A	133/m ³	5.0/150°	N	U
		Note: Suffix X/A indicates extra air.				
5740	9.99	Vulcan V3 and V4 Series and Pyrox P3 and P4 Series Internal/External Mid Efficiency Modulating and Non-Modulating Central Heaters				
		Models V3 14I	185/m ³	2.5/74°	N	
		V3 20I	167/m ³	3.2/96°	N	
		V3 30I	161/m ³	3.5/104°	N	
		V4 14I/E	To be tested		N	
		V4 20I/E	152/m ³	3.9/117°	N	
		V4 20I X/A	152/m ³	3.9/117°	N	
		V4 30I/E	145/m ³	4.3/128°	N	
		V4 30I X/A	145/m ³	4.3/128°	N	
		P3 14I/E	185/m ³	2.5/74°	N	
		P3 20I/E	167/m ³	3.2/96°	N	
		P3 30I/E	161/m ³	3.5/104°	N	
		P4 20I/E	152/m ³	3.9/117°	N	
		P4 20I X/A	152/m ³	3.9/117°	N	
		P4 30I/E	145/m ³	4.3/128°	N	
		P4 30I X/A	145/m ³	4.3/128°	N	
		Note : Suffix X/A indicates 'Extra Air'				
		V3 and P3 – Non-modulating, V4 and P4 – Modulating				
Heatcraft Australia Pty Ltd						
6790	6.05	Lennox G61 Series Internal and External				
		Internal Models G61MPVT-36B-070, G61MPVT-60C-090, G61MPVT-60C-110, G61MPVT-60D-135	129/m ³	5.3/159°	N	P
		External Models G61EVT-36B-070, G61EVT-60C-090, GEVT-60C-110, G61EVT-60D-135	129/m ³	5.3/159°	N	P
LB White Co, Inc – Agent: Outback Environmental Controls Pty Ltd						
5663	3.00	Guardian Agricultural Animal Confinement Building Heaters				
		Models: AW230 and AB230			N	P
Lovelocks, A Division of Heatcraft Australia Pty Ltd						
5101	12.94	G24M Series Indoor				
		Models G24M3-60, G24M3/4-100 and G24M4/5-100	Not tested	1.0/30°	N	P
		Model G24M4-75	194/m ³	2.2/66°	N	P
		Models G24M4/5-120 and G24M4/5-140	176/m ³	2.8/84°	N	P
5115	12.94	G24E Series External				
		Models G24E2/3-75	188/m ³	2.4/72°	N	P
		Models G24E3/4-100, G24E4/5-100 and G24E4/5-140	Not tested	1.0/30°	N	P
		Model G24E4/5-120	171/m ³	3.0/90°	N	P
5754	4.00	Lennox G29M and G29E Series				
		Models 2/3-75A and 4-75A	181/m ³	2.6/78°	N	P
		Models ¾-100A, 4/5-100A, 4/5-120A and 4/5-140A	170/m ³	3.1/92°	N	P
		M: Denotes multi-position (Internal)				
		E: Denotes external				
5908	5.00	Lennox GH30 Series				
		Models 045Q3, 067Q3/4, 090Q3/4, 090Q4/5, and 112Q4/5	133/m ³	5.0/150°	N	P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP Town	LPG	
Lovelocks, A Division of Heatcraft Australia Pty Ltd Continued						
6476	7.04	Lennox External and Internal Furnace Ducted Heaters				
		G34EQ3-050-IT, G34EVQ3-050-IT (External)	Not tested		N	P
		G34MQ3-050-IT, G34MVQ3-050-IT (Internal)				
		G34EQ3-080-IT, G34EQ4-080-IT (External)	171.4	3.0/90°	N	P
		G34MQ3-080-IT, G34MQ4-080-IT (Internal)				
		G34EVQ3-080-IT, G34EVQ4-080-IT (External)	166.7	3.2/96°	N	P
		G34MVQ3-080-IT, G34MVQ4-080-IT (Internal)				
		G34EQ4-110-IT, G34EQ5-110-IT (External)	171.4	3.0/90°	N	P
		G34MQ4-110-IT, G34MQ5-110-IT (Internal)				
		G34EVQ4-110-IT, G34EVQ5-110-IT (External)	166.7	3.2/96°	N	P
		G34MVQ4-110-IT, G34MVQ5-110-IT (Internal)				
		G34EQ5-130-IT (External)	164.4	3.3/99°	N	P
		G34MQ5-130-IT (Internal)				
		G34EVQ5-130-IT (External)	160	3.5/105°	N	P
		G34MVQ5-130-IT (Internal)				
Omega Climate Systems Pty Ltd						
5746	2.00	Omega IHE and ZMS Series Internal Indirect Fired Ducted Heaters				
		Models IHE60-3, IHE100-3 and IHE120-3	172/m ³	3.0/89°	N	P
		Models ZMSI100-3 and ZMSI120-3	172/m ³	3.0/89°	N	
5821	2.00	Omega EHE and ZMS Series External Indirect Fired Ducted Heaters				
		Models EHE60-3, EHE100-3 and EHE120-3	172/m ³	3.0/89°	N	P
		Models ZMSE100-3 and ZMSE120-3	172/m ³	3.0/89°	N	
6502	10.03	Omega Internal Ducted Heater Model IHE 100-4	150/m ³	4.0/120°	N	
Seeley International Pty Ltd						
5904	6.01	Braemar TB, TBX, TE & TX Series Internal/External Central Heaters				
		Models TB65, TB90, TB120, TB65X, TB90X, TB120X	170/m ³	3.0/90°	N	P
		TB150	170/m ³	3.0/90°	N	
		TE65, TE90, TE120, TX90, TX1201	148/m ³	4.1/123°	N	P
		TE150	148/m ³	4.1/123°	N	
6264	5.02	Braemar and Breezair Ecostar TG3 Series				
		Models: TG315, TG315P, TG320, TG320P, TG330, TG330P, TG3X20, TG3X20P, TGX30 and TGX30P	171/m ³	3.0/90°	N	P
6380	2.03	Braemar Ecostar TG5 Series				
		Models: TG515, TG515P, TG522, TG522P, TG525, TG525P, TG532 and TG532P, TG5X22, TG5X22P, TG5X32 and TG5X32P	128/m ³	5.4/162°	N	P
6406	2.03	Braemar and Breezair Ecostar TG4 Series				
		Models: TG415, TG415P, TG420, TG420P, TG430, TG430P, TG435 (NG only), TG4X20, TG4X20P, TG4X30 and TG4X30P	150/m ³	4.0/120°	N	P
		Note: X = Extra Air and P = Propane				
Stadt Industries Pty Ltd (In receivership – contact AGA)						
5447	5.05	Stadt Pluto Series External and Internal				
		Models P12, P20 and P25	188/m ³	2.4/72°	N	P
		P20ESS and P25ESS	160/m ³	3.5/105°	N	P
5942	10.01	Stadt RR Series – Models RR20i, RR20e, RR25i, RR25e	150/m ³	4/120°	N	
			150/m ³	4/120°	N	
6211	10.01	Stadt Rapid 5 Series – Models 520i, 520e, 525i, 525e, 535i and 535e	133/m ³	5/150°	N	
Westbury Holdings Pty Ltd – T/as Air Group Australia						
5113	7.95	GMP Series Models 070, 110, 135, 150 and 170 Indoor Upflow, Downflow or Horizontal	225/m ³	1.3/40°	N	P
			182/m ³	2.6/78°	N	P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

DUCT AND UNIT HEATERS (AS 4556/AG 106)

Aira Pty Ltd

2594	4.77	Dravo DU Series Models 5, 8, 10, 12 and 16	N					T
2602	4.77	Dravo SD Series Models 22, 26, 30, 35 and 40	N					

Heatcraft Australia Pty Ltd

5693	5.00	Lennox LF and LD Series Models: LF24-75A, LF24-100A, LF24-125A, LF24-150A, LF24-200A, LF24-250A, LF24-300A, LF24-345A and LF24-400A	N					
		Models: LD24-75A, LD24-100A, LD24-125A, LD24-150A, LD24-200A, LD24-250A and LD24-300A	N					

Lovelocks, A Division of Heatcraft Australia Pty Ltd

4691	5.91	Lennox GCS16 Series Outdoor – Rooftop or Ground	N					
5717	6.01	Lennox LGA and LGC Series Indirect Fired Ducted Unit Heaters LGA Series Models 088S/H, 100S/H, 120S/H, 150S/H, 180S/H, 210S/H, 240S/H, 300S/H, 360S/H	N					
		LGC Series Models 102S/H, 120S/H, 150S/H, 180S/H, 210S/H, 240S/H and 300S/H	N					

Reznor, A Unit of Thomas & Betts Corporation – Agent: Celmec International Pty Ltd

2607	5.77	Reznor Thermocore Models X-XB-XC-XD-XE-XL-50, 60, 75, 100, 105, 125, 140, 150, 175, 200, 225, 250, 300, 350, 400	N	TLP	T			PB
3037	11.79	Reznor RXE Series	N	TLP	T			P
4392	5.89	Reznor F Series	N					P

AIR CONDITIONING UNITS (AS 4552/AG 102 and AS 4556/AG 106)

Stadt Industries Pty Ltd (In Receivership – Contact AGA)

4723	9.91	Models EX2.5-90S, EX3.5-90S, EX4-120S, EX5-120S, EX5-120T, EX5.75-150T, EX6-180T, EX8-180T, EX10-225T and EX12-225T External Air Heater with Cooling System	N					
------	------	---	---	--	--	--	--	--

OUTDOOR BARBECUE GRILLERS (AS 4557)

Andac Pty Ltd

5884	8.99	Gallemate 1000 Barbecue						P
		Gallemate 2000 Barbecue						P

Arcla Industries Pty Ltd

5120	8.94	Arcla Blackline, Essex, Executive, Galaxie, Jupiter, Manor, Platinum/SS, Platinum Chef/SS and Saturn 2, 3, 4 and 5 Burner Inbuilt or Trolley Mounted	N					P
5223	1.95	Charmglo Models A240A, A243A and B423A Trolley						P
6819	8.05	Arcla 2, 3, 4 and 5 Burner Built-in or Trolley Model: Discovery	N					P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Arlec Australia Limited					
6644	8.04	Arlec Patio Series Outdoor Trolley Mounted Hooded Barbecues Models: BM2000, BM3000, BM4000 and BM4000B			U
6653	9.04	Sunshine Patio Series 2, 3, 4 and 6 Burner Hooded Trolley Mounted Barbecues Models: BM2010, BM2011, BM3010, BM3011, BM4010, BM4011, BM4010SB, BM6000 and BM6011			U
6654	9.04	Sunshine Legend 3, 4 and 5 Burners With/Without Baking Hood Trolley Mounted Barbecue Models 3000, 3500, 4000, 4500, 4500D, 5000 and 5500			U
6667	10.04	Arlec Sunshine Horizon 4 Burner Hooded Trolley Mounted Barbecues Models 3700 (HR37) and 3800 (HR38)			U
Australian Barbecue Manufacturers, A Div of Custom Group Australia Pty Ltd					
6504	11.03	Lifestyle Domestic Barbecues, Models International and Pro	N		P
BBQ Factory Pty Ltd					
4136	7.87	Tucker Outdoor Barbecue Models: 2 Burner Tuckergill, 3 Burner Tuckergill, 4 Burner Tuckergill and 5 Burner Tuckergill Available with various stands or trolleys and optional hood	N		P
4903	6.93	Friar Tuck Freestanding Barbecues Models: 2 Burner Friar Tuck and 4 Burner Friar Tuck	N		P
Chant Group (China)					
6823	11.05	Burwood SX and Burwood SX Roaster Barbecue Model: Jackeroo (4 Burner)	N		P
Classic Marine Products					
6348	11.02	Stainless Steel Marine-Type Barbecue Model Classic Marine 1, 2 and 3 Burner	N		U
Delonghi Australia Pty Ltd					
6960	5.06	Delonghi Trolley Mounted Outdoor Barbecue Grill with Hood DELUX4FS – 4 Main Burners, 1 Rotisserie and 1 Smoker Burner DELUX6FS – 6 Main Burners, 1 Rotisserie and 1 Smoker Burner			U U
Dongguan Xing Cheng Hardware Manufacturing Co Ltd					
6808	8.05	Premier, Jumbuck and Casual Living 4 and 6 Burner Trolley with Hood Side Burner 4 Burner Premier 4000 Model: BQ51001 and Premier 4000SS Model: BQ52001			P P
6908	5.06	6 Burner Jumbuck, Premier 6000SS and Casual Living Model: BQ52002 2 Burner Teppanyaki Grill with Semi-Round Table and Lid Model: BQ05026			U
Doug Andrews Air Conditioning Heating & Ventilation Ltd					
6857	2.06	Multi Kai Multipurpose Cooker/Barbecue Models: Compact, Medium, Large, Deluxe and Jumbo			U
Electrolux Home Products Pty Ltd (NSW)					
6737	5.05	Electrolux – Jeppe Utzon BBQ Barbecue Model EX77JUA	N		P
Equipment Tech Pty Ltd					
5165	12.94	Aero 4 Burner Built-In or Trolley Mounted Barbecues Models: 97020, 97025 and River Gum Flattop	N		U
Fiesta Barbeques Ltd - Agent: Cape Trading Sales					
5424	7.96	Fiesta 2 Burner Trolley with Hood and Optional Side Burners Models 240, 300, 345, 400 and 450			P
Fiesta Barbeques Ltd					
6612	7.04	Gusto Two Burner Hooded Trolley Models BP26028 and BP26040 Model BP26040 with Side Burner			P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Focus Lifestyle Products Pty Ltd					
5443	11.96	Focus & Eurolec Globe Café Kettle Domed Trolley Barbecue	N		P
5778	10.98	Focus Side Burner Models 14372 and 14372A	N		P
5881	8.99	Rinnai, Focus, BBQ's-R-Us ODK4B and ODK6B, 4 and 6 Burner Hooded Trolley with Side Burner			
		ODK4B Models Rinnai – Mini Max, Focus and BBQ's-R-Us – Gourmet	N		U
		ODK6B Models Rinnai – Galley, Buffet, Grand Café, Grand Gourmet, Monaco, The Heritage, Grand Mediterraine, Max and Crossfire	N		U
6024	9.01	Series 2000 2, 3, 4 and 6 Burner Hooded and Flat Top Trolley Barbecues			
		Brand/Model Names:			
		Rinnai: Gourmet 4, Gourmet 6, Patio Kitchen, Pedestal, Patio, Selecta, Professional, Medallion, Epi-Style, Epi-Centre and Superior Entertainer	N		U
		Focus: Focus, Patio, Regal and Charlewood Series 2	N		U
		Jackeroo: Terrace, Burwood, Outdoor, Grange, Tuscany, Professional, Metro, Burwood II, Outdoor II, Grange II, Tuscany II, Professional II, Metro SS, Grange SS, Professional 4SS, Outdoor SS, Tuscany SS and Professional 6SS	N		U
		Master Kitchen: Barossa, Regal, Grove, Apollo, Pursuit, Ember, Mammoth, Diamond, Jewel, Emerald, Jasper, Ruby, Opal and Sapphire	N		U
		Gasmate: Gasmate	N		U
		Renaissance: Renaissance and Barossa	N		U
		Grillmaster: Ascot, Patio, Majestic, Epicure, Connoisseur, Superior Entertainer 3, Superior Entertainer 4 and Superior Entertainer 6	N		U
		Australian Barbecue Factory: Aussie Roaster	N		U
		BBQ's-R-Us: Leisuretime, Delta Suburban and BBQ's-R-Us	N		U
		Kleenheat-Gas House: Star H4 and H6	N		U
		Star: SH4, SFH4SS, SH6, SFH6SS and SH6C	N		U
		Note: Some models have a separate side burner, Focus Model 14372 (AGA Certification 5778)			
6029	9.02	Series 2000 Modular Rinnai, BBQ's-R-Us, Bonza and Focus 3 Burner Hooded and Flat Top Trolley			
		Rinnai Models: Modular Rotisserie, Modular Covered Cooker, Modular KHG Covered Cooker, Modular Flat Top and Summertime	N		P
		BBQ's-R-Us Models: Courtyard Kitchen and Modular Rotisserie	N		P
		Bonza Models: Courtyard Kitchen, and Courtyard Kitchen Rotisserie	N		P
		Focus Models: Courtyard Kitchen, Modular Rotisserie and Charlwood	N		P
		Note: Rotisserie burner on some propane models only.			
		Side burner on some models (Focus Model 14372 – AGA 5778)			
6225	1.02	Focus "Sea Breeze" Stainless Steel Marine Barbecue Model FBG-1PMS			U
6271	9.02	Grand Turbo, Members Mark, Focus and Rinnai Stainless Steel Cabinet Style with Hood Trolley or Built-In			
		Y0660, Imperial, Y0662, YN662, YN662AG, Y0663, YN663 and Y0665	N		U
6283	7.02	Rinnai, Focus or Premier 3 & 4 Burner Foldable Flat Top Barbecues			
		Models Rinnai Gusto F-4F	N		U
		Focus F-3F and F-4F	N		U
		Premier F-3F and F-4F	N		U
6442	8.03	Professional Series, Rinnai & Grillmaster 3 and 4 Burner Hooded Trolley			
		Models Professional Series, Odyssey, Orlando, Impressor 3, Impressor 4, Stainless Steel, Coastal and Safari	N		U
		With Optional Back (Rotisserie) Burner and Side Burner			
6464	9.03	Rinnai, Focus and GLG Australia 3 Burner Hooded Trolley with Side and Back Burners			
		Models Impressor 5, Modular and Y0202XC	N		U
		Model Bayview	N		P
6468	9.03	Focus Series 2003 – Rinnai, Focus, Grillmaster, Professional Series 4 and 6 Burner Hooded Trolley with Side and Back Burners			
		Models: Elite, Elite 4, Elite 6, Impressor 8, 16680, 16681, 16690 and 16691	N		U
6474	9.03	Barbeques Galore Five and Six Burner Hooded Trolley			
		Model Turbo Select with Side and Back Burners	N		P
6607	9.04	Barbeques Galore – Sears Series, Model Alfresco	N		U
6608	9.04	GLG Australia – Series 2004 3, 4, and 6 Burner Hooded Trolley/Pedestal with/without Sideburner, Model Aussie Roaster			
			N		P
6622	9.04	GLG Australia – Lowes Source 3 and 4 Burner Hooded Trolley with Sideburner Models Apollo and Apollo Premium			
			N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Focus Lifestyle Products Pty Ltd Continued					
6629	9.04	Patio by Jamie Durie, GLG Australia, Barbeques Galore - Patio Series 3 and 4 Burner Hooded Cabinet Style Trolley with Sideburner, Model Designer and Bayview III	N		P
6792	10.05	Focus, Barbeques Galore and GLG Australia, 8 Burner Flat Top Trolley Models: Clubmaster, 8 Burner Flat Top, 8 Burner Professional, 8 Burner Commercial			P
6804	7.05	Focus Series 2005 – Focus, Grillmaster, Master Kitchen, Professional Series Jackeroo, Grand Hall 4 and 5 Burner Trolley with Hood, Side and Back Burners Models 16321, 16323, 16325, 16327, 16329, 16682 and 16684	N		U
6812	7.05	Focus, Jackeroo Series 2005, 4 and 6 Burner with Hood and Side Burner Models: Tuscany SX and SZ, Grange SX and SZ, Professional 4 SX and SZ, Professional 6 SX and SZ, 5001, 5002, 5003 and 5004	N		U
6816	8.05	Patio Series 2005 – Focus, Master Kitchen, Patio by Jamie Durie, Grillmaster, Grillstation 4, 5 and 6 Burner with Hood and option of Side and Back Burners			
		4 Burner Models: 5005, Patio Kitchen 4, 5007, 5007S, Patio 4, 5010, Professional 4, K004-D4B	N		PU
		5 Burner Models: 5008, Superior Entertainer 5, 5011, Professional 5, K004-D5B, K004-D5C, K004-B5B	N		PU
		6 Burner Models: 5006, Patio Kitchen 6, 5009, Superior Entertainer 6, 5009D, 5012, Professional 6, 5012D, K004-D6B	N		PU
Genesis Australia Corporation Pty Ltd					
6575	5.04	Genesis Backyard Chef 4 and 6 Burner Trolley with/without Hood and Side Burner			
		4 Burner Models:			
		Models: HS-GG006 (one open grid and one solid top)			P
		HS-GG006A (with hood)			P
		HS-GG006AL (one open grid, one solid top with aluminium sided hood)			P
		HS-GG006B (with hood and side burner)			P
		HS-GG007 (flat top with folding legs)			P
		HS-GG008 (flat top)			P
		HS-GG016 (with hood, side burner and cabinet)			P
		6 Burner Model:			
		HS-GG011 (two open grids and one solid top)			P
6832	8.05	Genesis Jumbuck 6 Burner Trolley Model: HSGG023A			P
GLG Australia Pty Ltd					
3757	3.84	Alfresco, Captain Cook and Turbo Trolley Mounted Barbecues with Hood Model: TH	N		P
4011	2.86	Footymaster Flat Top Solid Plate 4 Burner Barbecue Model SCT	N		P
4457	11.89	PM Flat Top Barbecues Freestanding, Built-In or Trolley Mounted			
		Aussie Backyard (4 Burner)	N		P
		Casurina (2 Burner)	N		P
		Casurina IV (4 Burner)	N		P
		Club II (2 Burner)	N		P
		Club IV (4 Burner)	N		P
		Partymaster (2, 3 and 4 Burner)	N		P
		Patiomaster (2, 3 and 4 Burner)	N		P
		Patiomaster Deluxe (3 Burner)	N		P
4574	8.90	MH and MI Series Barbecues Inbuilt or Trolley Mounted, available with or without hood			
		MH Series			
		Banquet 5 and 6 Burner	N		P
		Cook On Specialist 4 & 6 Burner	N		P
		Cordon Bleu 3, 4, 5 & 6 Burner	N		P
		Entertainer 6 Burner	N		P
		MI Series			
		Beefmaster 2, 3, 4, 5 & 6 Burner	N		P
		Beefmaster Deluxe 3, 4 & 6 Burner	N		P
		Bistro 4 & 6 Burner	N		P
		Downunder 2, 4, 5 & 6 Burner	N		P
		Entertainer Series II 4 & 6 Burner	N		P
		Casuarina, Jumbuck, Partymaster Grill IV 4 Burner	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
GLG Australia Pty Ltd Continued					
5365	6.99	Model GSRGKBLU Smoke & Roast Mobile Kettle			P
		Model GBGKB Grill & Bake Non Mobile Kettle			P
5602	8.97	GLG Barbecue Side Burner Attachment Models: DLCC and MRCC Note: Side burners are designed for attachment to specific, approved, GLG barbecues and are not for stand alone application. Refer to GLG for more specific details.	N		P
6479	10.03	Billabong, Bistro Grill II, Star Grill II and Sunny, 2 and 3 Burner Barbecues with Optional Side Burner Model: B Barbecue	N		P
6570	9.04	Phoenix 3 and 4 Burner Trolley Mounted Hooded Barbecue Model: LS Barbecue	N		P
Gregory Charles Smith T/as Fun Barbecues					
6382	1.03	FUN 2, 3 and 4 Burner Trolley Mounted Barbecues Models 700BBQ, 850BBQ and 1150BBQ			P
GuangDong BestGrill Manufacture Ltd					
6811	6.05	BestGrill 6 Burner with Side Burner, Infrared Rotisserie Burner and Hood Model BS6-03SI			P
6796	6.05	BestGrill 5, 4 and 3 Burner with Side Burner and Hood Model BS5-01S – 5 Burner, all Stainless Steel Model BS4-01S – 4 Burner, all Stainless Steel Model BS3-01S – 3 Burner, all Stainless Steel Model BF4-01S – 4 Burner, Stainless Steel with Enamel Roasting Lid and Powder Coated Side Table Model BF3-01S – 4 Burner, Stainless Steel with Enamel Roasting Lid and Powder Coated Side Table			P P P P P
Guangdong Chant Group Co - Agent: Sitro Group Australia Pty Ltd					
6660	11.04	Gasmate, Jumbuck, Gasmaster, Star, Del Terra, Coolabah, Maxiheat and Jackeroo 4 and 6 Burner Pedestal and Trolley Model Stylus KL015 Series – Pedestal style Models Vega KL029 and Orion CH370 Series – Trolley style			P P
Hearth & Home Technologies Inc - Agent: Jetmaster (Vic) Pty Ltd					
6527	10.04	Heat-N-Glo Patio Gourmet Elite Hooded Model PGE-24-AU	N		U
Heatlie Engineering Pty Ltd					
4683	4.91	Heatlie Roaster Models R2000SP, R2000DS, R3000SP and R3000DS			P
4883	5.96	Heatlie BBQ Series 700, 850 and 1150	N		P
5822	2.00	Heatlie Roaster Model RB1000DS			P
6000	8.00	Heatlie Mariner Series Marine Barbecues Models M500 and M600	N		P
6685	3.05	Park Barbecue 2 Burner Barbecues Models PB600DS and PB1000DS			P
Jarrahdale Solid Fuel Heating (trading name for RJ Metal Pty Ltd)					
5037	1.94	Jarrahdale 3, 4 & 5 Burner Built-in or Trolley Barbecues Model Patio Chef	N		P
Jarrahdale Solid Fuel Heating (trading name for RJ Metal Pty Ltd)					
5037	1.94	Jarrahdale 3, 4 & 5 Burner Built-in or Trolley Barbecues			
Jinwoniu Industrial Co Ltd					
6799	6.05	Jumbuck, Timberline-Warrior and Elite 4 and 6 Burner Trolley Mounted with Hood and Side Burner 4 Burner Model: Jumbuck 844319 6 Burner Models: Timberline-Warrior and Elite 846319L			P P
6807	6.05	Jumbuck, Timberline-Pioneer, Timberline-Grande or Casual Living, Timberline-Explorer, Amber, Roaster, Averil or Hobart, Aidan or Casual Living, 4 Burner Trolley Mounted Jumbuck, Timberline-Pioneer, Amber, Roaster, Averil or Hobart Models: 84869A (with hood and side burner) 84869 and 848069I (with hood and side shelves) Jumbuck, Timberline-Grande or Casual Living Models: 84869C (with hood and side burner) Jumbuck, Timberline-Explorer, Aidan or Casual Living Models: 84838C (with lid and side shelves)			P P P P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town LPG	
Jinwoniu Industrial Co Ltd Continued						
6846	9.05	Jumbuck 2 Burner Trolley with Hood and Side Shelves Model: 842321A				P
6937	5.06	Jinwoniu 3 and 4 Burner with Hood Models: 848068B and 848068				P
6964	5.06	Jinwoniu 3 Burner with Hood Model: 849871				P
6967	5.06	Jinwoniu 2 Burner Model: 849025				P
LC Metals Pty Ltd						
6631	10.04	Five Star Stainless BBQ and Top Notch Five Star Stainless BBQ S2B, S3B, S4B, D2B, D3B, D4B, D2BW, D3BW, D4BW, D2BC, D3BC, D4BC, D2BCW, D3BCW, D4BCW		N		P
KE-ZU Pty Ltd						
6648	11.04	Coro Barbecue Models BBQ01G, BBQ02G, BBQ01PG and BBQ02PG				P
Masport Limited						
6870	12.05	Masport Maestro Deluxe Trolley Mounted 4 Burner Barbecues with Hood and Side Burner Maestro Deluxe Model KYQ-401E and Maestro Deluxe S/S Model KYQ-401A				U
Melbourne Barbecue Centre						
5340	4.99	MBC Series Coin Operated and Push Button Barbecues Model: MBC-7 (Coin Operated) and MBC-8 (Push-Button)		N		P
Nomalon Imports Pty Ltd						
6371	4.03	Viking Built-In or Trolley Hooded Barbecues Models VGBQ300-2RT, VGBQ412-2RT, VGBQ410-3RT, VGBQ532-3RT and VGBQ530-4RT		N		P
Outdoor Chef International Ltd - Agent: Sitro Group Australia Pty Ltd						
6434	8.03	Gasmate Trolley Mounted Kettle Type Barbecues Models Classic Kettle 480, Classic Kettle 570 and Eclipse Kettle 480 Note: Model numbers abbreviated to CK480, CK570 and EK480				P
QCE Manufacturing SDN BHD						
5457	9.96	Skyline 3, 4 & 5 Burner Trolley Mounted				P
Rheem Australia Pty Ltd (Vic)						
6767	7.05	Majestic 5 Burner Inbuilt Model VCS5005BINAU Model VCS5005BIPAU		N		P
Rinnai Australia Pty Ltd						
6817	8.05	Rinnai Gourmet and Impressor 3, 4, 5, 8 and 10 Burner Hooded Cabinet Style with Side and Back Burners plus 3 and 5 Burner Inbuilt Cabinet Style Models: Gourmet 3, 4, 5 Impressor 5, 8, 10 Inbuilt Models: Gourmet 3IB Impressor 6IB		N N N N		U U U U
Shriro Australia Pty Limited						
6305	9.02	Everdure 2, 4 and 6 Burner Built-in and Trolley Barbecues with Optional Serving Wok Burner Model: Tasman (2 Burner) Models: Kimberley, Nullarbor, Atherton, Flinders, Norfolk, Daintree (4 Burner) Models: Ashburton and Stirling (6 Burner)		N N N N		P P P P
6318	9.02	Everdure Serving Wok Burner Model TMSB		N		P
6600	7.04	Everdure, Sundance and Red Rock 4 and 6 Burner Everdure Models: Pilbara, Brunswick and Kiama Sundance Models: Hero, Outlander, Horizon and Horizon Entertainer Red Rock Models: Aussie Mate, Aussie Rules, Aussie Legend, Aussie Star and Aussie Spirit Aldi Model: Coolabah Note: Selected models with Roasting Hood and Wok Burner				P P P P P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Sitro Group Australia Pty Ltd					
5221	3.95	Gasmate, Jumbuck, Gasmaster, Star, Del Terra, Coolabah and Jackeroo Caterer Series Four & Six Burner Caterer Four Burner Model: GC22-4T Caterer Six Burner Model: GC22-6T			P
6153	7.01	Gasmate Models GSB3 & GSBT Barbecue Side Burner			P
6364	4.03	Gasmate, Gasmaster, Jumbuck and Jackeroo Mariner Series 2, 4 and 6 Burner with Hood and Wok Burner Two Burner Model: MAR1200 Four Burner Model: MAR1400 Six Burner Model: MAR1600			P P P
6390	4.03	Gasmate, Gasmaster, Jumbuck, Jackeroo and Eurolec RG Series 4 Burner Barbecues – Models RG40-4F and RG41-4D	N		P
6428	7.03	Gasmate, Gasmaster, Jumbuck, Jackeroo and Eurolec Post Mounted Hooded – Rio Series Models G2006I and G2006 (B)			P
6605	11.04	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Portable 2 Burner Model G2015 Rio Grande Series			P
6638	11.04	Gasmate, Jumbuck, Gasmaster, Star, Del Terra, Coolabah, Maxiheat and Jackeroo Single Burner Trolley Mounted Barbecue Model GG100 Belle			P
6762	10.05	Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat, Jackeroo, Gasmaster, Gasmate 2 Burner Pedestal with Cabinet and with/without Hood Odyssey G2100 Models: G2100, G2102, G2103, G2120, G2121, G2122, G2133, G2140, G2141, G2142 and G2143			P
6800	10.05	Jackeroo, Jumbuck, Gasmaster, Star, Del Terra, Coolabah, Maxiheat, Gasmate 4 Burner Pedestal with Hood, Cabinet and Side Burner Model: Lawson G2301			P
6852	12.05	Gasmate, Jumbuck, Gasmaster, Star, Del Terra, Coolabah, Jackeroo Barbecue Side Burner and Side Burner Module Barbecue Side Burner Model: Wok Burner Barbecue Side Burner Module Models: MC150 and MC250			P P
Smeg SpA - Agent: Omega Appliances, A Div of Hagemeyer Brands Australia Pty Ltd					
6844	10.05	Smeg 2 or 3 Burner Freestanding Barbecues Models: BQ60R and BQ60P – 2 ‘U’ Shape Burners Models: BQ90R and BQ90P – 3 ‘U’ Shape Burners	N N		P P
Southern Stainless Pty Ltd					
5653	12.98	Cookout Marine/Outdoor Stainless Steel Barbecue Models Standard SS001, Standard Grill SS002, Jumbo SS003 and Jumbo Grill SS004			P
Sovereign Marine Pty Ltd					
6360	12.02	Sovereign Marine/Outdoor Stainless Steel Barbecue Models Alpha and Bravo			P
Tabachi Pty Ltd					
6925	2.06	Tabachi 2 Burner Domestic Barbecue Model: TB01-GU02			P
TPA Metals and Machinery (Shenzhen) Co Ltd					
5672	4.98	Del Terra Coolum, Del Terra Otway, Gas Craft Quattro, Gas Craft Toledo, Gas Craft Trident III, Gas Craft Trio, Hotrocks, Kleenheat Gas House Star FRM4, Outback Billabong and Outback The Roo, Models TRG3301 and TRG4301, 3 & 4 Burner Trolley Barbecues with Optional Hood	N		P
5681	4.98	Hotrocks Model WG45 Two Burner Trolley Barbecue with Hood, Optional Side Burner and Grill Plate			P
5701	6.98	Hotrocks, Kleenheat Gas House Star FT4W, Masport Lifestyle 3, Masport Lifestyle 4, Masport Supreme Chef 3, Masport Weekender 3, Outback Explorer, Renaissance 4000M, Renaissance 4000MS and Wild Country Longreach, Models TG3301, TG3303 and TG4301 3 & 4 Burner Trolley Barbecues with Optional Hood	N		P
5714	6.98	Del Terra Club II, Hotrocks, Kleenheat Gas House Star FT2, Masport Portable 2, Renaissance Club 2, Renaissance Club 4, Wild Country Clyde and Wild Country Duo 2 and 4 Burner Portable Models TG2202 and TG4202			P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
TPA Metals and Machinery (Shenzhen) Co Ltd Continued					
5886	7.99	Del Terra Flinders, Gas Craft Milano, Gas Craft Premier, Hotrocks, Jumbuck Four Burner Deluxe, Masport Weekender Deluxe, Outback, Outback Coolabah, Outback Deluxe, Renaissance Hobart, Renaissance Roaster, Renaissance 4000V Roaster, Wild Country Amber, Wild Country Averil, Wild Country Delta, Wild Country Longreach and Wild Country Marlo 2, 3 & 4 Burner Trolley Barbecues			
		2 Burner Model THG2209	N		P
		3 Burner Models THG3301, THG3302, THG3209,	N		P
		4 Burner Models THG430, THG4302 and THG4303	N		P
		Note: Models 3302, 4209 and 4302 with optional "Sidekick" side burner Model 4303 with timber cabinet			
5888	7.99	Sidekick and Sidekick Deluxe Single Burner Barbecue Hotplates			P
6040	8.00	Hotrocks and Wild Country Malibu, Two Burner Barbecue Inbuilt or Trolley Model THG2301	N		P
6154	7.01	Bondi, Del Terra Bondi, Hotrocks, Outback Town and Country, Tasman 1, Tasman 2, two Burner Trolley Barbecues			
		Models MM100, WG1601 and WG1603			P
		Model WG1602 (with sidekick side burner)			
6322	10.02	Entertainer Connoisseur, Gas Craft Premier, Grande Entertainer, Hotrocks, Kingston Gourmet Deluxe, Masport Entertainer Supreme, Masport Entertainer Deluxe, Outback and Renaissance Grand Deluxe 6, Super Grande Series II and Supreme Series II – 6 Burner Trolley with Sideburner			
		Models with Side Burner			
		TCG6101, TCG6201, TCG6202 and THG6201	N		P
		Models with Side Burner and Hood with Infrared Burner			
		TCG6101A and TCG6101B			P
6324	9.02	TPA Single Burner Barbecue Hotplate Model Sidekick SE	N		P
6325	10.02	Del Terra Mackay, Hotrocks, JDS Del Terra Avoca Deluxe, Jumbuck, Masport, Masport Maestro 3, Outback, Renaissance Grand Deluxe and Wild Country Grand Deluxe 3 and 4 Burner Trolley			
		Three Burner Models: TCG3200	N		P
		TCG3212 with charcoal compartment	N		P
		Four Burner Model: TCG4200	N		P
		All with optional "Sidekick" side burner Model TCG4200 also available with cabinet trolley			
6469	7.03	Gascraft, Hotrocks, JDS Del Terra Macquarie, Jumbuck, Masport, Outback, Renaissance Collaroy 2, Renaissance Collaroy 3 and Wild Country Deva 2 and 3 Burner Pedestal Trolley Models TPG2202, TPG3202 and TPG3208	N		P
		Note: Optional Side Burner			
6472	10.03	Del Terra Macquarie, Gascraft, Hotrocks, Masport Chef, Masport Entertainer Xpress, Masport Xpress, Outback and Renaissance Collaroy 4, 4 Burner Pedestal and Cabinet Trolley			
		Model TPG4201 (Pedestal Type)	N		P
		Model TCG4201B (Cabinet Trolley Type)	N		P
6659	10.04	Del Terra Goulburn, Hotrocks, Jumbuck, Masport, Masport Super Eight, Outback, Renaissance and Wild Country Ebony, 6 Burner Trolley			
		Model: THG6209	N		P
		Model: TCG6203 (fitted with infrared hood burner and smoker box)			P
		Note: Both models are fitted into either a steel trolley or cabinet trolley and a side kick side burner can be fitted as an optional extra.			
6646	11.04	Hotrocks, Masport Outback and Outback 2, 3 and 6 Burner Trolley			
		Models TRG2700, TRG3700 and TRG6700	N		P
		A Sidekick side burner can also be fitted to the trolley as an optional extra			
6668	11.04	Hotrocks, Masport Outback and Outback 2, 3 and 6 Burner Hooded Trolley Models THG2700, THG3700 and THG6700			
		A Sidekick side burner can also be fitted to the trolley as an optional extra	N		P
Ultimate Distribution (Aust) Pty Ltd					
5620	10.97	Esperance Series Outdoor Barbecues			
		3, 4 and 5 Burner Models	N		P
		Options: Built-in, Trolley Mounted Steel/Timber, with/without Roasting Hood, with/without Side Burner, Stainless/Enamelled Steel Construction and with/without Storage Cabinets.			

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Ultimate Distribution (Aust) Pty Ltd Continued					
6369	12.02	Ultimate 4 Burner, Trolley Mounted Barbecues Models Calais and Hotshot Note: Model variants include: All steel, steel/timber trolleys, with/without side burner, with/without low profile roasting hood			P
6370	12.02	Ultimate 2, 3 and 4 Burner Barbecues Model Escape Note: Barbecue can be mounted in Trolley Mounted or Folding Leg Frame.			P
United Four Co Ltd - Agent: Aussie Outdoor Imports and Exports Pty Ltd					
6180	8.01	Solimar, Metro, Metro Deluxe 3 & 4 Burner Trolley Barbecues Models B1313A, B1314A, B1316A and B1317A			P
6354	12.02	Solimar, Metro and Aussie 3 and 4 Burner Trolley Barbecues Models B1363AU and B1364AU			P
6676	11.04	U4B and Meteor Grande Trolley Barbecues with Side Burner Models GB1840 and GB1860			P
United Four Co Ltd					
6825	10.05	Agent: Aussie Outdoor Imports and Exports Pty Ltd UB4, Coolabah, Aussie and Classic Collection 3 Burner Barbecues GB7130 – Stainless Steel with Cupboard Trolley GB7130CIP – Stainless Steel with Pedestal Stand GB7230 – Porcelain Enamel Finish with Cupboard Trolley GB7230CIP – Porcelain Enamel Finish with Pedestal Stand			P P P P
		Agent: JNL Designs Pty Ltd UB4, Coolabah, Aussie and Classic Collection 3 Burner Barbecues GB7130 – Stainless Steel with Cupboard Trolley GB7130CIP – Stainless Steel with Pedestal Stand GB7230 – Porcelain Enamel Finish with Cupboard Trolley GB7230CIP – Porcelain Enamel Finish with Pedestal Stand			P P P P
Weber-Stephen Products Co. (Aust) Pty Ltd					
4532	7.90	Weber Genesis 2000 Series 3-Burner Weber Spirit 500 Series 2 Burner Weber Genesis Silver A, B and C Weber Genesis Gold B and C Weber Genesis Platinum B and C	N N N N N		P P P P P
6454	7.03	Weber Q Portable Table Top Model 396024Q			P
6463	8.03	Weber Summit Gold and Weber Summit Silver Trolley Mounted Barbecue Summit Gold A, B, D Series Models 5260024, 5270024 and 5280024 Models 5360024, 5370024 and 5380024 Summit Silver A, B, C Series Models 5210024, 5220024 and 5230024 Models 5310024, 5320024 and 5330024		N N	P P
Wesfarmers Kleenheat Gas Pty Ltd					
4461	3.90	Kleenheat KCOBQN & KMOBQL Coin Operated Barbecues	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Woodland Home Products Pty Ltd					
3986	9.85	Beefeater and Kleenmaid Inbuilt or Trolley Barbecues with Optional Hoods and Side Burners			
		Beefeater Barbecue Models			
		Signature S-3000S, Signature S-3000E and Signature S-4000S (3, 4, 5 and 6 Burner, Porcelain, Enamel or S/Steel Finish)	N		P
		Balcony (2 Burner)	N		P
		Note: All Beefeater BBQ models are available with optional hood, 12V rotisserie and light and Beefeater side burner.			
		Optional Beefeater Side Burner	N		P
		Trolleys:			
		Jarrah Designer (Metal & Timber), Kempas (Hardwood),			
		Deluxe Full Jarrah, (JTR), Deluxe & Standard (Metal and S/Steel),			
		Pedestal (S/Steel and Metal), Signature Plus (S/Steel), Designer (Metal),			
		Standard (HWT – Hardwood) and Signature SL4000S			
		Kleenmaid Barbecue Models			
		Professional (3 and 4 Burner with S/Steel Hood)	N		P
		Available with s/steel pedestal, Signature Plus Trolley, s/steel side burner, 12V rotisserie and light			
		Professional (5 Burner with S/Steel Hood)	N		P
		Available with Signature Plus Trolley, s/steel side burner, 12V rotisserie and light			
		Kleenmaid Professional Side Burner	N		P
4316	10.89	Clubman Models 2B and 3B Freestanding	N		P
6308	8.02	Beefeater Discovery Barbecue			
		Model Discovery I 1000 – 2, 3, 4 and 5 Burner Models with Optional Hood, Trolley and Side Burner	N		P
Xten Innovations Pty Ltd					
6920	2.06	Elite Four Burner Trolley Mounted with Hood and Side Burner			
		Model: 475			P
Zhejiang Zhengte Group Co Ltd					
6859	10.05	Zhengte 2 Burner Trolley with Hood Model: 8201001			P
28 Newlands Road Holdings Pty Ltd T/as Garth Sheetmetal					
6167	8.01	Garth, Cook'n Essentials, BBQ Essentials, BBQ Classic Collection, BBQ Professional Collection, Beckley and Shark 2, 3, 4 and 6 Burner Barbecues			
		Garth Models:			
		Mirage			PU
		Majestic, Summit, Pinnacle, Heritage, Plateau, M10, M12, Enterprise, Director, Jumbuck, Endeavour, Icon, Red Centre, Jupiter 6, Hornet 6, Bonnie, Dante, Supreme, Sunco and Saturn 4	N		PU
		Cook'N Essentials, BBQ Essentials, BBQ Classic Collection and Professional Collection Models:			
		Timber 4B, Deluxe Roaster 4B, Deluxe Cabinet 4B, Deluxe Roaster 6B, Deluxe Cabinet 6B, Nullarbor, Coogee, Mitchell, Alpine 4, M29, M33, M35, Pedestal 3B, M10, M12 and M37	N		PU
		Beckley Models: Majestic and Heritage	N		PU
		Shark Models: SB-18 and SB-24	N		PU
		Options: Built-In (Mirage Only), Enclosed Trolley (all except Mirage), Timber Trolley (Mirage & Summit), Open Steel Trolley (all), Side Burner Model T/C or F/C (Propane models only)			

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town LPG	
28 Newlands Road Holdings Pty Ltd T/as Garth Sheetmetal Continued						
6437	9.03	Garth, Cook'n Essentials, BBQ Essentials, BBQ Classic Collection and BBQ Professional Collection, Mercury 2, Pluto 4, Red Centre and Bourke 2HP, 4HP and 4HP Long Series Portable Solid Plate Barbecues 2HP Series Garth Models: Jumbuck Foldaway B4, B7 and WH3 Cook'n Essentials/BBQ Essentials/BBQ Classic Collection/BBQ Professional Collection/Mercury 2/Everchef Models: M1, M21, M39 and WH3 4HP and 4HP Long Series Garth Models: Jumbuck Foldaway B9, B1 and WH2 Cook'n Essentials/BBQ Essentials/BBQ Classic Collection/BBQ Professional Collection/Pluto 4/Everchef Models: M4, M25, M27, M36 and WH2 Red Centre Models: JD3 and WH2 Bourke Model: JD3				PU PU PU PU PU PU
6487	9.03	Brand Names: Garth, Cooking Essentials and Beckley Barbecue Side Burner Models T/C and F/C				P
6585	6.04	Garth, Beckley, Cook'n Essentials, BBQ Classic Collection and BBQ Professional Collection Barbecue Side Burner Model M12			N	P
6793	5.05	Frontier II, Red Centre, Garth, Sunco, Aldi "Coolabah" and Warehouse "Everchef" Trolley Mounted, Hooded/Unhooded Barbecues Models JD4, Jumbuck, A2 and WH1				U

DECORATIVE APPLIANCES

GAS LOG FIRES (AS 4558/AG 108)

Note 1: The appliances listed below are decorative only and not regarded as space heaters.

Energy Labelling requirements do not apply and, therefore, no star rating is applicable.

Note 2: Type 1 is for approved fireplaces and Type 2 is a stand-alone or an appliance with complete assembly.

Ambience Appliances Pty Ltd

4948	4.93	Superior G9000	Type 2	N	PU
------	------	----------------	--------	---	----

Australian Heating Distributors Pty Ltd

6547	4.04	Regency and Masport Decorative Log Effect Model G51	Type 2	N	U
------	------	---	--------	---	---

Firefox Industries Pty Ltd

6386	1.03	OFP2.7GF Series Decorative Effect Gas Log Fires Models OFP2.7GF-ME and OFP2.7GF-ZC	Type 2	N	
------	------	--	--------	---	--

Gas Log Fires Pty Limited

6572	8.04	Gas Log Fire Models 600 and 800	Type 1	N	P
------	------	---------------------------------	--------	---	---

Hearth & Home Technologies Inc – Agents: Jetmaster (Vic) Pty Ltd, Jetmaster Fireplaces Aust Pty Ltd

5982	7.00	Heat-N-Glo Decorative Log Fires Model Mystifire-I-AU	Type 1	N	P
		Model Mystifire-I-AU with either Heat-N-Glo Firebox Model BW36 or Jetmaster Firebox Model 850	Type 2	N	P

Heat-N-Glo Fireplace Products Inc - Agent: Jetmaster Fireplaces Aust Pty Ltd

5669	6.98	Model GRL-24-AU	Type 1	N	
5837	9.99	Model GRL-830-AU	Type 1	N	P

Jetmaster Fireplaces Australia Pty Ltd

4958	5.93	Jetmaster and Kemlan Decorative Gas Pebble/Coal Effect Fire 500MK2, 600MK2, 700MK2, 700MK2P/C, 800MK2P/C and 800MK2	Type 1	N	P
		P denotes – Pebbles and C denotes – Coals 600MK3* and 700MK3*	Type 1	N	
		* Denotes Natural gas only			

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town LPG	
Jetmaster Fireplaces Australia Pty Ltd Continued						
5144	10.94	Jetmaster, Agnews and Kemlan Decorative Gas Coal Fire Federation 300		Type 1	N	P
6248	4.02	Jetmaster and Kemlan Decorative Log Fire 600 MK IV and 700 MK IV		Type 1	N	P
6671	12.04	Jetmaster and Kemlan Gas Log Fire Model: 850 Mark IV		Type 1	N	P
Jetmaster (Pty) Limited						
5527	9.97	Jetmaster De Luxe Models D/L 600GG, D/L 700GG and D/L 850GG		Type 1	N	P
6691	2.05	Jetmaster Mark II 700 Models 700 NG M, 700 NG E, 700 P M, 700 P E		Type 2	N	P
Multiglow Fires - Agent: Stepneys Restoration						
5838	6.99	Multiglow Genesis 18" Std		Type 1	N	P
6259	8.02	Multiglow Decorative Coal Effect Fires Genesis III 18" and 27"		Type 1 or Type 2	N	P
Pecan Engineering Pty Ltd						
4464	12.89	Pecan Decorative Effect Log or Coal Fire Model: AF 18 OF		Type 1	N	
5476	11.96	Nectre GC 290 and 420 Decorative Gas Fire		Type 1	N	P
5865	7.99	Pecan Decorative Gas Log or Coal Effect Fire Model Wonderfire FFB		Type 2	N	
6244	7.02	Nectre Log Effect Fire Model GL650 Note: Type 1 or Type 2 installation depends on application, i.e. Open masonry fireplace or convector box. Flueing requirements must be considered. Refer to manufacturer for installation options.		Type 1 or Type 2	N	P
Real Flame Pty Ltd						
6094	6.01	Real Flame Magiglo Series Log and Coal Effect Models 750, 540, 400, 360 and 320 Models 750E and 540E Models 750EI, 540EI, 400EI, 360EI and 320EI Models 750PF, 540PF, 400PF, 360PF and 320 PF Note: Type 1 or Type 2 installation depends on application, i.e. open masonry fireplace or zero clearance fire boxes – Models Heatseeker, Hotbox, Register, Modular or Builders. Also, flueing requirements must be considered. Refer to manufacturer for further information relating to installation options.		Type 1 or Type 2 Type 1 or Type 2 Type 1 or Type 2 Type 2	N N N N	P P P P
6731	1.05	Real Flame Log and Coal Effect Model 850 Double Sided Firebox with Magiglo 540 Double Sided Burner		Type 2	N	P
Rheem Australia Pty Ltd (Vic)						
6781	7.05	Raypak Outdoor Fireplaces Model ODGSR36ANAU Model ODGSR36APAU Note: As the fireplace is flueless and designed for outdoor use only it does not have a type classification. Also appliance must be installed in a location protected from rain.		N/A N/A	N	P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP Town	LPG	
Rinnai Australia Pty Ltd						
6906	4.06	Rinnai Coal/Riverstone Effect Model: Constellation 1000 Note: Front panel may be black paint or stainless steel finish.		Type 2	N	U
Robinson Willey Limited – Agent: Bowden Heating Pty Limited						
6397	5.03	Robinson Willey Decorative Coal Fire Model: Romany		Type 2	N	
Ultimate Distribution Australia Pty Ltd						
6641	9.04	Ultimate 0660 and 0860 Series Decorative Gas Log Fires O660 Models: O660FNG, O660ING, O660ZNG, O660FCONG, O660ICONG, O660ZCONG, O660FRONG, O660IRONG and O660ZRONG O860 Models: O860FNG, O860ING, O860ZNG, O860FCONG, O860ICONG, O860ZCONG, O860FRONG, O860IRONG, and O860ZRONG Note: 5 th character: F = Freestanding, I = In Built, Z = Zero Clearance 6 th and 7 th characters: None = Logs, CO = Coals, RO = Rocks Suffix: NG = Natural Gas		Type 2	N	
				Type 2	N	

INDOOR GAS LIGHTS

Gameco Pty Ltd						
5584	9.97	Humphrey/Paulin Model 9T Indoor Gaslights				P
Namrah Australia Pty Ltd – T/as GCS Trading Truma Gas Equipment						
3491	3.83	Truma Models 2002 and 2003			N	P
3492	3.83	Truma Model 2004 TE Vario			N	P
3493	3.83	Truma Model 2004 STD Nova			N	P

EXTERIOR LIGHTS

Aqua Bio Systems Pty Ltd – T/as ABS Technologies						
5639	4.98	ABS Technologies Outdoor Gas Lights Models ABS200, 300, 400, 900, 1000, 1100, 1200, 1700, 1800, 1900 and 2000			N	U
Aussie Lifestyle Industries Pty Ltd						
6033	8.00	Aussie Lifestyle DGF Series Gas Flare Models DGF01 and DGF03 Cone Flare and DGF02 Cylindrical Flare Portable or Fixed Versions Manual or piezo ignition (Suffix M in Model ID's indicates manual ignition)			N	P
					N	P
Gas Care Services Pty Ltd						
5642	5.98	Sugg Model WIN.12G (C5 Post L40 Lantern), Post Mounted			N	

SWIMMING POOL AND SPA POOL HEATERS (AS 4560)

Hurlcon Research Pty Ltd						
6690	12.04	Hurlcon JX Series External Wall Hung Models JX130 and JX160			N	U
Waterco Limited						
5051	10.93	Pool and Spa Heater (Gas Pack) Model: S & P 2000E			N	P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

SWIMMING POOL AND SPA POOL HEATERS (AG 110)
--

Hurlcon Research Pty Ltd

5163	10.94	MiniMax 120 Pool and Spa Heater, Internal and External	N			P
5315	10.98	Hurlcon HX70 Pool and Spa Heater, Internal and External	N			P
5583	10.98	Hurlcon MX Series Pool and Spa Heater, Internal and External Models: MX100, 150, 200, 250, 300, 400 and 500	N			PU

Jandy Pool Products Inc – Agent: Waterco Limited

5154	10.94	Jandy Lite 2 Series 2 Internal and External Models LC and LG 125, 175, 250, 325, 400	N			P
------	-------	--	---	--	--	---

Rheem Australia Pty Ltd (Vic)

2683	4.78	Raypak RP2100 Series Pool and Spa Heaters Models RP2100 127 and RP2100 167	N	TLP	T	P
5389	5.96	Raypak RP2100 Series V Pool and Spa Heaters Models 197, 277, 347 and 427 (PH)	N	TLP	T	P
6508	10.03	Raypak Pool/Spa Heater Model Spartan 131	N			P

Spa Gear Pty Ltd

6492	10.03	Agent: Robert Bosch (Australia) Pty Ltd Bosch Leisure Internal and External Instantaneous Models SPA80RETRO, SPA80LA, SPA80LD, SPA80TOUCH, SPA130RETRO, SPA130LA, SPA130LD and SPA130TOUCH	N			P
		Agent: Spa Gear Pty Ltd Spa Gear Internal and External Instantaneous Models SG80E/NG, SG80E/LPG, SG80I/NG, SG80I/LPG, SG105E/NG, SG105E/LPG, SG105I/NG, SG105I/LPG, SG130E/NG, SG130E/LPG, SG130I/NG and SG130I/LPG	N			P

APPROVED CONVERSION PROCEDURES

Dean Martin Enterprises a Division of The Robinson Family Trust

3113	9.80	Dean Martin Conversion Kit Oil to Gas Heater Vulcan Auto-Set Series 40 Kit	N	TLP	T	P
3166	10.80	Dean Martin Conversion Kit Oil to Gas Heater Vulcan Burwood Series 10 Kit	N	TLP	T	P
3225	5.81	Dean Martin Conversion Kit Oil to Gas Heater Vulcan 300 Series (Model 12) Kit	N	TLP	T	P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

COMMERCIAL CATERING EQUIPMENT – SAFETY CERTIFICATION

Note: As of July 2003 all Commercial Catering Equipment will be assessed to AS 4563. Certificates which have been assessed to AS 4563 have been listed accordingly, those that have yet to be assessed remain temporarily listed under the previous standard.

BOILING TABLES (AS 4563)

C.C.E. International Pty Ltd

SC381	5.04	Garland/U.S. Range Commercial Target Top Boiling Table with/without Oven Models: MST45 (R, RC, S, T) (E) and MST5 (S, T) (E)	N	P
		Key to suffixes: R – standard oven base RC - convection oven base S - storage compartment base T - modular top hob section only E - optional electric spark pilot ignition		

Galaxy Import & Export Co Pty Ltd

6514	5.04	Automatic Rice Cooker Model Tiger YC-68S	N	P
------	------	--	---	---

General Catering Equipments Pty Ltd

6538	7.04	Bench Mounted or Freestanding Boiling Tables Models OB2C, OB4C, OB6C, OB2S, OB4S, OB6S, OB40R, OB60R, DRB4 and DRB6	N	P
------	------	---	---	---

Moffat Ltd

3578	8.83	Blue Seal and Waldorf Boiling Tables/Griddles Blue Seal Models G51-2[1], G51-4[1]-[3], G51-6[1]-[3], G51-8[1]-[3] Waldorf Models RN820[2]G, RN840[2]G-[3], RN860[2]G-[3], RN880[2]G-[3] Model Legend Character [1] Griddle section size (Blue Seal only): A= 900 mm wide griddle, B = 600 mm wide griddle, C = 300 mm wide griddle, D = no griddle Character [2] Griddle section size (Waldorf only): 9 = 900 mm wide griddle, 6 = 600 mm wide griddle, 3 = 300 mm wide griddle, 0 = no griddle Character [3] Open burner options: FFP = with flame failure and pilot, P = with pilot, - = standard burner only	N	P
6872	10.05	Blue Seal and Waldorf Gas Target Tops Blue Seal Model: G57 Waldorf Model: RN8100G	N N	P P

BOILING TABLES (AG 301)

B & S Commercial Kitchen Appliances Pty Ltd

4890	8.92	B & S Model 50/90 1 and 2 Burner Countertop Hotplate	N	P
4952	2.93	B & S Model S-900-4BT Open Top	N	
4953	2.93	B & S Models L-900-4BT, L-900-5BT and L-900-6BT Open Top	N	
5917	11.99	B & S Model T.A.P. – T.G.P. – 120A Two Burner Boiling Table Stockpot	N	

C.C.E. International Pty Ltd

4152	8.87	Garland Model G24-15H Open Top Boiling Table	N	P
------	------	--	---	---

Fagor Industrial, S Coop – Agent: Fagor Australasia Pty Ltd

6191	6.02	Fagor Model HPG-15 Stockpot Burner	N	P
------	------	------------------------------------	---	---

J Goldstein & Company Pty Ltd

6250	3.02	Goldstein Models PFB-12, PFB-24, PFB-36, PFB-48, PFB-12G-2, PFB-24G-2, PFB-24G-4, PFB-36G-2, PFS-24, PFS-36, PFS-48, PF12, PF24, PF36, PF48, PF60, CS-4, PFB-12/SB12, PFB-24/SB24, PFB-36/SB36, PFB-48/SB48, PFB-12G-2/SB24, PFB-24G-2/SB36, PF-12G-2, PF-12G-4, PF-24G-4, PF-36G-2	N N N N N N	P P P P P P
------	------	---	----------------------------	----------------------------

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Paloma Industries Limited					
6199	9.02	Paloma Rice Cooker Model PR-10DSS (AU)	N		
CHINESE COOKING TABLES (AS 4563)					
B & S Commercial Kitchen Appliances Pty Ltd					
4434	5.89	Ricemaster Automatic Rice Cooker Model RC50	N		P
Itech Metal Industries T/as Itech Metal Industries					
6092	11.00	Itech Chinese Cooking Table Model: Itech 2000 Note: For outdoor use only.			P
Rodos Commercial Kitchen Equipment					
4583	7.90	Rodos Chinese Cooking Table Model: 2-900G	N		
Time Catering Equipment Pty Ltd					
6883	12.05	Time Chinese Wok Stove CW-D1, CW-D2, CW-H1, CW-T1, CW-H2, CW-T2, CW-D1H1, CW-D1T1, CW-D3, CW-H3, CW-T3, CW-D1B2, CW-D1B4, CW-D2B1, CW-D2B2, CW-D2B4, CW-H1B2, CW-T1B2, CW-H1B4, CW-T1B4, CW-H2B1, CW-T2B1, CW-H2B2, CW-T2B2, CW-H2B4, CW-T2B4, CW-D1H1B1, CW-D1T1B1, CW-D1H1B2, CW-D1T1B2, CW-D1H1B4, CW-D1T1B4, BT-2, BT-4, BT-6, BT-8	N		P
Tu's Brothers Pty Ltd					
6093	12.00	Supertron Chinese Cooking Table (Wok) With/Without Boiling Burners Models: R17-W, R14-W, R13-W and R7-W Note: Appliance either single or multi-burner configured.	N		P
CHINESE COOKING TABLES (AG 301)					
B & S Commercial Kitchen Appliances Pty Ltd					
3632	4.84	CCF Series Chinese Cooking Table A, C and Carmichael Burners B and D Burners	N N		P
3638	4.84	CC Series Chinese Cooking Table A, C and Carmichael Burners B and D Burners	N N		P
5706	5.98	CCF Hi-Pac Chinese Cooking Table with Power Burner	N		
Complete Commercial Catering Equipment Pty Ltd					
SC313	10.93	Model WTB-1 Chinese Wok Table	N		
SC344	9.00	CCCE WT Series Models WT1, WT2, WT3, WT4, WT5 & WT6 Wok Table Jet Burner	N		P
5823	4.99	Complete Counter Top Wok Model C-W1	N		P
6208	10.01	WTV Series Chimney Burner WTV1, WTV2, WTV3, WTV4, WTV5, WTV6	N		
Cookon Commercial Catering Equipment Pty Ltd					
5868	9.00	CCW-X Modular Series Note: X Denotes number of burner modules Wok table may feature wok, boiling duckbill, double or triple ring burners	N		P
Delta Group Industries Aust Pty Ltd					
5879	6.99	Models WH 2-3-99 and WH 4-8-99	N		P
General Catering Equipment Pty Ltd					
6149	8.01	Single Wok Model 1 Wok 12/14 Dual Wok Model 2 Wok 12/14 Dual Wok & Dual Boiling Burners Model 2 Wok 12/14-20B Triple Wok Model 3 Wok 12/14	N N N N		P P P P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town	LPG
J Goldstein & Company Pty Ltd						
2757	6.78	Goldstein CW Series Chinese Cooker Models CW, CW2, CW3, CW2B2, CW3B2 and CWC2 Model SP 1885	N	TLP	T	P
J & J Industry Pty Ltd						
6285	6.02	Models JCW1 (1 Wok Burner), JCW2 (2Wok Burners), JCW3 (3 Wok Burners), JCW1-B (1 Wok and 2 Boiling Burners), JCW2-B (2 Wok and 2 Boiling Burners), JCW3-B (3 Wok and 2 Boiling Burners), JCW0-B (2 Boiling Burners) and JCW0-2B (4 Boiling Burners)	N			
Luus Industries Pty Ltd						
5890	7.99	WF Series Chinese Cooking Tables Models WF1, WF2, WF3, WF4, WF5, WF6 and WF7	N			
6084	5.01	Luus WS Series Chinese Superwok	N			
T & N Catering Equipment and Refrigeration Pty Ltd						
5863	8.99	Models TC130/435, TC110/340 (Stock pot), TC130/435, TC130/435D , TC130/340, TC120/340, TC110/340 (wok) TC17, TC18/170 (boiling burner)	N			
5864	8.99	Model TC175/510 (stock pot)	N			
RANGES (AS 4563)						
Angelo Po Grandi Cucine SPA – Agent: Angelo Po Catering Equipment						
6416	7.03	Angelo Po Gamma Series Ranges and Boiling Tables Models: 0G0FA0, 1G0FA0, 1G1FA0G, 1G1FA0GV, 1G1FA0E, 1G1FA0EV, 2G0FA0, 2G1FA0G and 2G1FA0GV	N			U
Baron Cucine Professionali s.r.l. - Agent: Scots Ice Australia Pty Ltd						
6711	1.05	Baron Commercial Gas Ranges and Boiling Tables Models: 7PC/G400, 7PC/G800, 7PC/G120, 7PC/G160, 7PCV/G400, 7PCV/G800, 7PCV/G120, 7PCV/G160, 7PCF/G800, 7PCF/G120 and 7PCF/G160	N			
C.C.E. International Pty Ltd						
SC379	5.04	Garland MST 43 Boiling Table with/without Oven Master Series Model: MST 43 (R, RC, S, T) (E) Key to suffixes: R – standard oven base RC - convection oven base S - storage compartment base T - modular top hob section only E - optional electric spark pilot ignition	N			P
SC380	5.04	Garland/US Range MST Series Commercial Open and Closed Boiling Tables With/Without Oven Models: MST42, 44 and 54 (R, RC, S, T) (E) and MST4 (S, T) (E) Key to suffixes: R – standard oven base RC - convection oven base S - storage compartment base T - modular top hob section only E - optional electric spark pilot ignition	N			P
5419	8.96	Garland Starfire Sentry Series Ranges Models: S28(E), S288(E), S286(RC)(E), S284(RC)(E), S283(RC)(E), ST28(E), ST288(E), ST286(RC)(E), ST284(RC)(E), ST283(RC)(E), ST280-45 and ST24GS Suffix: R – standard oven range RC - convection oven S - storage compartment base T - modular top section only E - optional electric pilot ignition	N			P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
C.C.E. International Pty Ltd Continued					
6652	9.04	Comcater Range 2, 4 and 6 Boiling Burners With/Without Oven and With/Without Solid Grill Top Models R90-6, R90-0-90G, R90-2-60GL, R90-2-60GR, R90-4-30GL, R90-4-30GR	N		P
		T90-6, T90-0-90G, T90-2-60GL, T90-2-60GR, T90-4-30GL, T90-4-30GR, T60-4, T60-0-60G	N		P
6756	5.05	Prefixes Used: R – Range, T – Top only, R – Right, G – Grill, L - Left Mareno Commercial Range with Multiple Configurations Models AC7FG-8G, AC7-8G, AC7FG-12G, AC7FE-8G, AC7FE-12G, AC7-4G, AC7-12G and ABF7-8G	N		P
Electrolux Professional SpA					
6584	8.04	Zanussi Gas Range Models: NCG400, NCG800, NCFG800, NCG1200, NCFG1200, NCFG1600, NCFG801, NCG401, NCG801, NCG1201 and NCGF1201	N		P
6947	4.06	Zanussi Gas Range Models: KCG400, KCG800, KCGV800, KCGV1200, KCGFG800 and KCGFG1200	N		P
Fagor Industrial, S Coop – Agent: Fagor Australasia Pty Ltd					
5988	4.00	Fagor Range and Boiling Table Range Models: CG9-41A and CG9-61A Boiling Table Models: CG9-20A, CG9-40A and CG9-60A	N		P
			N		P
Hobart Food Equipment Div of ITW Australia Pty Ltd					
6763	4.05	Omnia Commercial Upright Cooker Ranges Models G2S7, G4S7, G6S7, G4SF7 and G6SFA7	N		
J Goldstein & Co Pty Ltd					
6894	3.06	Goldstein Gourmet 750 Commercial Oven Range Models: GR/G710FF and GR/GE710FF	N		P
Moffat Limited					
3577	8.83	Blue Seal and Waldorf Commercial Ranges Blue Seal Models G50[1]-[3], G50-8[1]-[3], G50[1]-SR Waldorf Models RN861[2]G-[3], RN881[2]G-[3] Model Legend Character [1] Griddle section size (Blue Seal only): A = 900 mm wide griddle, B = 600 mm wide griddle, C = 300 mm wide griddle and D = no griddle Character [2] Griddle section size (Waldorf only): 9 = 900 mm wide griddle, 6 = 600 mm wide griddle, 3 = 300 mm wide griddle and 0 = no griddle Character [3] Open burner options: FFP = with flame failure and pilot, P = with pilot and - = standard burner only	N		P
			N		P
3762	3.84	Blue Seal and Waldorf Commercial Ranges Blue Seal Models G56[1]-[3], G58[1]-[3] Waldorf Models RN861[2]GC-[3], RN881[2]GC-[3] Model Legend Character [1] Griddle section size (Blue Seal only): A = 900 mm wide griddle, B = 600 mm wide griddle, C = 300 mm wide griddle, D = no griddle Character [2] Griddle section size (Waldorf only): 9 = 900 mm wide griddle, 6 = 600 mm wide griddle, 3 = 300 mm wide griddle, 0 = no griddle Character [3] Open burner options: FFP = with flame failure and pilot, P = with pilot and - = standard burner only	N		P
			N		P
4224	7.87	Blue Seal and Waldorf Commercial Ranges Blue Seal Models G54[1]-[3] Waldorf Models RN841[2]GC-[3] Model Legend Character [1] Griddle section size (Blue Seal only): C = 300 mm wide griddle, D = no griddle Character [2] Griddle section size (Waldorf only): 3 = 300 mm wide griddle, 0 = no griddle Character [3] Open burner options: FFP = with flame failure and pilot, P = with pilot and - = standard burner only	N		P
			N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Moffat Limited Continued					
6901	12.05	Moffat Static Oven Range Models RN841[2]G[3], RN882[2]G[3] Model Key: [2] – Griddle selection size, 9 – 900mm wide griddle, 6 – 600mm wide griddle, 3 – 300mm wide griddle, 0 – no griddle [3] – Open burner options, - - standard burner only, -F – with flame failure	N		P
6892	12.05	Waldorf Series Static Oven Ranges Models: RN851[2]G[3], RN861[2]G[3], RN881[2]G[3] Models: RN851[2]GE[3], RN861[2]GE[3], RN881[2]GE[3] Model Key: [2] – Griddle section size, 9 – 900mm wide griddle, 6 – 600mm wide griddle, 3 – 300mm wide griddle, 0 – no griddle [3] – Open burner options, - - standard burner only, -F – with flame failure	N N		P P
6918	3.06	Waldorf Target Top Ranges with Gas/Electric Static/Convection Oven Models: RN8110G, RN8110GC, RN8110GE and RN8110GEC	N		P
Tu's Brothers Pty Ltd					
5910	9.99	Supertron 900 Series 6, 4 or 2 Boiling Burner Range With/Without Oven/BBQ Grill /Evenheat/Solid Grill Plate Models: 900-6, 900-4 and 900-2	N		P
RANGES AG 301, AG 303, AG 305 & AG 311 as applicable					
Active Commercial Catering Equipment Pty Ltd					
5856	11.99	Berto's Models G7F4+FG, G7F4+FE, G7F6+FG and G7F6+FE	N		
Angelo Po Grandi Cucine SPA – Agent: Angelo Po Catering Equipment					
6140	7.01	Angelo Po Alpha & Delta Series Boiling Tops, Oven Range with combination of Open Burners, Cast Iron Plate and Solid Plate Alpha Models (Open Burners) 0A0FA1, 0A0FA4, 1A0FA1, 1A0FA4, 1A0FA7, 2A0FA1, 2A0FA4, 1A1FA1G, 1A1FA4G, 1A1FA7G, 2A1FA1G, 2A1FA4G, 3A1FA1G, 3A1FA4G and 3A1FA7G Delta Models (Open Burners) 0D0FA1, 0D0FA4, 1D0FA1, 1D0FA4 1D0FA7, 2D0FA1, 2D0FA4, 1D1FA1G, 1D1FA4G, 1D1FA7G, 2D1FA1G, 2D1FA4G, 3D1FA1G, 3D1FA4G, 3D1FA7G Alpha Models (Cast Iron Plate) 1A0FA2, 1A0FA5, 2A0FA8, 2A0FA9, 1A1FA2G, 1A1FA5G, 2A1FA8G, 2A1FA9G, 3A1FA8G, 3A1FA9G Delta Models (Cast Iron Plate) 1D0FA2, 1D0FA5, 2D0FA8, 2D0FA9, 1D1FA2G, 1D1FA5G, 2D1FA8G, 2D1FA9G, 3D1FA8G and 3D1FA9G Alpha Models (Solid Top) 1A0TP0, 1A1TP0G, 2A1TP3G, 2A1TP6G Delta Models (Solid Top) 1D0TP0, 1D1TP0G, 2D1TP3G, 2D1TP6G	N N N N N N N		U U U U U U
B & S Commercial Kitchen Appliances Pty Ltd					
4920	10.92	B & S Model S-900-4 Open Top	N		
4921	10.92	B & S Series L900, Models L-900-4, L-900-5 and L-900-6 Open Top	N		
C.C.E. International Pty Ltd					
SC382	5.04	Garland Master Series Closed Top Boiling Tables With/Without Static or Convection Oven Models: MST 46 (R, RC, S, T) (E) and MST 6 (S, T) (E)	N		P
6336	9.02	Garland US Range Model S-6-26A (6 Boiling Burners and Oven) Model S-6A (6 Boiling Burners with Storage Base in Lieu of Oven)	N N		P P
Complete Commercial Catering Equipment Pty Ltd					
SC343	9.00	CCCE Model CS-6 Commercial Oven Range	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Cookon Commercial Catering Equipment Pty Ltd					
4738	8.91	Cookon GR Series Commercial Ranges Models GR-6, GR-6C and GR-8 Note: Suffix C indicates convection oven.	N	T	P
Curtin Pty Ltd T/as Global Food Equipment					
SC312	5.94	Zanussi Models HCF/G 810, HCF/G 1210 and HCF/G 1610 Open Top Model HCF/GE 810 with Electric Oven	N		P
		Model HFS/G 800	N		P
SC315	7.94	Zanussi HD 900 Series, Models HTF/G 800 and HTF/G 1210 Solid Top	N		P
Fagor Industrial, S Coop – Agent: Fagor Australasia Pty Ltd					
5986	4.00	Commercial Range Models CG 720, CG 740, CG741, CG 761	N		P
J Goldstein & Company Pty Ltd					
2494	8.76	Models PF-4-20, PF-4-20E, PF-12G-2-20, PF-12G-2-20E, PF-24G-20, PF-24G-20E, PF-8-2-20, MR-4-50, MR-12G-2-50, MR-24G-2-50, PF-4-20FF, PF-12G-2-20FF and PF-24G-20FF	N		P
		Note: For model descriptions: “G” = Griddle, “FF” = Fan Forced Oven			
2498	9.76	Models PF-4-28, PF-6-28, PF-12G-4-28, PF-24G-2-28, PF-36G-28, PF-8-28, PF-12G-6-28, PF-24G-4-28, PF-36G-2-28, PF-48G-28, CS-4-28, CS9004/28, PF-10-2/28, PF-12G-8-2/28, PF-24G-6-2/28, PF-12-2/28, PF-4-28FF, PF-6-28FF, PF-12G-4-28FF, PF-24G-2-28FF, PF-36G-28FF, PF-8-28FF, PF-12G-6-28FF, PF-24G-4-28FF, PF-36G-2-28FF, MR671, MR12G-4-71, MR-24G-2-71 and MR-36G-71	N		P
		Note: Letter “G” in model description indicates Griddle fitted.			
2597	3.77	Models PF-8-40, PF-8-40E, PF-12G-6-40, PF-12-6-40E, PF-24G-4-40, PF-24G-4-40E, PF-36G-2-40, PF-36G-2-40E, PF-48G-40, PF-48G-40E, CS-6-40, PF-8-40FF, PF-12G-6-40FF, PF-24G-4-40FF, PF-36G-2-40FF, PF-48G-40FF	N		P
			N		P
			N		P
			N		P
4256	8.87	Goldstein Models Multi – 1, Multi – 2, Multi – 3 PF-8-28/SA, PF-12G-6-28/SA, PF-24G-4-28/SA, PF-36G-2-28/SA and PF-48G-28/SA	N		P
SC334	9.95	Gourmet 750 Series Model GR/G700, 4 Burner Open Top with Gas Oven	N		P
		Model GR/G710, 4 Burner Open Top with Flame Failure & Gas Oven	N		P
		Model GR/GE700, 4 Burner Open Top with Electric Oven	N		P
		Model GR/GE710, 4 Burner Open Top with Flame Failure and Electric Oven	N		P
6378	4.03	PFC-4-28, PFC-4-28E, PFC-6-28, PFC-6-28E, PFC-12G-4-28, PFC-12G-4-28E, PFC-24G-2-28, PFC-24G-2-28E, PFC-36G-28, PFC-36G-28E, PFC-8-28, PFC-12G-6-28, PFC-24G-4-28, PFC-36G-2-28, PFC-8-40E, PFC-12G-6-40E, PFC-24G-4-40E, PFC-36G-2-40E and PFC-48G-40E	N		P
Luus Industries Pty Ltd					
5924	10.99	CRO BCH Combination Range Oven, including Solid Hotplate & Char Grill	N		
Moffat Ltd					
SC354	3.96	Bluseal Models G50-4, G52-4, GE50-4 (electric oven) Waldorf Models RN8410G, RN8820G, RN8410GE (electric oven)	N		P
		Note: (i) 300 mm Griddle plate is optional	N		P
		(ii) Gas ovens are provided with flame safeguard with either piezo ignition or standing pilot.	N		P
		(iii) Open burner manual/pilot ignition with/ without flame failure on each burner.			
SC414	11.97	Blue Seal Models G570 & GE570 (Target Top) Waldorf Models RN8110G & RN8110GE (Target Top) Suffix “E” in model numbers denotes Electric Oven	N		P
			N		P

SALAMANDERS, GRILLERS AND TOASTERS (AS 4563)

C.C.E. International Pty Ltd

5711	7.98	Garland/U.S. Range Heavy Duty Salamander Model: MSTRAC Infrared	N		P
------	------	--	---	--	---

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Moffat Ltd					
4337	10.88	Wall Mounted Salamanders Blue Seal Models: G91 and G91A Waldorf Models: SN8200G and SN8200GA	N		U
6869	10.05	Blue Seal and Waldorf Griddle Toaster Blue Seal Model: G55T Waldorf Model: GT8600T	N		P
			N		P
SALAMANDERS, GRILLERS AND TOASTERS (AG 302)					
Angelo Po Grandi Cucine SPA – Agent: MJK Hawkins					
5263	3.95	Model 60SM Salamander	N		P
B & S Commercial Kitchen Appliances Pty Ltd					
4177	3.87	Model G60 Salamander Griller	N		
5709	9.98	Taniko Chinese Benchtop Satay Cooker Model IR/02/98	N		
C.C.E. International Pty Ltd					
3642	12.83	Garland SRC Infra-red Salamander	N		P
Complete Commercial Catering Equipment Pty Ltd					
SC342	9.00	CCCE Models PGTC24, PGTC36, PGTM24, PGTM36 & PGTM48	N		P
Cookon Commercial Catering Equipment Pty Ltd					
3190	2.81	Models CGT-600 and CGT-900 Counter Griddle Toaster	N		P
		Models GT-600 and GT-900 Griddle Toaster	N		P
3296	10.81	Models S-735 and S-900 Salamander	N	TLP	T P
Curtin Pty Ltd T/as Global Food Equipment					
3742	3.84	Zanussi Salamander Model SL/G802	N		P
4690	2.92	Nieco Automatic Conveyor Salamander/Broiler Models 850G, 852G, 950G and 952G	N		P
J Goldstein & Company Pty Ltd					
2202	12.72	Salamander SA36, SA48 and SG860	N	TLP	T PB
6006	8.00	Goldstein Griddle/Salamander Model No's GPGD/SA-24, GPGDB/SA-24, GPGD/SA/36, GPGDB/SA/36	N		P
SOLID GRILL PLATES AND GRIDDLES (AS 4563)					
Angelo Po Grandi Cucine SPA – Agent: Angelo Po Catering Equipment					
6418	6.03	Angelo Po Gamma Series Solid Cook Tops and Ranges Models: 1G0TP0, 1G1TP0G and 2G1TP3G	N		U
Baron Cucine Professionali s.r.l. - Agent: Scots Ice Australia Pty Ltd					
6782	5.05	Baron Commercial Gas Fry Tops Models 7FT/G400, 7FTT/G400, 7FT/G410, 7FTT/G410, 7FTT/G405, 7FTT/G415, 7FTTV/G400, 7FTTV/G400, 7FTV/G410, 7FTTV/G410, 7FTTV/G405, 7FTTV/G415, 7FT/G800, 7FTT/G800, 7FT/G810, 7FTT/G810, 7FT/G820, 7FTT/G805, 7FTT/G815, 7FTT/G825, 7FTV/G800, 7FTTV/G800, 7FTV/G810, 7FTTV/G810, 7FTV/G820, 7FTTV/G820, 7FTTV/G805, 7FTTV/G815, 7FTTV/G825	N		
C.C.E. International Pty Ltd					
SC383	5.04	Garland Master Series Griddles With/Without Oven Models: MST47 (R, RC, S, T) (E) and MST7 (S, T) (E) Key to suffixes – R = Standard oven base RC = Convection oven base S = Storage compartment base T = Modular top hob section only E = Optional electric spark pilot ignition	N		P
4250	8.87	Garland/US Range G24 Series Commercial Griddles Models: G24-24GFSD (24”), G24-36GFSD (36”), G24-48GFSD (48”), G24-60GFSD (60”) and G24-72GFSD (72”)	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
C.C.E. International Pty Ltd Continued					
6755	5.05	Mareno Solid Grill Plates (Fry Tops) Models AFT7-4GL, AFT7-4GR, AFT7-4GLC, AFT7-4GRC, AFT7-8GL, AFT7-8GLT, AFT7-8GM, AFT7-8GMT, AFT7-8GR, AFT7-8GRT, AFT7-8GLC and AFT7-8GMC	N		P
DA Christie Pty Ltd					
4023	12.85	Christie G5-6 Series Indoor/Outdoor Coin Operated Barbecues Models: G1-6/G2-6 and G5-6/G6-6 Note: Also suitable for use with NZ Natural Gas Previously certified to AS 4557/AG 107.	N		PU
5755	4.99	Christie 6000 Series Indoor/Outdoor Coin Operated Barbecues Models: 6110, 6210 and 6320 Note: Also suitable for use with NZ Natural Gas Previously certified to AS 4557/AG 107	N		PU
6288	11.02	Christie 60/G Indoor/Outdoor Coin Operated Stove Model 60/G Note: Also suitable for use with NZ Natural Gas	N		PU
Electrolux Professional SpA - Agent: Curtin Pty Ltd T/as Global Food Equipment					
6649	12.04	Zanussi Gas Fry Top Models NRG401, NRG801, NRG411, NRG811, NRG421, NRG821 and NRG831	N		P
6687	2.05	Zanussi Gas Fry Tops Models NRG 400, NRG 800, NRG 410 and NRG 810	N		P
Fagor Industrial S. Coop - Agent: Fagor Australasia Pty Ltd					
6189	6.02	Fagor Commercial Frytop (Griddle) Models: FTG-705L, FTG-710L, FTG/C-705L and FTG/C-710L	N		P
J Goldstein & Company Pty Ltd					
4689	4.91	Goldstein Griddle Plate Models: GPG-30 and GPG-45	N		P
6950	5.06	Goldstein Commercial Teppanyaki Plate Models: TK24, TK30, TK36 and TK45	N		P
Milton & Mary Ann Halepis T/as Melbourne Commercial Kitchen Equipment					
6351	11.02	Melbourne Commercial Kitchen Equipment Commercial Griddle and Toaster Model: MC-48	N		
Moffat Limited					
6898	12.05	Blue Seal/Waldorf Commercial Griddle Blue Seal Models: GP514-[1], GP516-[1], GP518-[1] Waldorf Models: GP8600G-[1], GP8900G-[1], GP8120G-[1] Model Key: [1] – model option, B – bench mount hob, CB – hob with base cabinet, S – hob on leg stand, RB – hob to fit on refrigeration base unit	N N		P P
6902	1.06	Waldorf and Blue Seal Cooktop Table Waldorf Models: RN820[2]G[3]-[4], RN840[2]G[3]-[4], RN860[2]G[3]-[4], RN880[2]G[3]-[4] Blue Seal Models: G512[1][3]-[4], G514[1][3]-[4], G516[1][3]-[4], G518[1][3]-[4] Model Key: [1] – Griddle section size (Blue Seal only) [2] – Griddle section size (Waldorf only) [3] – Open burner options [4] – Stand option	N N		P P
Tu's Brothers Pty Ltd					
6235	12.01	Supertron Commercial Griller/Toaster Model: TGP-600	N		P
SOLID GRILL PLATES AND GRIDDLES (AG 303)					
Active Commercial Catering Equipment Pty Ltd					
5854	11.99	Berto's Models G7FLAB, G7FL4B/CR, G7FL8B, G7FL8B/CR, G7FR8B, G7FM8B, GFMD8, GFL54, GFL54/CR, GFLM6, GFLM6/CR, GFRS & GFRM6	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Angelo Po Grandi Cucine SPA – Agent: Angelo Po Catering Equipment					
6175	8.01	Angelo Po Alpha and Delta Series Frytop Griddles Alpha Models 0A0FT1G, 0A0FT2G, 1A0FT1G, 1A0FT2G, 1A0FT3G, 0A0FT4G, 0A0FT5G, 1A0FT4G and 1A0FT6G	N		U
6389	3.03	Angelo Po Gamma Series Solid Grill Plates Models 0G0FT1G, 0G0FT2G, 0G0FT4G, 0G0FT5G, 1G0FT1G, 1G0FT2G, 1G0FT3G, 1G0FT4G and 1G0FT6G	N		U
Cookon Commercial Catering Equipment Pty Ltd					
4078	6.86	Cookon Model CG-600 Griddle	N	T	P
Fagor Industrial, S Coop – Agent: Fagor Australasia Pty Ltd					
6190	6.02	Fagor 900 Series Frytop (Griddle) Models FTG9-05, FTG/C9-05, FTG9-10 and FTG/C9-10	N		P
Ferguson Corporation Pty Ltd					
6045	10.00	H & A Tec Counter Grills HACG600 and HACG825	N		P
J Goldstein & Company Pty Ltd					
6006	8.00	Goldstein Griddle/Salamander Model No's GPGD/SA-24, GPGDB/SA-24, GPGD/SA/36, GPGDB/SA/36	N		P
6215	12.01	Goldstein Griddle Models GPGD12, GPGDB12, GPGDB-SB12 GPGD24, GPGDB24, GPGDB-SB24 GPGD36, GPGDB36, GPGDB-SB36 GPGD48, GPGDB48, GPGDB-SB48	N N N N		P P P P
Luus Industries Pty Ltd					
6054	6.01	Teppanyaki Grill Table TEP (900 mm)	N		P
Moffat Ltd					
4685	6.91	Moffat Blue Seal Models G51-6A, G51-4B & G51-2-C Griddle Plates Waldorf Models RN8406G, RN8609G & RN8203G Griddle Plates	N N		P P
5892	9.99	Blue Seal Griddle Toaster (Smooth Plate) Models G55T and G55T-SR	N		P
RW & LA Oliver Manufacturing Company					
3189	3.81	Griddle/Toaster 18"/25"/34"/46" and Super Griller 18"/25"/34"/46"	N	TLP	T P
BARBECUES, CHARBROILERS AND ROTISSERIES (AS 4563)					
Ahmet Kosma & Nurten Kosma T/as Ken's Commercial Equipment					
SC400	6.97	Doner Kebab Vertical Rotisserie Model 0/1/0	N		
Australian Dynamic Products Pty Ltd t/as Whelan Industries					
3906	4.85	Whelan Vertical Rotisserie Models: NG 3B and NG 4B	N		
4772	11.91	Whelan Mobile Oven Model: Cook 'n' Carve			P
Baron Cucine Professionali s.r.l. – Agent: Scots Ice Australia Pty Ltd					
6710	1.05	Baron Commercial Lava Rock Barbecues Models 7GL/G400 and 7GL/G800	N		
C.C.E. International Pty Ltd					
SC384	5.04	Garland/U.S. Range Series Heavy Duty Barbecue Grillers (Char Broilers) Models: MST17B (E), MST24B (E) and MST34B (E) Note: Suffix E refers to optional electric spark pilots	N		P
6750	5.05	Mareno Barbecue Grillers Models AGL7-4G and AGL7-8G	N		P
6868	10.05	Comcater Barbecue Model: CCE B60 and CCE B90	N		P
CEM's Rotisserie (Havva Tasdelen trading as)					
SC397	4.97	CEM's Vertical Rotisserie Model 4BN NG	N		

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Commercial Food Machinery Vic Pty Ltd					
5713	6.98	CFM 2, 3, 4, 5, 6, 7, 8 and 9 Burner Barbecue with Optional 355 mm x 480 mm Solid Grill Plate Models: RCG02, RCG03, RCG04, RCG05, RCG06, RCG07, RCG08 and RCG1500	N		
Electrolux Professional SpA - Agent: Curtin Pty Ltd T/as Global Food Equipment					
6496	12.03	Zanussi Gas Grill Models NGG 400 and NGG 800	N		P
6932	5.06	Zanussi Gas Griller (Barbecue) Models: KGG400 and KGG800	N		P
Equipment Tech Pty Ltd					
5967	5.00	Aero Thurlö Single Burner Indoor Barbecue Model 40050	N		P
Fagor Industrial S Coop - Agent: Fagor Australasia Pty Ltd					
6193	6.02	Fagor Commercial Gas Charcoal Grill (Barbecue) Models: BG-705, BG-710, BG-705I and BG-710I	N		P
Ozsarac Sons Pty Ltd					
SC337	11.95	Ozsarac Vertical Kebab Machine Models: HO2, HO3, HO4, HO5 and HOD4 (Top mount motor) Models: HO4BM and HO5BM (Bottom mount motor)	N		P
Moffat Ltd					
SC321	11.94	Bluseal G59 Series and Waldorf BQN Series Barbecue Grillers Bluseal Models G59-4, G59-4C, G59-6, G59-6B, G59-6C and G59-10 Waldorf Models BQN8600G, BQN8603G, BQN8900G, BQN8903G, BQN8904G and BQN8150G	N		P
6878	11.05	Blue Seal/Waldorf Chargrill Blue Seal Models: G594-LS, G596-LS and G598-LS Waldorf Models: CH8600G-LS, CH8900G-LS and CH8120G-LS	N		P
Radiant Rotisserie Products Pty Ltd					
SC352	1.96	Radiant 2000 Commercial Rotisserie Models T2, T2n, T3n, T6n, T6ns, T4, T4s, T5 and T5s	N		P
BARBECUES, CHARBROILERS AND ROTISSERIES (AG 304)					
Active Commercial Catering Equipment Pty Ltd					
5855	11.99	Berto's PLG40 & PLG80 Commercial Char Grill	N		P
Ahmet Kosma & Nurten Kosma T/as Ken's Commercial Equipment					
6209	10.01	Kentech Vertical Rotisserie Model 0/3/0 4 Burner	N		
Angelo Po Grandi Cucine SpA – Agent: Angelo Po Catering Equipment					
6173	8.01	Angelo Po Alpha and Delta Series Ceramic Stone Grills Alpha Models 0A0GRG (400 mm) and 1A0GRG (800 mm) Delta Models 0D0GRG (400 mm) and 1D0GRG (800 mm)	N		U
6526	6.04	Angelo Po Gamma Series Ceramic Stone Grill Model 1G0GRG	N		P
Complete Commercial Catering Equipment Pty Ltd					
SC345	9.00	CCCE CHQ Series Models 300, 450, 600, 750, 900	N		P
Cookon Commercial Catering Equipment Pty Ltd					
5732	7.98	Cookon Models CRG-600, CRG-900, CRG-1200, CRG-1500 Flare Grill	N		P
SC375	1.00	Cookon Models BG600, BG900 and BG1200 Flare Grill	N		P
EM Shopfitters					
SC 411	10.97	EM Doner Kebab Vertical Cooker Models KCN3, 4 and 5	N		
Fagor Industrial, S Coop – Agent: Fagor Australasia Pty Ltd					
6192	6.02	Fagor 900 Series Charcoal Grill (Barbecue) Models BG9-05, BG9-05I, BG9-10 and BG9-10I	N		P
Ferit (Fred) Sertdemir T/as Bingar Refrigeration					
SC389	6.97	Bingar Catering Vertical Kebab Spit Models DKM2B, DKM3B, DKM4B and DKM5B	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
J Goldstein & Company Pty Ltd					
2641	9.77	Goldstein Charbroilers Models RBA-12, RBA-24, RBA-36, RBA-48, RBAB-24, RBAB-36, RBAB-48, RBAB-72, RBAB-96, SB-12-RB, SB-24-RB, SB-36-RB, SB-48-RB, RB-12-PFMA, RB-24-PFMA, RB-36-PFMA, RB-48-PFMA, RB-24-PFMA/900, PF-RB24-20 Note 1, PF-RB36-28 Note 2	N		P
5132	5.94	Note 1: 24" Charbroiler mounted on PF Series 20" Oven Note 2: 36" Charbroiler mounted on PF Series 28" Oven. CHDS24, 30 and 36 Charglo Broilers	N		P
International Fast Food Systems Pty Ltd					
5764	5.99	Vertical Kebab Grill	N		P
		Autocook 2005/4B, 2005/5B, 2005/4B(F), 2005/5B(F)	N		P
		Flamecook 2006/4B, 2006/5B, 2006/4B(F) and 2006/5B(F)	N		P
Laurie Whelan Industries Aust Pty Ltd					
3231	6.81	Wheel-an-Roast Mobile Spit Barbecue Model A, B and C	N		P
Laziko Catering Equipment					
5140	7.94	Vertical Doner Kebab Spit 3, 4 and 5 Burner	N		P
Pan-Technic Pty Ltd					
5648	2.98	Yeeros Vertical Cookers (Doner Kebabs) – SC Series – Single Models SC 02B, SC 03B and SC 04B	N		P
		Double Models SC 011B, SC 022B, SC 033B and SC 044B	N		P
		Triple Models SC 0222B, SC 0333B and SC 0444B	N		P
Robot-Coupe (Australia) Pty Ltd					
6177	9.01	Inoksan Model PDG 403 Doner Kebab Machine	N		P
Semak Sales & Service					
SC412	12.97	Semak 2000 Series M6RG & S6RG Open Flame Rostissomats	N		P
OVENS (AS 4563)					
B & S Commercial Kitchen Appliances Pty Ltd					
6785	4.05	B & S Duck Oven Model DR800	N		
J Goldstein & Co Pty Ltd					
6692	3.05	Goldstein Pizza Oven Model G236	N		P
Lincoln Food Service Products Inc – JL Lennard Food Equipment Pty Ltd					
6733	2.05	Impinger X2 Series Baking and Roasting Ovens Models 3240-2 (TS) (SB) (SS), 3262-2 (TS) (SB) (SS) and 3270-2 (TS) (SB) (SS)	N		P
Nepean Willows Pty Ltd T/as Indian Tandoor Oven Company					
6708	12.04	Indian Bread/Tandoori Oven Tandoor Oven Model TN32	N		
Tu's Brothers Pty Ltd					
6663	8.04	Supertron Tandoori Oven Model IND-OV-780	N		P
OVENS (AG 305)					
Heatlie Engineering Pty Ltd					
6008	8.00	Heatlie Hotbox Models HB6000DS and HB9000DS			P
Luus Industries Pty Ltd					
6298	8.02	Luus Duck Roaster Oven Model DRO-810	N		

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG

BOILING WATER UNITS (AG 306)

Luus Industries Pty Ltd

6085 5.01 Luus NC Series Noodle Cooker N

PASTA COOKERS (AS 4563)

Baron Cucine Professionali srl - Agent: Scots Ice Australia Pty Ltd

6707 1.05 Baron Commercial Pasta Cookers
Models 7CP/G400 and 7CP/G800 N

C.C.E. International Pty Ltd

6754 5.05 Mareno Pasta Cookers Models APC7-4G and APC7-8G N P

Tu's Brothers Pty Ltd

6293 6.02 Supertron Commercial Noodle Cooker Model: NC-400 N P

STOCKPOTS AND BRAT PANS (AS 4563)

C.C.E. International Pty Ltd

6746 5.05 Mareno Indirect Fired Stock Pots Models API9-8G10, API9-8G14
and API9-8G14A N P

6753 5.05 Mareno Tilting Brat Pans Models ABR7-8GF and ABR7-8GI N P

Electrolux Professional SpA - Curtin Pty Ltd T/as Global Food Equipment

6911 1.06 Zanussi Commercial Brat Pans
Models: NBRG800, NBRG810, NBRG815 and NBRG820 N P

Moffat Ltd

6335 9.02 Waldorf Pasta Cooker Models PC9-4G and PC9-8G N P

6571 5.04 Waldorf Brat Pan Model BR9-12GFM N P

6923 3.06 Blue Seal and Waldorf Model Brat Pans N P

Blue Seal Models: G580-8, G580-8E, G580-12 and G580-12E N P

Waldorf Models: BP8080G, BP8080GE, BP8120G and BP8080GE N P

STOCKPOTS AND BRAT PANS (AG 307)

Active Commercial Catering Equipment Pty Ltd

6106 1.01 Berto's CPG40 & CPG80 Commercial Pasta Cookers N P

Angelo Po Grandi Cucine SpA - Agent: Angelo Po Catering Equipment

6107 6.01 Angelo Po 800mm (85lt), 1200mm (130lt) Brat Pans N P B

Alpha Range 1A1BR1G, 1A1BR1GA, 1A1BR2G

1A1BR2GA, 2A1BR1G, 2A1BR1GA, 2A1BR2G,

2A1BR2GA N P B

Delta Range 1D1BR1G, 1D1BR1GA, 1D1BR2G,

1D1BR2GA, 2D1BR1G, 2D1BR1GA, 2D1BR2G, 2D1BR2GA N P B

6136 5.01 Angelo Po Alpha and Delta Range Pasta Cookers N P B

Models 0A1CP1G, 0D1CP1G, 1A1CP1G, 1D1CP1G,

1A1CP2G and 1D1CP2G N P B

6289 1.03 Angelo Po Alpha and Delta Series Direct Fired

and Steam Jacketed Boiling Pans

Alpha Models 1A1PD1G, 1A1PD2G, 1A1PI1G and 1A1PI1GA N U

Delta Models 1D1PD1G, 1D1PD2G, 1D1PI1G and 1D1PI1GA N U

6417 6.03 Angelo Po Gamma Series Pasta Cookers N U

Models 0G1CP1G, 1G1CP2G and 1G1CP1G

6456 7.03 Angelo Po Gamma Series Direct and Indirect Fired Boiling Pans N U

Models: 1G1PD1G (Direct) and 1G1PI1G (Indirect)

6506 6.04 Angelo Po Gamma Series Brat Pans N U

Model 1G1BR1G

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
C.C.E. International Pty Ltd					
SC404	10.97	Garland Durapan Tilting Brat Pan Models F30G-(HT) (L,M) R and F40G-(HT) (L,M) R	N		P
Fagor Industrial, S Coop – Agent: Fagor Australasia Pty Ltd					
5985	4.00	Boiling Pans Models MG 910, MG 910S & MG 915	N		P
5987	4.00	Tilting Brat Pan Models SBG 910, SBG 910I, SBG 910IS	N		P
J Goldstein & Company Pty Ltd					
SC360	3.96	TPG-75, TPG-100, TPG-150 Tilting Pan Cooker Note: Replaces Cert 2303	N		P
Moffat Ltd					
SC407	7.97	Blueseal Model G580 Tilting Pan Manual Lift	N		P
		Blueseal Model GE580 Tilting Pan Electric Lift	N		P
		Waldorf Model BP8180G Tilting Pan Manual Lift	N		P
		Waldorf Model BP8180GE Tilting Pan Electric Lift	N		P
ATMOSPHERIC STEAMERS (AG 308)					
B & S Commercial Kitchen Appliances Pty Ltd					
4590	7.90	Model CCF Commercial Steamer	N		
J Goldstein & Company Pty Ltd					
SC364	6.96	Atmospheric Steamer Models ASG6, ASG8 and ASG12 Note: Replaces 3804	N	TLP	T P
Luus Industries Pty Ltd					
6147	5.01	Luus YC Series Yum Cha Steamer	N		P
COMMERCIAL FRYERS (AS 4563)					
Baron Cucine Professionali s.r.l. – Agent: Scots Ice Australia Pty Ltd					
6740	3.05	Baron Commercial Fryers Models 7FRI/G415, 7FRI/G610 and 7FRI/G815	N		
C.C.E. International Pty Ltd					
3090	5.80	Frymaster/Garland Commercial Fryers Frymaster Models: MJ35 Series: J2X, PMJ#35, FPP#35, FMP#35, PF#35 (# = 1-8) MJ45 Series: PMJ#45, FPP#45, FMP#45, PF#45 ((# = 1-8) MJCF GF-14 # - refers to number of fryers in a battery	N		P
3814	8.86	Garland Models: 70-40, 35-280, 35-40 Frymaster H50/52/55 Series Commercial Fryers Models: MJH#50, FH#50, FMH#50, FPH#50, MH#52, BIH#52, KH#50, KFPH#50, PH#50, FPH#50, FMPH#50, FPPH#50, MPH#52, BIPH#52, KPH#50, KFPPH#50, MJH#55, FH#55, FMH#55, MH#55, BIH#55, FPH#55, KH#55, KFPH#55, PH#55, PFH#55, FMPH#55, FPPH#55, MPH#55, BIPH#55, KPH#55, KFPPH#55 Note: Suffix # indicates the number of fryers	N		P
5776	12.98	Frymaster/Dean Commercial Fryer Models: 1824G and 2424G	N		P
Cookon Commercial Catering Equipment Pty Ltd					
3993	11.85	Cookon Commercial Deep Fryer Models: FFR-1-460, FFR-2-460, FFR-1-525 and FFR-2-525	N		P
Fagor Industrial S Coop					
6669	12.04	Fagor Deep Fat Fryer Models FG-905, FG-905s, FG-910 and FG-910s	N		P
Food Equipment Distributors Pty Ltd					
6889	1.06	Vantage Commercial Fryer Models: ZHRF2 and ZHRF3	N		U

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Frymaster LLC – Agent: CCE International Pty Ltd					
5832	4.00	Dean/Frymaster Commercial Deep Fat Fryer Model SR42G	N		P
J Goldstein & Company Pty Ltd					
SC371	4.99	Goldstein Split Pan Tube Fryer Model: TGT-18	N		P
5964	2.00	Goldstein Commercial Tube Type Fryer Models: TGF-1M/400 and TGF-24M	N		P
6933	4.06	Goldstein Single Pan Commercial Fryer Model: GF/G 350	N		P
Luus Industries Pty Ltd					
6580	10.04	Luus Commercial Fryer Model FG-40	N		P
Milton & Mary Ann Halepis T/as Melbourne Commercial Kitchen Equipment					
6888	11.05	Melbourne Commercial Kitchen Equipment Commercial Fryers Models: MC 20 x 20 Mk2 and MC 20 x 20 EL Mk2	N		
Moffat Ltd					
6125	8.01	Blue Seal and Waldorf Commercial Fryers Blue Seal Model: GT60HPO and Waldorf Model: FN8130GHPO	N		P
6882	11.05	Blue Seal and Waldorf Commercial Fryers Blue Seal Models: GT45, GT46, GT60, G45E, GT46E and GT60E Waldorf Models: FN8120G, FN8226G, FN8130G, FN8120GE, FN8226GE and FN8130GE	N		P
Pitco Frialator Inc – Agent: Curtin Pty Ltd T/as Global Food Equipment					
4755	4.92	Pitco Commercial Fryers Models: 45C+, 45C+D and 45C+S	N		P
6074	1.01	Pitco SG Series Commercial Fryers Models: SG14, SG14R, SG14T, SG18	N		P
Tu's Brothers Pty Ltd					
6139	5.01	Supertron Commercial Fryer Model DF-400	N		P
COMMERCIAL FRYERS (AG 309)					
ACEMI-MCS Pty Ltd					
6317	8.02	Cookquip Single Pan Commercial Fryer Model AM-138	N		P
Active Commercial Catering Equipment Pty Ltd					
5857	11.99	Berto's GL Series – Models GL20M, GL15M, GL10M, GL20+20M, GL15+15M, GL10+10M, GL10B, GL10+10B	N		P
Angelo Po Grandi Cucine SpA – Agent: Angelo Po Catering Equipment					
6009	1.01	Angelo Po Alpha & Delta Range Single and Double Well Models	N		P B
6439	7.03	Angelo Po "Gamma Series" Models 0G1FR3G, 0G1FR3GD, 1G1FR4G and 1G1FR4GD	N		U
B & S Commercial Kitchen Appliances Pty Ltd					
1960	12.70	Models B & S 100/1, 100/2, 100/3 and 100/4	N		P
3872	11.84	Rapid Fryer Series 200-1/2/3/4	N		
6198	10.01	B & S Turbo 900FS & 900FL (Single or Multiple Pan)	N		
C.C.E. International Pty Ltd					
5936	6.04	Frymaster Commercial Fryers Models MJ47 and FP47	N		P
Complete Commercial Catering Equipment Pty Ltd					
SC341	9.00	CCCE Models WFS 1/18, 2/18, 3/18, 4/18, 1/22, 2/22, 3/22, 4/22 & WFR 1/12, 2/12, 3/12, 4/12, 1/18, 2/18, 3/18, 4/18, 1/22, 2/22, 3/22 & 4/22	N		P
Cookon Commercial Catering Equipment Pty Ltd					
3074	3.80	Cook-on Counter Model MCFR-1	N		P
6115	4.02	Cook-on Model FFR-2-200 Split Pan	N		P
6387	6.03	Cookon Model "SupaFryer" Mk II	N		P
Fagor Industrial, S Coop – Agent: Fagor Australasia Pty Ltd					
5984	4.00	Models FG 710 Single Pan, FG 720 Double Pan	N		P

Cert Number	Date Certified	Appliance	TYPE OF GAS			
			Nat	TLP	Town	LPG
J Goldstein & Company Pty Ltd						
2149	5.72	Deep Well Restaurant Fryer FRG 1-2-3 and FRG/L 1-2-3	N	TLP	T	P
SC333	1.95	Models FRG-24, FRG-48, FRG-72, FRG-24L, FRG-48L, FRG-72L	N			P
Moffat Ltd						
SC323	1.95	Blue Seal Single & Double Tank Deep Fryers GT45, GT46, GT45SR & GT46SR	N			P
		Waldorf Models FN8120G & FN8226G	N			P
RW & LA Oliver Manufacturing Company						
3179	12.80	Oliver 1, 2, 3 and 4 Pan Deep Fryer 18"x 18" and 12" x 18" Standard	N	TLP	T	P
		Oliver 1, 2, 3 and 4 Pan Deep Fryer 18"x 18" and 12" x 18" Computer Model "E"	N	TLP	T	P
Pitco Frialator Inc - Agent: Curtin Pty Ltd T/as Global Food Equipment						
4672	4.91	Pitco Models 35C+, 35C+D, 35C+S Single Pan	N			P
6075	1.01	Pitco Model TF2000	N			P
COMMERCIAL FOOD WARMERS INCLUDING BAINS MARIE (AG 310)						
Angelo Po Grandi Cucine SpA – Agent: Angelo Po Catering Equipment						
6174	8.01	Angelo Po Alpha and Delta Bains Marie Alpha Models 0A0BMG and 1A0BMG	N			U
		Delta Models 0D0BMG and 1D0BMG	N			U
Delta Group Industries (Aust) Pty Ltd						
5934	12.99	DGI WH-99-88BM Series, Models BM/260, BM/520, BM/780 Bains Marie (noodle cooker)	N			
Turner's Burners Pty Ltd						
5647	5.98	Turners Burners Models CDB1 and CDB2 Chafing Dish Heating Unit				P
CONVECTION OVENS (AS 4563)						
C.C.E. International Pty Ltd						
SC403	10.97	Garland Master Convection Oven Models MCO-(GS, GD) – (10, 20)-(M, E) U	N			P
6494	12.03	Middleby Marshall Forced Convection Conveyor Oven Model PS536GS	N			P
6548	2.04	Middleby Marshall Convection Ovens Models PS360WB-1, PS360WB-2, PS360WB-D, PS360WB70-1, PS360WB70-2 and PS360WB70-D	N			P
6876	11.05	Middleby Marshall Convection/Conveyor Oven Model: PS 540 G	N			P
Curtin Pty Ltd T/as Global Food Equipment						
SC306	1.94	Blodgett Conveyor Oven Model MT3870G	N			P
6886	2.06	Blodgett Commercial Conveyor Oven Model: MT3855G	N			P
Doyon Equipment Inc - Agent: Doyon Australia Pty Ltd						
6501	12.03	Conveyor Oven Model FC2GAU	N			P
Green Bean Coffee Pty Ltd						
6145	5.01	Coffee Bean Roaster Model: 1300 Model: 1400	N			P

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP	Town LPG
Moffat Ltd					
SC318	8.94	Bakbar Convection Oven Models G32M and G32MS	N		P
5139	7.94	Blue Seal and Waldorf Convection Ovens Blue Seal Model G1100	N		P
		Waldorf Model CN1100G	N		P
6913	2.06	Waldorf Convection Oven Ranges Models: RN851[2]GC[3], RN861[2]GC[3], RN881[2]GC[3], RN851[2]GEC[3], RN861[2]GEC[3], RN881[2]GEC[3] Model Key: [2] - Griddle Section Size 9 - 900mm wide griddle 6 - 600 mm wide griddle 3 - 300 mm wide griddle 0 - no griddle [3] - Open Burner Options - - standard burner only -F - with flame failure	N		P

CONVECTION OVENS (AG 311)

Blodgett Oven Company – Agent: Curtin Pty Ltd T/as Global Food Equipment

SC327	11.96	DFG-50 Commercial Oven Single or Stacked	N		P
-------	-------	--	---	--	---

C.C.E. International Pty Ltd

3862	8.86	Middleby Marshall Forced Convection Conveyor Oven Models PS 360-1, PS 360-2, PS 360-D, PS 360S-1, PS 360S-2 and PS 360S-D	N	T	P
4483	10.89	Middleby Marshall Convection Conveyor Oven Models PS 200, PS 200VL, PS 220 and PS 224	N		P
6102	2.01	Middleby Marshall PS500 Series Convection Oven Models PS570S, PS555 and PS536	N		P

Curtin Pty Ltd T/as Global Food Equipment

6056	9.00	Conveyor Oven Model SG3240G	N		P
------	------	-----------------------------	---	--	---

J Goldstein & Company Pty Ltd

SC378	10.96	Model X500A Convection Oven	N		P
-------	-------	-----------------------------	---	--	---

JL Lennard Food Equipment Pty Ltd

4107	4.88	Lincoln Impinger Conveyor Pizza Oven Models 1036, 1046 and 1456 Models 1048 and 1458 Models 1037, 1047 and 1457	N	T	P
4348	8.88	Lincoln Conveyor Pizza Oven – 1100 Series Model 1154-S00-EA Model 1155-S00-EA Model 1156-S00-EA	N		P
4930	11.92	Lincoln Impinger Conveyor Oven Models 1646, 1633-SOO-A Models 1647, 1634-SOO-A	N	TLP	P

STEAM CONVECTION OVENS (AS 4563)

C.C.E. International Pty Ltd

5730	8.98	Rational CP/CM/SCC Series Steam Convection Ovens Models 61G, 62G, 101G, 102G, 201G and 202G	N		P
------	------	--	---	--	---

Cert Number	Date Certified	Appliance	TYPE OF GAS		
			Nat	TLP Town	LPG
Convotherm Elektrogerate GmbH					
6677	9.04	Agent: Convotherm Elektrogerate GmbH Convotherm OGS/OGB Series Combi Steamers Models 6.10, 10.10, 20.10, 6.20, 10.20, 12.20 and 20.20	N		PB
		Agent: Moffat Ltd Blue Seal AC Series Combi Steamers Models G7AC/OGS6.10, G11AC/OGS10.10, G20AC/OGS20.10, G14AC/OGS6.20, G22AC/OGS10.20, G24AC/OGS12.20 and G40AC/OGS20.20	N		PB
		Note: Certified with additional regulatory requirements. Contact the AGA for further information.			

STEAM CONVECTION OVENS (AG 311)
--

J Goldstein & Company Pty Ltd					
5696	8.98	Models CASG10 and CASG20	N		P

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	---

LPG PORTABLE & MOBILE APPLIANCES (to AS 2658) SUPPLIED AT CYLINDER OR REGULATED PRESSURES

EQUIPMENT FOR USE WITH REFILLABLE CYLINDERS

COOKERS and BARBECUES

Alva Marketing Pty Ltd

6059	10.01	Alva Single Burner Portable Barbecue Quick-E	P
------	-------	--	---

Amalgamated Hardware Merchants Ltd

3613	11.83	Round Barbecue Model GA-R18	P
6252	9.02	Campmaster, Falcon, Festiva, Fiesta, Freetime, Grillrite, Kookaburra and Wildcountry Single Burner Camping Stoves – Model CM1010	P
6299	9.02	Campmaster, Falcon, Festiva, Fiesta, Freetime, Grillrite, Kookaburra, and Wild Country Two and Three Burner Portable Camping Stoves Models CM1020 and CM1020D – 2 Burner Models CM1030 and CM1030D – 3 Burner	P P
6535	8.04	Campmaster, Falcon, Festiva, Fiesta, Freetime, Grillrite, Kookaburra, Wild Country, Single Burner LP Gas Portable Camping Stove Models CM1015D (Piezo) and CM1015	P P

Austcrowm (International) Pty Ltd

6327	10.02	Rambo Portable Cookers Models GB-01LP, GB-02LP and GB-03LP	P
6429	6.03	Rambo Cast Iron Ring Burners Models C20LP, C30LP, C40LP and C50LP	P

Bromic Pty Ltd

3468	3.83	Models Cougar CGRST600C & Companion Comp206 Single Burner Stove	P
4411	5.89	Companion Model COMP 2396 3 Burner Stove	P
4699	6.91	Companion Model COMP2057 Single Burner Stove	P
6128	5.02	Companion – Country Cooker Models CC100H, CC200H and CC300H	P P
6482	10.03	Companion High Pressure Portable Barbecue Model COMP282 Take Away	P
6818	9.05	Companion 2 Burner Stove and 2 Burner Stove and Grill Models: Comp210, Comp213 – Stove models only Model: Comp212 – Stove and Grill model	P P

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	---

Chiaphua Industries Limited

6206	2.02	Agent: Barbeques Galore Limited Thermos Portable Barbecues Models "Grill 2 Go" 6047AUS01, "Grill 2 Go Fire + Ice" 6048AUS01 and "Grill 2 Go Express" 6047AUR01 Note: These appliances may also be used with an appropriate propane gas disposable cylinder as specified in the appliance instruction manual.	P
		Agent: Just Premiums International Pty Ltd Thermos Portable Barbecues Models "Grill 2 Go" 6047AUS01, "Grill 2 Go Fire + Ice" 6048AUS01 and "Grill 2 Go Express" 6047AUR01 Note: These appliances may also be used with an appropriate propane gas disposable cylinder as specified in the appliance instruction manual.	P
		Agent: K Mart Australia Ltd and K Mart New Zealand Jackeroo Portable Barbecues Models "Grill 2 Go" 6047AUS01, "Grill 2 Go Fire + Ice" 6048AUS01 and "Grill 2 Go Express" 6047AUR01 Note: These appliances may also be used with an appropriate propane gas disposable cylinder as specified in the appliance instruction manual.	P
		Agent: Rinnai Australia Pty Ltd Rinnai Portable Barbecues Models "Grill 2 Go" 6047AUS01, "Grill 2 Go Fire + Ice" 6048AUS01 and "Grill 2 Go Express" 6047AUR01 Note: These appliances may also be used with an appropriate propane gas disposable cylinder as specified in the appliance instruction manual.	P
		Agent: Salton (Aust) Pty Ltd Thermos and Jack Daniel's Portable Barbecues Models "Grill 2 Go" 6047AUS01, "Grill 2 Go Fire + Ice" 6048AUS01 and "Grill 2 Go Express" 6047AUR01 Note: These appliances may also be used with an appropriate propane gas disposable cylinder as specified in the appliance instruction manual.	P

Coleman Brands Pty Limited

5455	8.96	Coleman 5428-700T 3 Burner Stove	P
6651	11.04	Coleman 2 Burner Camping Stove Model 9948-750A	P

Colin Nelson Nominees Pty Ltd T/as Bonza BBQ's & Stoves

4445	7.89	Bonza Barbecues Barbecue Kettle Conversion Kit Models "Weber" and "Down Under" 570 mm Diameter	P
------	------	---	---

Focus Lifestyle Products Pty Ltd

6143	6.01	Jackeroo/Focus GSHS-18R Portable Round Barbecue	P
------	------	---	---

GLG Australia Pty Ltd

3172	11.80	LPG High Pressure Portable Barbecues Downunder DUG18B, Cook On Picnic IDMP18 and Jumbuck Picnic IDJBP	P
4901	10.94	Portable Round Barbecues Models Roundabout G18R (18") & Allrounder G22R (22")	P

Hillbilly Camping Gear

6178	9.01	Bushking Models HB/K1 and HB/K2 Cooker/Oven (Regulated Propane)	P
------	------	---	---

Hillmark Industries

5750	10.98	Hillmark Gas Conversion Kit for 22.5" Barbecue Kettle	P
------	-------	---	---

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	---

Kew Holdings Pty Ltd, T/As Kookaburra Gas & Leisure Products

5978	1.01	Kookaburra 2 and 3 Burner Portable Camping Stoves Kookaburra Models ST1032 and ST1052	P
		Freetime/Travelgear Models ST1034 and ST1054	P
6055	9.00	Kookaburra OU Series 1, 2 and 3 Burner Portable Outdoor Cookers Models OU3050, OU3052, OU3060, OU3062, OU3070 and OU3072	P

LN Marketing Pty Ltd

6510	12.03	Hotery Mini-Gas Burner Model HT-4010 Note: This appliance has its own integral gas storage compartment which is designed to be refillable.	B
------	-------	---	---

Magma Products Ltd - Agent: Whitworth's Nautical World Pty Ltd

6713	3.05	Magma Gourmet Series Marine Barbecues Models Newport A10-918AU and Catalina A10-1218AU	P
------	------	---	---

Maxco Industries Pty Ltd

3976	9.85	Maxie Model 3000 Portable 2 Burner Stove with Griller	P
------	------	---	---

Primus Australia Pty Ltd

5496	2.97	Model 2187 Single Burner Portable Stove	P
5628	10.98	Primus Models 2077-71, 2077-75 Single Burner Portable Stove	P
		2089-71 Single Burner Portable Stove with Piezo Ignition	P
5774	10.98	Primus Model 4960 2 Burner Portable Stove	P
		Primus Model 4730 3 Burner Portable Stove	P
5842	6.99	Primus Models RB10, RB20, RB30, RB40, RB50 & GB12	P
5843	6.99	Primus Country Cooker Models GB100, GB200 & GB300	P
6052	10.00	Primus Models 2458 2 Burner Portable Stove	P
		3588 3 Burner Portable Stove	P
6117	5.02	Primus Model 3298-85, 2 Burner Portable Stove	P
6236	5.02	Primus Model 2250, 2 Burner Portable Stove	P
6339	10.02	Primus, Spinifex, Red Desert and House Brand Two Burner Portable Camping Stoves Models: Primus 2255SD and 2255	P
		Model: Spinifex 7027610	P
		Model: Red Desert 509100	P
		Model: House Brand 519115	P

Shin Fuji Burner Co Ltd - Agent: Kathmandu Ltd

6820	8.05	Single Burner Portable Outdoor Gas Stove Model: Arcus (Tested with 80% Butane and 20% Propane)	B/P
------	------	---	-----

Sitro Group Australia Pty Ltd

2995	8.79	Gasmate/Gasmaster/Jackeroo/Jumbuck Models 1305, 1305D, 1307, 1307D, 3 Burner Camping Stove	P
		Galore Group Companion Model 202, 3 Burner Camping Stove	P
3003	8.79	Gasmate/Gasmaster/Jackeroo/Jumbuck Models 1063 and 1064 Single Burner Camping Stove	P
3165	10.80	Gasmate, Gasmaster, Jackeroo, Jumbuck, Companion, Coolabah Outdoors Two Burner Portable Camping Stoves Gasmate, Gasmaster, Jackeroo, Jumbuck Models: 1095, 1095D, 1095DT, 2095 and G2202 Ellipse	P
		Companion Models 200 and 203	P
		Coolabah Outdoors Model 1095/2BCS	P
3710	12.83	Gasmate/Gasmaster/Jackeroo/Jumbuck Models 1102 and 1103 2 Burner Stove and Griller	P
		GLG Companion Model 205 2 Burner Stove and Griller	P
4698	6.91	Hot Ozi Round NG25 & NG26 Outdoor Barbecue	P
6643	12.04	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Post Mounted Portable Kettle Style Barbecues Models: G2005 Voyager and G2005W3M Orbitor	P
6647	11.04	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Portable Barbecues Model G2727 Adventurer Series	P

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	---

Sitro Group Australia Pty Ltd Continued

6760	9.05	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Barbecues with Hood Model: G2008 Olé	P
6787	8.05	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Model Cruiser G2013N2M	P
6867	11.05	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Portable Barbecues Model: Summer G2014	P

The McCormack Family Trust T/as The Outdoor Connection

5014	9.93	Outdoor Connection 1305 and 1095 Series Portable Stoves Models 1305 and 1305D (3 Burner), 1095 and 1095D (2 Burner Stove)	P
5016	9.93	Outdoor Connection Model 1067 Single Burner Stove	P
5017	9.93	Outdoor Connection Model 1063 Single Burner Stove	P
6512	11.04	Outdoor Portable Cookers – Ring Burner Models RB10, RB20, RB30, RB40 and RB50	P
6645	12.04	Outdoor Connection Single Burner Stoves Models OC1S and OC1D	P

TPA Metals and Machinery (Shenzhen) Co Ltd

6187	9.01	Gas Craft and Hotrocks Model PG02 Single Burner Portable Barbecue	P
6532	3.04	Del Terra Outdoor Mate, Gascraft, Hotrocks, Outdoor Portable and Renaissance Single Burner Round Barbecues with or without Mobile Trolley Models RG-18 and RG-18K	P

Weber-Stephen Products Co (Aust) Pty Ltd

6025	7.00	Weber Model 87024 Gas Conversion Kit for 22.5” Barbecue Kettle	P
------	------	--	---

CAMPING LANTERNS

28 Newlands Road Holdings Pty Ltd T/as Garth Sheetmetal

6588	6.04	Garth, Champ, Cook’n Essentials, BBQ Essentials, BBQ Classic Collection, BBQ Professional Collection, Jumbuck, Nugget and Aldi 18” Round Barbecues Models M20, B6, M26, M38 and A1	P
------	------	--	---

HEATERS

Bromic Pty Ltd

3023	10.79	Companion Model COMP227 Portable Radiant Heater	P
------	-------	---	---

Sitro Group Australia Pty Ltd

4798	2.92	Gasmate, Gasmaster, Jumbuck and Jackeroo External Portable Heater Models: 2021, 2021B, 2021BPL, 3020B and 3020BPL Note: BPL denotes piezo ignition.	P
------	------	--	---

CAMPING LANTERNS

Amalgamated Hardware Merchants Ltd

6281	9.02	Campmaster, Falcon, Festiva, Fiesta, Freetime, Grillrite, Kookaburra and Wildcountry Portable Camping Lanterns Model CM1500	P
6282	9.02	Campmaster, Falcon, Festiva, Fiesta, Freetime, Grillrite, Kookaburra and Wildcountry High Pressure Portable Camping Lanterns (200 candle power) Model CM1200	P

Bromic Pty Ltd

3469	3.83	Companion Model Comp 248	P
		Cougar Model CGRL8152C	P
3470	3.83	Companion Model Comp241	P
		Cougar Model CGRL8151C	P
5624	11.97	Companion Models COMP3112PL-200CP & COMP3113PL-350CP	P
6725	3.05	Companion High Pressure Single Burner Stove Model COMP208	P

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	---

Primus Australia Pty Ltd

5627	10.98	Primus, Spinifex, Red Desert and Adventureridge Single Mantle Primus Models: 2152-61, 2159-61, 2159-65, 2151-65 Spinifex Model: 7027611 Red Desert Model: 509360 Adventureridge Model: 509375	P P P P
5679	10.98	Primus Single Mantle Models: 2172-81 and 2172-85 (manual ignition) Models: 2179-81 and 2179-85 (piezo ignition)	P P

Sitro Group Australia Pty Ltd

2997	8.79	Gasmate/Gasmaster/Jumbuck/Mountain Leisure/Sunshine Leisure Products/Jackeroo Models 2011, 2011PL 1011, 1011PL, 3011 and 3011PL	P P
3232	6.81	Gasmate/Gasmaster/Jumbuck/Mountain Leisure/Sunshine Leisure Products/Jackeroo Models 2013, 2013P, 2013PLC, 2013PLP 3013 and 3013PL	P P
3289	5.82	Gasmate/Gasmaster/Jumbuck/Mountain Leisure/Primus/ Sunshine Leisure Products/Jackeroo Models: 2012, 2012CPL and 2012PL	P

The McCormack Family Trust T/as The Outdoor Connection

5015	9.93	Outdoor Connection Models 2013 and 2013PL Single Mantle	P
5036	9.93	Outdoor Connection Models 2011, 2011PL, 2012 and 2012PL Single Mantle	P
6640	12.04	Outdoor Connection Single and Double Lanterns Models OC1M, OC1MP, OC2M and OC2MP	P

MISCELLANEOUS

Department of Defence

6574	4.04	Field Water Heater Aztec AZ100 MK3 Note: This product is for exclusive use by the Department of Defence. Not for Public Use.	U
------	------	--	---

Primus Australia Pty Ltd

6565	4.04	Primus Portable Camping Shower Model 516567	P
------	------	---	---

**EQUIPMENT FOR USE WITH BOTH DISPOSABLE CARTRIDGES AND
REFILLABLE CYLINDERS**

COOKERS and BARBECUES

Coleman Brands Pty Limited

4626	10.90	Coleman 2 Burner Camping Stove Models: 5430E700XA (Matchlight) 5435E700XA (Instastart Electronic Ignition)	P P
6329	9.02	Coleman 2 Burner Portable Barbecue Road Trip Grill Models: 9941-766XA and LXE 9949-750XA	P
6627	9.04	Coleman Portable Single Burner Stove Matchlight Delux 5412-700A and Matchlight 5432-700A	P
6806	9.05	Coleman 2 Burner Camping Stove Model: 5469-700XA (Matchlight) Model: 5469-750XA (Electronic Ignition)	P P
6935	5.06	Coleman Fold 'N' Go, 2 Burner Stove Model: 5442-A50 (Electronic Ignition)	P

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	---

CAMPING LANTERNS

Coleman Brands Pty Limited

5671	6.00	Coleman Camping Lanterns Models Northstar 2500–750XA and 2500B722XA	P
6625	9.04	Coleman Propane Gas Lantern Models Instastart 5155A752A and Matchlight 5155A702A	P
6626	9.04	Coleman Compact Propane Lantern Model Matchlight 5132A700A	P

EQUIPMENT FOR USE WITH DISPOSABLE CARTRIDGES

COOKERS and BARBECUES

Amalgamated Hardware Merchants Ltd

5907	3.00	“Grillpro”, “Topstove”, “Campmaster” Model ST-7000 Single Burner Stove	B
6221	2.02	Campmaster CM2400 Twin Burner Camping Stove	B
6230	6.02	Campmaster CM2100 and CM2200 Single Burner Camping Stoves	B
6810	8.05	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine Single Burner Model: CM2150	B
6834	10.05	Campmaster, Kookaburra, Grillpro, Topstove, Fiesta, Falcon, Wild Country, Freetime, Festiva, The Stove, Sunshine Single Burner Model: CM2170	B

Austcrown (International) Pty Ltd

5241	6.95	Handy Range Single Burner Hotplate Model AD90	B
5827	4.99	Rambo HR-200 Single Burner Cassette Stove	B
6860	10.05	Single Burner Portable Stove Model: Rambo HR-200	B

Bromic Pty Ltd

6522	4.04	Companion Camping Stove Model Comp502 (Tested with 80% Butane and 20% Propane)	B/P
6639	10.04	Companion Single Burner Cassette Stove Model: Comp505	B

Cadac (SA) – Agent: Amalgamated Hardware Merchants Ltd

6333	1.03	Cadac Safari Chef Outdoor Portable Barbecue Model 6525 (Tested with 70% B and 30% P)	B/P
------	------	---	-----

Coleman Brands Pty Limited

5585	8.97	Campingaz – Globetrotter Model 270 Single Burner Stove (tested with 80% B and 20% P)	B/P
		Campingaz – Bleuets Models 270 HP, 270 Micro & 206 Single Burner Stoves (tested with 80% B and 20% P)	B/P
		Campingaz – Twister Models 270, 270 PZ & 270 HPZ Single Burner Stoves (tested with 80% B and 20% P)	B/P
6601	7.04	Coleman Portable Grill/Stove Model 9921A750A	P

Dai Thanh International Pty Ltd

6013	8.00	Ausko Portable Single Burner Stove Model DT-9800 for use with Butane Gas Cannister	B
------	------	---	---

Galaxy Import Export Co Pty Ltd

5806	10.99	Tiger & Galaxy YC-98 Portable Single Burner Stoves	B
------	-------	--	---

Golden Bell Australia Pty Ltd

6065	10.00	Portable Single Burner Cookers, Models Oz-Mate GB201, Brewster GB-301, GB-401 and Green Power Model 101	B
------	-------	--	---

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	---

Grant Minervini Agencies Pty Ltd

6365	12.02	Kovea TKB Series Single Burner Camping Stove Models TKB-0101, TKB-8712, TKB-8911-1, TKB-9703-1 and TKB-9709-1 (Tested with 70% B and 30% P)	B/P
6695	4.05	Kovea Moonwalker Camping Stove Model TKB-0211 (Tested with 70% B and 30% P)	B/P

Italia Importers Division of Agevola Pty Ltd

6034	7.00	Sirbonei NAC153 Portable Single Burner Stove	B
------	------	--	---

Magma Products Inc

5450	8.98	Magma "Marine Kettle" Barbecue Models A10-006, A10-008 and A10-018 (tested with 80%B and 20%P) Models A10-027 and A10-037 (Regulated Propane)	B/P P
------	------	---	----------

MB Wragg & Co Pty Ltd

6616	9.04	Doite Portable Single Burner Stove Model Tristar 9145/SW-A (Tested with 80% Butane and 20% Propane)	B/P
6618	8.04	Doite Portable Single Burner Stoves Models 9148 Titanium, 9150 Spider and 9151 Rocket (Tested with 80% Butane and 20% Propane)	B/P

Primus Australia Pty Ltd

5374	3.96	Primus 2243-82 Single Burner Stove	B
6270	5.02	Primus, Spinifex, Red Desert and House Brand Single Burner Stoves Primus Models: TLB-102L and 2240 Spinifex Model: 7027612 Red Desert Model: 509230 House Brand Model: 509245	B B B B

Rekri8 Ltd – Agent: Amalgamated Hardware Merchants Ltd

6169	11.01	Cadac Explorer Stove Model 902101 GoGas/GoSystem Outdoor Stove Model 2101 (Tested with 70% Butane and 30% Propane)	B/P B/P
6172	11.01	Cadac Base Camp Stove Model 902191 GoGas/GoSystem Eclipse Stove Model 2191 (Tested with 80% B and 20% P)	B/P B/P

Sea To Summit Pty Ltd

6948	4.06	Jetboil Camping Stove with Integral Cooking Vessel and Steel Trivet Accessory Model: Jetboil Personal Cooking System	B
------	------	---	---

Sitro Group Australia Pty Ltd

5550	4.97	Gasmate, Gasmaster, Jumbuck and Jackeroo Single Burner Camping Stove Models 1058, 1058PL, 1059, 1157, 1157PL, 1158 and 1158PL Note: PL Indicates Piezo Ignition	B
5634	1.98	Gasmate PC 1070 Single Burner Portable Stove (Tested with 80% B and 20% P)	B/P
6736	7.05	Gasmaster, Gasmate, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Single Burner Model PH1070	B

Snow Peak Inc

6292	7.02	Snow Peak GS and GST Series Single Burner Camping Stoves Models GS-100, GST-100, GS-100A, GST-100A Note: T indicates Titanium, A indicates Piezo Ignition (Tested with 85% B and 15% P)	B/P
------	------	--	-----

Spelean Pty Limited

6088	1.01	MSR Model Pocket Rocket, Single Burner Camping Stove (Tested with 80% Butane and 20% Propane)	B/P
6089	12.00	MSR Model Superfly, Single Burner Camping Stove (Tested with 70% Butane and 30% Propane)	B/P

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	---

Sunpower Australia Pty Ltd

5931	1.00	Sunpower Range Model CI-153 Single Burner Portable Cooker	B
6545	5.04	Sunpower Portable Gas Cooker Model EGP-1500	B

TPA Metals and Machinery (Shenzhen) Co Ltd

5900	8.99	Gas Craft and Hotrocks Single Burner Portable Barbecue Model PG01	B
------	------	---	---

2020 Group Pty Ltd T/as Travel Master

5998	5.00	Portable Gas Stove Model TM 2000 for use with Travel Master Butane Gas Cartridge	B
------	------	--	---

CAMPING LANTERNS

Bromic Pty Ltd

6523	4.04	Companion Camping Lantern Model Comp501 (Tested with 80% Butane and 20% Propane mix)	B/P
------	------	---	-----

Coleman Brands Pty Limited

5586	8.97	Campingaz –Bivouac Models 270 and 270 PZ Lanterns (tested with 80% B & 20% P) Campingaz – Lumogaz Models 470, 470 PZ and 206 N Lanterns (tested with 80% B & 20% P) Campingaz – Lumostar Models C270, C270 PZ, M270, M270 PZ and M270 HPZ Lanterns (tested with 80% B and 20% P)	B/P B/P B/P
6151	8.01	Frontier PZ Model 064777 & Frontier CPS Model 064775 (Tested with 70% B and 30% P)	B/P
6951	5.06	Coleman Portable LPG Camping Lantern Model: 5159-700XA (Matchlight) Model: 5159-750XA (Electronic Ignition)	P P

Grant Minervini Agencies Pty Ltd

6366	7.03	Kovea Single Mantle Camping Lanterns Models TKL-N894, KL-102 and TKL-103 (Tested with 70% Butane and 30% Propane)	B/P
------	------	--	-----

MB Wragg & Co Pty Ltd

6617	8.04	Doite Camping Lanterns Models 9524 Panda and 9519 Halley (Tested with 80% Butane and 20% Propane)	B/P
------	------	---	-----

Rekri8 Ltd – Agent: Amalgamated Hardware Merchants Ltd

6168	11.01	Cadac Trail Light Model 902121 GoGas/GoSystem Mini Tech Light Model 2121 (Tested with 70% B and 30% P)	B/P B/P
6171	11.01	Cadac Base Camp Lantern Model 902192 GoGas/GoSystem Eclipse Lantern Model 2192 (Tested with 80% B and 20% P)	B/P B/P

Shin Fuji Burner Co Ltd - Agent: Kathmandu Ltd

6835	9.05	Portable Outdoor Camping Lantern Model: Eos	B
6836	8.05	Kathmandu Portable Outdoor Camping Gas Lantern Model: Aether (For use with 80% Butane, 20% Propane Gas Mix Canisters)	B/P

Sitro Group Australia Pty Ltd

5549	4.97	Gasmate, Gasmaster, Jumbuck and Jackeroo Camping Lanterns Models 1114, 1114PL, 2014 and 2014PL Note: PL indicates piezo ignition	B
------	------	--	---

Snow Peak Inc

6291	7.02	Snow Peak Single Mantle Camping Lantern Models GL-100 and GL-100A (Tested with 85% B and 15% P)	B/P
------	------	---	-----

Cert Number	Date Certified	Appliance	GAS P = Propane B = Butane U = Universal LPG B/P= Mix of Butane/Propane
-------------	----------------	-----------	---

HEATERS

Coleman Brands Pty Limited

6569	5.04	Coleman Catalytic Heaters Models Procat 5053A751 and Blackcat 5033-700A	P
------	------	--	---

Grant Minervini Agencies Pty Ltd

6863	4.06	Kovea Little Sun Portable Gas Heater Model: TKH-0203 (Tested with 70% Butane and 30% Propane mix disposable canister)	B/P
------	------	--	-----

MISCELLANEOUS

Coleman Brands Pty Limited

6568	6.04	Coleman Portable Outdoor Hot Water Unit Model 2300-700	P
------	------	--	---

Rekri8 Limited

6123	3.01	GoSystem Hand Held Torches	
		Models TT2060 Tradesman Torch	B/P
		CA 2015 Chefs Automatic Blowtorch	B/P
		CB 2075 Chefs Blowtorch	B/P
		PT 2040 Plumbing Torch	B/P
		GB 2070 Blow Lamp	B/P
		AP 2010 Auto Power Torch	B/P
		PT 2020 Power Torch	B/P
		(Tested with 70% B and 30% P)	

Sitro Group Australia Pty Ltd

6675	12.04	Gasmate, Gasmaster, Jumbuck, Star, Del Terra, Coolabah Outdoor, Maxi Heat and Jackeroo Terracotta Citronella Flares Model TK988 (Tested for use with 70% Butane and 30% Propane) Outdoor Use Only	B/P
------	-------	---	-----

2020 Group Pty Ltd T/as Travel Master

6090	1.01	Model TM100 Gas Blow Torch	B
------	------	----------------------------	---

COMPONENTS

Note: Majority of AGA codes have now been superseded by AS standards. Certificates which have been assessed against the new standard will be listed accordingly, those that have yet to be assessed, remain under the obsolete AGA Code.

MANUAL SHUT-OFF VALVES (AS 4617)

NOTE: Valves shall be selected in accordance with Table 3.1 in AS 5601 (female parallel threads are only permitted in applications up to 100 kPa).

TYPE 1 – ISOLATING VALVES

Atlas Measurement (Gas) Pty Ltd BÖHMER

6202	7.02	FSL, FLL, ELF, FZL, FDL, EKF, FZK, FKK, FSK, KNG, MKG and ENG Series Full or Reduced Bore Ball Valves with Threaded or Flanged Connections		
		FSL V 016.050, FSL V 016.010, FSL V 016.015, FSL V 016.020, FSL V 016.025, FSL V 016.032, FSL V 016.040, FSL V 016.050, FSL V 016.065, FSL V 016.080, FSL V 016.100, FSL V 016.125, FSL V 016.150, FSL R 016.050, FSL R 016.010, FSL R 016.015, FSL R 016.020, FSL R 016.025, FSL R 016.032, FSL R 016.040, FSL R 016.050, FSL R 016.065, FSL R 016.080, FSL R 016.100, FSL R 016.125, FSL R 016.150	1600 kPa	
		FLL V 016.050, FLL V 016.010, FLL V 016.015, FLL V 016.020, FLL V 016.025, FLL V 016.032, FLL V 016.040, FLL V 016.050, FLL V 016.065, FLL V 016.080, FLL V 016.100, FLL V 016.125, FLL V 016.150, FLL R 016.050, FLL R 016.010, FLL R 016.015, FLL R 016.020, FLL R 016.025, FLL R 016.032, FLL R 016.040, FLL R 016.050, FLL R 016.065, FLL R 016.080, FLL R 016.100, FLL R 016.125, FLL R 016.150	1600 kPa	
		ELF V 016.050, ELF V 016.010, ELF V 016.015, ELF V 016.020, ELF V 016.025, ELF V 016.032, ELF V 016.040, ELF V 016.050, ELF V 016.065, ELF V 016.080, ELF V 016.100, ELF V 016.125, ELF V 016.150, ELF R 016.050, ELF R 016.010, ELF R 016.015, ELF R 016.020, ELF R 016.025, ELF R 016.032, ELF R 016.040, ELF R 016.050, ELF R 016.065, ELF R 016.080, ELF R 016.100, ELF R 016.125, ELF R 016.150	1600 kPa	
		FZL V 016.050, FZL V 016.010, FZL V 016.015, FZL V 016.020, FZL V 016.025, FZL V 016.032, FZL V 016.040, FZL V 016.050, FZL V 016.065, FZL V 016.080, FZL V 016.100, FZL V 016.125, FZL V 016.150, FZL R 016.050,		
		FZL R 016.010, FZL R 016.015, FZL R 016.020, FZL R 016.025, FZL R 016.032, FZL R 016.040, FZL R 016.050, FZL R 016.065, FZL R 016.080, FZL R 016.100, FZL R 016.125, FZL R 016.150	1600 kPa	
		EKF V 016.050, EKF V 016.010, EKF V 016.015, EKF V 016.020, EKF V 016.025, EKF V 016.032, EKF V 016.040, EKF V 016.050, EKF V 016.065, EKF V 016.080, EKF V 016.100, EKF V 016.125, EKF V 016.150, EKF R 016.050, EKF R 016.010, EKF R 016.015, EKF R 016.020, EKF R 016.025, EKF R 016.032, EKF R 016.040, EKF R 016.050, EKF R 016.065, EKF R 016.080, EKF R 016.100, EKF R 016.125, EKF R 016.150	1600 kPa	
		FZK V 016.050, FZK V 016.010, FZK V 016.015, FZK V 016.020, FZK V 016.025, FZK V 016.032, FZK V 016.040, FZK V 016.050, FZK V 016.065, FZK V 016.080, FZK V 016.100, FZK V 016.125, FZK V 016.150, FZK R 016.050, FZK R 016.010, FZK R 016.015, FZK R 016.020, FZK R 016.025, FZK R 016.032, FZK R 016.040, FZK R 016.050, FZK R 016.065, FZK R 016.080, FZK R 016.100, FZK R 016.125, FZK R 016.150	1600 kPa	
		FKK V 016.050, FKK V 016.010, FKK V 016.015, FKK V 016.020, FKK V 016.025, FKK V 016.032, FKK V 016.040, FKK V 016.050, FKK V 016.065, FKK V 016.080, FKK V 016.100, FKK V 016.125, FKK V 016.150, FKK R 016.050, FKK R 016.010, FKK R 016.015, FKK R 016.020, FKK R 016.025, FKK R 016.032, FKK R 016.040, FKK R 016.050, FKK R 016.065, FKK R 016.080, FKK R 016.100, FKK R 016.125, FKK R 016.150	1600 kPa	
		FSK V 016.050, FSK V 016.010, FSK V 016.015, FSK V 016.020, FSK V 016.025, FSK V 016.032, FSK V 016.040, FSK V 016.050, FSK V 016.065, FSK V 016.080, FSK V 016.100, FSK V 016.125, FSK V 016.150, FSK R 016.050, FSK R 016.010, FSK R 016.015, FSK R 016.020, FSK R 016.025, FSK R 016.032, FSK R 016.040,		

Atlas Measurement (Gas) Pty Ltd Continued

BÖHMER

FZL R 016.010, FZL R 016.015, FZL R 016.020, FZL R 016.025, FZL R 016.032, FZL R 016.040, FZL R 016.050, FZL R 016.065, FZL R 016.080, FZL R 016.100, FZL R 016.125, FZL R 016.150	1600 kPa
FDL V 016.050, FDL V 016.010, FDL V 016.015, FDL V 016.020, FDL V 016.025, FDL V 016.032, FDL V 016.040, FDL V 016.050, FDL V 016.065, FDL V 016.080, FDL V 016.100, FDL V 016.125, FDL V 016.150, FDL R 016.050, FDL R 016.010, FDL R 016.015, FDL R 016.020, FDL R 016.025, FDL R 016.032, FDL R 016.040, FDL R 016.050, FDL R 016.065, FDL R 016.080, FDL R 016.100, FDL R 016.125, FDL R 016.150	1600 kPa
EKF V 016.050, EKF V 016.010, EKF V 016.015, EKF V 016.020, EKF V 016.025, EKF V 016.032, EKF V 016.040, EKF V 016.050, EKF V 016.065, EKF V 016.080, EKF V 016.100, EKF V 016.125, EKF V 016.150, EKF R 016.050, EKF R 016.010, EKF R 016.015, EKF R 016.020, EKF R 016.025, EKF R 016.032, EKF R 016.040, EKF R 016.050, EKF R 016.065, EKF R 016.080, EKF R 016.100, EKF R 016.125, EKF R 016.150	1600 kPa
FZK V 016.050, FZK V 016.010, FZK V 016.015, FZK V 016.020, FZK V 016.025, FZK V 016.032, FZK V 016.040, FZK V 016.050, FZK V 016.065, FZK V 016.080, FZK V 016.100, FZK V 016.125, FZK V 016.150, FZK R 016.050, FZK R 016.010, FZK R 016.015, FZK R 016.020, FZK R 016.025, FZK R 016.032, FZK R 016.040, FZK R 016.050, FZK R 016.065, FZK R 016.080, FZK R 016.100, FZK R 016.125, FZK R 016.150	1600 kPa
FKK V 016.050, FKK V 016.010, FKK V 016.015, FKK V 016.020, FKK V 016.025, FKK V 016.032, FKK V 016.040, FKK V 016.050, FKK V 016.065, FKK V 016.080, FKK V 016.100, FKK V 016.125, FKK V 016.150, FKK R 016.050, FKK R 016.010, FKK R 016.015, FKK R 016.020, FKK R 016.025, FKK R 016.032, FKK R 016.040, FKK R 016.050, FKK R 016.065, FKK R 016.080, FKK R 016.100, FKK R 016.125, FKK R 016.150	1600 kPa
FSK V 016.050, FSK V 016.010, FSK V 016.015, FSK V 016.020, FSK V 016.025, FSK V 016.032, FSK V 016.040, FSK V 016.050, FSK V 016.065, FSK V 016.080, FSK V 016.100, FSK V 016.125, FSK V 016.150, FSK R 016.050, FSK R 016.010, FSK R 016.015, FSK R 016.020, FSK R 016.025, FSK R 016.032, FSK R 016.040,	

Atlas Measurement (Gas) Pty Ltd Continued

BÖHMER

		FSK R 016.050, FSK R 016.065, FSK R 016.080, FSK R 016.100, FSK R 016.125, FSK R 016.150	1600 kPa
		KNG V 016.050, KNG V 016.010, KNG V 016.015, KNG V 016.020, KNG V 016.025, KNG V 016.032, KNG V 016.040, KNG V 016.050, KNG V 016.065, KNG V 016.080, KNG V 016.100, KNG V 016.125, KNG V 016.150, KNG R 016.050, KNG R 016.010, KNG R 016.015, KNG R 016.020, KNG R 016.025, KNG R 016.032, KNG R 016.040, KNG R 016.050, KNG R 016.065, KNG R 016.080, KNG R 016.100, KNG R 016.125, KNG R 016.150	1600 kPa
		MKG V 016.050, MKG V 016.010, MKG V 016.015, MKG V 016.020, MKG V 016.025, MKG V 016.032, MKG V 016.040, MKG V 016.050, MKG V 016.065, MKG V 016.080, MKG V 016.100, MKG V 016.125, MKG V 016.150, MKG R 016.050, MKG R 016.010, MKG R 016.015, MKG R 016.020, MKG R 016.025, MKG R 016.032, MKG R 016.040, MKG R 016.050, MKG R 016.065, MKG R 016.080, MKG R 016.100, MKG R 016.125, MKG R 016.150	1600 kPa
		ENG V 016.050, ENG V 016.010, ENG V 016.015, ENG V 016.020, ENG V 016.025, ENG V 016.032, ENG V 016.040, ENG V 016.050, ENG V 016.065, ENG V 016.080, ENG V 016.100, ENG V 016.125, ENG V 016.150, ENG R 016.050, ENG R 016.010, ENG R 016.015, ENG R 016.020, ENG R 016.025, ENG R 016.032, ENG R 016.040, ENG R 016.050, ENG R 016.065, ENG R 016.080, ENG R 016.100, ENG R 016.125, ENG R 016.150	1600 kPa

Austral-Powerflo Solutions Pty Ltd

AUSTRAL

4311	4.88	G2R Series Type 1 Isolating Manual Stainless Steel Valves Fig G2R Sizes 10mm-25mm BSPT Female	13 790 kPa
		Sizes 32mm-50mm BSPT Female	10 340 kPa
6726	2.05	Fig. VF 730 and VF 733 Series Butterfly Valves Models Fig. VF 730 (50), VF 730 (65), VF 730 (80), VF 730 (100), VF 730 (125), VF 730 (150) – Wafer Body	1050 kPa
		Fig. VF 733 (50), VF 733 (65), VF 733 (80), VF 733 (100), VF 733 (125), VF 733 (150) - Lugged Body	1050 kPa
		Ambient Temperature 0°C to 80°C Seat Material: NBR Disc Material: 316 S/S	

Austral-Powerflo Solutions Pty Ltd

TOYO

4963	4.93	5090G Series Isolating Manual Bronze Ball Valves Fig 5090G 15mm-50mm Female	2100 kPa
------	------	---	----------

Austworld Commodities Pty Ltd

AUSTWORLD

6132	1.02	Manual Isolating Valves Type 1, Models G04 (1/8"), G06 (1/4"), G10 (3/8"), G15 (1/2"), G20 (3/4"), G25 (1"), G32 (1 1/4"), G40 (1 1/2") and G50 (2") Ball Valves with Male, Female or Compression End Connections	1050 kPa
------	------	---	----------

CMW BVA Valves Pty Ltd

BUGATTI

4240	7.87	Brass Ball Valves (Full Bore) Art 360 Compression Ended Sizes 3/8", 1/2" and 3/4" @ 60°C	1050 kPa
5213	3.95	Full Bore Brass Ball Valves Art 401 Internal Thread Lever Handle Sizes 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2" Art 402 Internal Thread 'T' Handle Sizes 1/4", 3/8", 1/2", 3/4", 1" Art 406 Internal/External Thread Lever Handle Sizes 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2" Art 407 Internal/External Thread 'T' Handle Sizes 1/4", 3/8", 1/2", 3/4", 1" Temperature @ 60°C	1050 kPa

CMW BVA Valves Pty Ltd

CHALLENGER

5326	10.95	Butterfly Valve, Lugged and Wafer Body Sizes 50mm, 65mm, 80mm, 100mm, 125mm and 150mm @ 60°C	1050 kPa
		Note: Wafer Body Valve must comply with requirement 3.3.5(b) AS 5601 – 2004	

CMW BVA Valves Pty Ltd

CMW-IDEAL

6402	2.03	Manual Ball Valves (Full Bore) Figure Numbers: BTMF (Sizes 15, 20, 25, 32, 40, 50mm)	1050 kPa
		BLMF (Sizes 8, 10, 15, 20, 25, 32, 40, 50, 65, 80, 100mm)	1050 kPa
		BTFF (Sizes 8, 10, 15, 20, 25, 32, 40, 50mm)	1050 kPa
		BLFF (Sizes 8, 10, 15, 20, 25, 32, 40, 50, 65, 80, 100mm)	1050 kPa
		BTFC (Sizes 10, 15, 20mm) @ 60°C	1050 kPa
		BTMF – 'T' handle operation, internal/ external thread connectors.	
		BLMF – Lever handle operation, internal/external thread connectors.	
		BTFF – 'T' handle operation, internal thread connectors.	
		BLFF – Lever handle operation, internal thread connectors.	
		BTFC – 'T' handle operation, compression end connectors.	

**Flowserve Australia Pty Ltd
WORCESTER**

6821	7.05	F519, F529, F819 and F829 Series Full Bore Manual Ball Valves 15mm – 40mm ANSI Flanged 150 Raised Face, One Piece Body	1900 kPa
		Models 05F519 466TZ150, 07F519 466TZ150, 10F519 466TZ150 and 15F519 466TZ 150 50mm – 150mm ANSI Flanged 150 Raised Face, Two Piece Body	1900 kPa
		Models 20F819 466TZ150, 30F819 466TZ150, 40F819 466TZ150 and 60F819 466TZ150 15mm – 40 mm ANSI Flanged 300 Raised Face, One Piece Body	5000 kPa
		Models 05F529 466TZ300, 07F529 466TZ300, 10F529 466TZ300 and 15F529 466TZ300 50mm – 150mm ANSI Flanged 300 Raised Face, Two Piece Body	5000 kPa
		Models 20F829 466TZ300, 30F829 466TZ300, 40F829 466TZ300 and 60F829 466TZ300	

**John Valves Pty Ltd
JOHN**

6161	8.01	John-Ideal Full Bore Ball Valves Figures: BTMF (DN 15, 20, 25, 32, 40, 50)	1050 kPa
		BTFC (DN 10, 15, 20)	1050 kPa
		BLMF (DN 8, 10, 15, 20, 25, 32, 40, 50, 65, 80, 100)	1050 kPa
		BLFF (DN 8, 10, 15, 20, 25, 32, 40, 50, 65, 80, 100)	1050 kPa
		BSFF (DN 20, 25, 32, 40, 50, 65, 80)	1050 kPa
		BTMF – “T” handle operation, internal/external thread connections. BTFC – “T” handle operation, compression end connections. BLMF – Lever handle operation, internal/external thread connections. BLFF – Lever handle operation, internal thread connections. BSFF – Square drive (no handle) for underground use, internal thread connections.	

**Metso Automation (ANZ) Pty Ltd
JAMESBURY**

6771	5.05	Manual Ball Valve Series 4000	6895 kPa
		# 4 A ##### # 1 Reduced Bore 1 st Character denotes sizes in inches (½, ¾, 1, 1½ or 2) 4 th – 7 th Characters denote 2236 or 3600 8 th – 9 th Characters denote TT, MT or XT # 4 B ##### # 1 Full Bore 1 st Character denotes size in inches (¾, 1, 1½) 4 th -7 th Characters denote 2236 or 3600 8 th – 9 th Characters denote TT, MT or XT	

**Metso Automation (ANZ) Pty Ltd Continued
JAMESBURY**

6772	5.05	Manual Ball Valve Series 5000	2000 kPa
		# 5150 31 ##### # 1 1 st Character denotes sizes in inches (½, ¾, 1, 1½ or 2) 8 th – 11 th Characters denote 2236 or 3600 12 th – 13 th Characters denote TT, MT or XT	
6773	5.05	Manual Ball Valve Series 7000	2000 kPa
		# 7150 31 ##### # 1 1 st Character denotes sizes in inches (3, 4 or 6) 8 th – 11 th Characters denote 2236 or 3600 12 th – 14 th Characters denote TTT, MTT or XTZ	

Rubinetterie Bresciane Bonomi SRL

RB			
5160	11.94	Type 1 Manual Brass Full Flow Shut-off Valves Series 1700, 1710, 5980 (Female) and 1701, 5981 (Male/Female) Sizes 8-100mm Series 1720 (Female) and 1721 (Male/ Female) 8-25mm Series 5869 and 6710 (Female) 8-50mm @ 60°C	1050 kPa

Rubinetterie Utensilerie Bonomi SRL

RUB			
5839	5.99	S195 Manual Ball Valve Size ½" (15mm) NB with Compression End Fittings	2100 kPa

SCE Hardware Co Limited

EAGLE OR GASS			
6928	3.06	Type 1 Full Bore Manual Shut-off Valve Models: SO207G-15, SO207G-20, SO207G-25, SO207G-32, SO207G-40, SO207G-50	2100 kPa

Seven Universe Industrial Co Ltd

SU			
6853	10.05	Manual Shut-Off Valve Model: AX00B0	3.447 kPa

Tu's Brothers Pty Ltd

SAFE			
6843	8.05	Type 1 Appliance Control Valve Model SF-301 Temperature Range 0°C to 100°C	7 kPa

Valvosanitaria Bugatti SpA - Agent: Zetco Pty Ltd

BUGATTI, HYFLO, ZETCO			
6598	6.04	Full Bore 2 Piece, Brass Body Ball Valves Art 412 – 8, 10, 15, 20, 25, 32, 40, 50, 63, 76 and 100 mm Art 413 – 8, 10, 15, 20, 25, 32, 40, 50 mm Art 475 – 8, 10, 15, 20, 25, 32, 40, 50, 63, 76 and 100 mm Art 476 – 8, 10, 15, 20 and 25 mm Art 477 – 8, 10, 15, 20, 25, 32, 40, 50 mm Art 478 – 8, 10, 15, 20 and 25 mm Connections: BSPP/BSPT/NPT	2100 kPa
		Female x Female – Art 475/Art 476 Female x Male – Art 477/Art 478 Temperature –20°C to 60°C	

**Valvosanitaria Bugatti Spa - Agent: Zetco Pty Ltd
BUGATTI**

6715	1.05	Full Bore, 90° Outlet, Brass Bodied Ball Valve Art 577, 592 and 593 - 1/2" x 1/2", 3/4" x 3/4" and 1" x 1" Art 578 and 579 - 1/2" x 3/4", 3/4" x 3/4", 3/4" x 1" and 1" x 1" BSP/NPT 100 kPa BSPT 500 kPa Ambient Temperature -20°C to 60°C	
6717	2.05	Full Bore 2 Piece Brass Body Ball Valves Art 461: 1/2" x 3/4", 3/4" x 3/4", 3/4" x 1" and 1" x 1" Female x Water Heater (Face Seal) Art 462: 1/2" x 3/4", 3/4" x 3/4", 3/4" x 1" and 1" x 1" Male x Water Heater (Face Seal) Thread Forms: BSPP, NPT 100 kPa BSPT 500 kPa Ambient Temperature -20°C to 60°C	
6791	7.05	Art 570, 571, 575 - 1/2" x 1/2" and 1/2" x 3/4" 100 kPa Art 576S and 597S - 1/2" x 1/2" 100 kPa BSPP/NPT - 100 kPa @ 60°C	

**Valvulas Arco, SL
ARCO**

5587	10.97	Mino 2000 and Universal Series Full Bore Ball Valves Mino 2000 Series - Internal Thread 3/8", 1/2", 3/4", 1" 1 1/4", 1 1/2", 2", 2 1/2" External and Internal Thread 3/4" x 1/2", 1/2" x 1/2", 3/4" x 3/4" 2100 kPa Mino Universal Series - Internal Thread 1/2", 3/4", 1", 1 1/4", 1 1/2", 2" 2100 kPa	
5592	10.97	Mino 2000 Series Full Bore Ball Valves Sizes 1/2" and 3/4" Compression 2100 kPa	

**Zetco Pty Ltd
EFFEBI**

5301	7.95	Comet, Hyflo, Tubefit, BEP 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4" (F x F Full Bore) 1050 kPa Comet, Hyflo, Tubefit, BEP 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2" (M x F Full Bore) 1050 kPa Comet, Hyflo, Tubefit, BEP 5/16", 3/8", 1/2" (Flared SAE Full Bore) 1050 kPa Comet, Hyflo, Tubefit, BEP 3/8", 1/2", 3/4" (Flared BSP Full Bore) 1050 kPa Comet 1/2", 3/4" (F x Flared BSP Full Bore) 1050 kPa Prestige 1" (M x F Reduced Bore) 1050 kPa Total 1/8", 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3" (F x F Full Bore) 1050 kPa Isis 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4" (F x F Full Bore) 2100 kPa Isis 1/2", 3/4", 1", 1 1/4", 1 1/2", 2" (M x F Full Bore) 2100 kPa Venus 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4" (F x F Full Bore) 1050 kPa Olympic 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 4" (Flanged Full Bore) 1050 kPa Triflux 1/2", 3/4", 1", 1 1/4",	
------	------	---	--

**Zetco Pty Ltd Continued
EFFEBI**

1 1/2", 2" (L Port F x F x F Full Bore) 1050 kPa Triflux 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2" (T Port F x F x F Full Bore) 1050 kPa Delta 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2", 2" (Diverting Valve F x F x F Full Bore) 1050 kPa Miniball 1/8", 1/4", 3/8", 1/2" (F x F Reduced Bore) 1050 kPa Miniball 1/8", 1/4", 3/8", 1/2" (M x F Reduced Bore) 1050 kPa Zetco 3/4" (F x loose nut & tail) 1050 kPa Zetco 3/4" (Flared compression x loose nut and tail) 1050 kPa	
--	--

**Zetco Pty Ltd
ORION, HYFLO, ZETCO**

6895	5.06	Manual Brass Ball Valve (Full Bore) Models: F x F - 1/2" BSP, 3/4" BSP, 1" BSP, 1 1/4" BSP, 1 1/2" BSP, 2" BSP 2100 kPa Models: M x F - 1/2" BSP, 3/4" BSP, 1" BSP, 1 1/4" BSP, 1 1/2" BSP, 2" BSP 2100 kPa	
------	------	---	--

TYPE 2 – APPLIANCE CONTROL VALVES

**Focus Lifestyle Products Pty Ltd
GRAND GAS**

6805	5.05	G04xx and G7xx Series Rail Mounted Control Valves Models G040 - 0° 7 kPa G040C - 30° 7 kPa G042C - 45° 7 kPa G040A - 0° 7 kPa G040B - 30° 7 kPa G042 - 45° 7 kPa G701 - 0° Convertible 7 kPa G710 - 45° Convertible LH 7 kPa G711 - 45° Convertible RH 7 kPa G045B - 90° with FFD 7 kPa G045C - 90° with FFD 7 kPa Note: Four stage manually operated shut-off flow valves. May incorporate ignition contact switch for electronic ignition.	
------	------	---	--

Guangdong Chant Group Co

5577	9.97	Clamp On Rail Cocks – Type 2 Models C-01 and C-02 Std Version 7 kPa Models C-03, C-04 & C-06 with Flame Thrower and Piezo Ignition Device 7 kPa Model C-05 Std Version with 1/4" Flare Outlet 7 kPa Models C-03A and C-04A with Flame Thrower Ignition and Adjustable Turndown 7 kPa	
------	------	--	--

Hosun Universal Co Ltd**HOSUN**

6435	5.03	Appliance Control Valves	
		KV00B-P2-P	90° Valve with Piezo Ignitor
		KV00B-P3	90° Valve
		KV00B-P4	90° Valve with Bracket
		KV45B-P1-P	45° Valve with Piezo Ignitor
		KV45B-P2	45° Valve
		KV45B-P3	45° Valve with Bracket
		KV45BLP1-P	45° Left Valve with Piezo Ignitor
		KV45BLP2	45° Left Valve
		KV45BLP3	45° Left Valve with Bracket
		KV45BRP1-P	45° Right Valve with Piezo Ignitor
		KV45BRP2	45° Right Valve
		KV45BRP3	45° Right Valve with Bracket
		KV45BRP4-P	45° Right Valve with Piezo Ignitor
		KV45K-P1-P	45° Twin Valve with Piezo Ignitor
		KV00B-P7-P	90° Right Valve with Piezo Ignitor
		RW Temperature	0°C to 120°C 3.5 kPa

Keefer Bros (Vic) Pty Ltd**KEEFER**

6511	10.03	Type 2 Appliance Control Valve with Flame Failure and with/without Pilot Take-Off	
		KB-P60 and KB-N60	7 kPa

Sabaf SpA**SABAF**

6788	5.05	Manually Operated Gas Valve	
		Models 7, 7X and 7Y	7 kPa

Tu's Brothers Pty Ltd**SAFE**

6840	8.05	Type 2 Appliance Control Valve with Pilot Take-Off	
		Model: SF-601	
		Temperature Range 0°C to 100°C	7 kPa
6842	8.05	Type 2 Appliance Control Valve	
		Model SF-P1	
		Temperature Range 0°C to 100°C	7 kPa

TYPE 2 – APPLIANCE CONTROL VALVES COMBINED WITH FLAME SAFEGUARDS**Arlec Australia Limited****XIANG FENG**

6831	8.05	Appliance Control Valve with Flame Thrower and Piezo Ignition	
		Model FJZ.LC45D-Z1	7 kPa

Bromic Pty Ltd**SABAF**

5703	6.98	Standard Clamp-On Rail Cock with Class 3 Thermoelectric Flame Failure	
		Model 15 with microswitch and Inlet/Outlet at 180°	7 kPa

Burner Systems International– Agent: Ray Clements**Imports – A Div. of Warehouse Discounts Pty Ltd****SOURDILLON**

6210	10.01	765 Series Type 2 Combination Appliance Control Valves	
		Models 67134 R1 765 and 67135 R1 765 0°C to 130°C	5.7 kPa

Burner Systems International**SOURDILLON**

6881	11.05	Type 2 Appliance Control Valve with Flame Failure Model: 299	5.75 kPa
------	-------	--	----------

Keefer Bros (Vic) Pty Ltd**KEEFER**

5852	5.99	Type 2 Gas Valve with Flame Failure and with/without Pilot Take-Off	
		Model: Keefer KB-F60P and KB-F60N	7 kPa
6838	8.05	Type 2 Appliance Control Valve with Flame Failure and Pilot Take-Off	
		Model: Keefer KB-F30P @ 0°C to 120°C	7 kPa

TPA Metals & Machinery (Shenzhen) Co Ltd**TPA**

6979	5.06	Type 2 Gas Valve with Flame Failure	
		Model: SV023 @ 0°C to 60°C	7 kPa

Tu's Brothers Pty Ltd**SAFE**

6841	8.05	Type 2 Appliance Control Valve with Flame Failure and Pilot Take-Off, Model SF-602	
		Temperature Range 0°C to 100°C	7 kPa
6842	8.05	Type 2 Appliance Control Valve with Flame Failure and Pilot Take-Off	
		Model SF-602	
		Temperature Range 0°C to 100°C	7 kPa

TYPE 2 – MISCELLANEOUS VALVES**Enware Australia****ENWARE**

4757	12.91	Laboratory Gas Turret	
		Models LF122, LF123, LF124, LF125, LF125E, LF126, LF127, LF128, LF129, LFQ123, LFQ124, LFQ125, LFQ126, LFQ127 & LFQ129	7 kPa
6005	5.00	Push Turn Laboratory Gas Cocks	
		Models LC123PT, LC124PT, LC125PT, LC126PT and LC127PT	7 kPa
6751	4.05	Commercial Laboratory Needle Valve	
		Models LC119N, LC140WN, LC141WN, LC142WN, LC143WN, LC145N, LC146N, LC147N, LC148N	7 kPa
		Models LC150FN, LC150N, LC151N	800 kPa

Reliance Worldwide Ltd T/as Titon**TITON**

4104	9.86	Needle Valves – Type 2 Miscellaneous Valves	
		NV104 1/8", 1/4", 3/8" BSP Female	2600 kPa
		NV105 1/8" and 1/4" BSP Male	
		NV404 1/8" and 1/4" BSP Male/Female	

MANUAL SHUT-OFF VALVES (AG 201)

NOTE: Valves shall be selected in accordance with Table 3.1 in AS 5601 (female parallel threads are only permitted in applications up to 100 kPa).

TYPE 1 – ISOLATING VALVES

AAP Industries Pty Ltd

5965	6.00	Model Maxiflo QAAP-083 (3/8"), QAAP-021 (1/2"), QAAP-043 (3/4") with compression end connections	1050 kPa
6017	6.00	Model Maxiflo Brass Ball Valves 1/4" (8mm), 3/8" (10mm), 1/2" (15mm), 3/4" (20mm), 1" (25mm), 1 1/4" (32mm), 1 1/2" (40mm), 2" (50mm), 2 1/2" (65mm), 3" (80mm) and 4" (100mm) M x F and F x F ISO 7/1 End Connections	1050 kPa

All Valve Industries

CIM

5317	8.95	Ball Valves, Full Bore 8 to 100mm NB Fig 10, Fig 310, Fig 201, Fig 301 Fig 12, Fig 312 Fig 11, Fig 11CR, Fig 201/12, Fig 301/12 Fig 406/12, Fig 426 Suffix "G" denotes suitability for gas	1050 kPa
------	------	--	----------

Brandoni SpA - Agent: Zetco Pty Ltd

6633	9.04	Brandoni Flanged Cast Iron Ball Valve G02.1 (DN20 to DN 150) Rated Working Temperature: -20°C to 70°C	1600 kPa
------	------	---	----------

Bray Controls Pacific Pty Ltd

BRAY

6207	10.01	31 Series Lugged Body Butterfly Valves Models 31020011010713, 31025011010713, 31030011010713, 31040011010713, 31050011010713, 31060011010713, 31020011063713, 31025011063713, 31030011063713, 31040011063713, 31050011063713 and 31060011063713 Resilient Seated 50, 65, 80, 100, 125 and 150mm 0°C and 100°C	1200 kPa
------	-------	---	----------

Bromic Pty Ltd

6455	6.03	8mm Ball Valve Model BR100	2600 kPa
------	------	----------------------------	----------

Crane Australia (NSW)

CRANE

5266	4.95	KF Series, Models KF941, KF951, KF943 and KF953 15mm – 150mm NB Full Bore Stainless Steel or Carbon Steel Flanged Ball Valves Class 150 Class 300 KR Series, Models KR941, KR951, KR943 and KR953 15mm – 150mm NB Reduced Bore Stainless Steel or Carbon Steel Flanged Ball Valves Class 150 Class 300	2000 kPa 5000 kPa 2000 kPa 5000 kPa
------	------	--	--

Crane Distribution Ltd

HYFLO

4030	1.86	Manual Lugged Butterfly Valve, Type 1 Mk IV HFW Wafer Body and HFL Tapped Body 50mm, 65mm, 80mm, 100mm, 125mm and 150mm Note: Installation of wafer body valve must comply with requirement 3.3.5(b) of AS 5601	800 kPa
------	------	---	---------

Flowserve Australia Pty Ltd

WORCESTER

3114	7.80	F44 Series, 3 Piece Body, Reduced Bore, Firesafe Manual Shut-off Ball Valve @ 0° C to 60° C. Options include: Carbon Steel or Stainless Steel Construction PTFE or RPTFE (15% Glass Filled) Seats Screwed, Socket Welded or Buttweld End Connections 15 1/2" 20 3/4" 25 1" 32 1/4" 40 1 1/2" 50 2" Note: Descriptor Code/Variants – Character 6 th and 7 th (body material) 44 = carbon steel 66 = stainless steel 10 th (seat material) T = PTFE R = RPTFE 12 th – 17 th (Connection) SEN = Screwed NPT, SET = Screwed BSPT, SWA = Socket Weld BWA and BWC = Buttweld	6900 kPa
3115	7.80	K51-4466*T or Z 15mm-150mm N.B. Flanged Ball Valves ANSI Class 150 Firesafe, Carbon Steel or Stainless Steel	1900 kPa
3116	7.80	K52-4466*T or Z 15mm-150mm N.B. Flanged Ball Valves ANSI Class 300 Firesafe, Carbon Steel or S/Steel	5000 kPa
3271	7.81	K81-4466*T 15mm-50mm BSPT, BSPP or NPT Female Ball Valves Note: *Refers to Seat Material T = Virgin PTFE R = 15% Glass Filled PTFE	4000 kPa

Fratelli Pettinaroli SpA - Agent: Pexal Australia Pty Ltd

6519	3.04	Brass Bodied, Full Bore Manual Shut-off Valves G50380715000, G50381015000, G50381515000, G50382015000, G50382515000, G50383215000, G50384015000, G50385015000, G50387015000, G50388015000, G50/1380715010, G50/1381015010, G50/1381515010, G50/1382015010, G50/1382515010, G50/1383215010, G50/1384015010, G50/1385015010, G50/2380715020, G50/2381015020, G50/2381515020, G50/2382015020, G50/2382515020, G50/2383215020, G50/2384015020, G50/2385015020, G51380715030, G51381015030, G51381515030, G51382015030, G51382515030, G51383215030, G51384015030, G51385015030, G51387015030, G51388015030, G513810015030, G51/1380715040, G51/1381015040, G51/1381515040, G51/1382015040, G51/1382515040, G51/1383215040, G51/1384015040, G51/1385015040, G51/2380715050, G51/2381015050, G51/2381515050, G51/2382015050, G51/2382515050, G51/2383215050, G51/2384015050, G51/2385015050, G52380715060, G52381015060, G52381515060, G52382015060, G52382515060, G52383215060, G52/1380715070, G52/1381015070, G52/1381515070, G52/1382015070, G52/1382515070,	
------	------	---	--

Fratelli Pettinaroli SpA - Agent: Pexal Australia Pty Ltd

Continued

G52/1383215070, G52/2380715080,
G52/2381015080, G52/2381515080,
G52/2382015080, G52/2382515080,
G52/2383215080, T100IR370710400,
T100IR371010400, T100IR371510400,
T100IR372010400, T100IR372510400,
T100IR373210400, T100IR374010400 &
T100IR375010400
Temperature -20°C to 60°C 500 kPa
G50, G51, G52 Series - F X F,
AS 1722 pt 1 (ISO 7/1)
G50/1, G51/1, G52/1 - F X M,
AS 1722 pt 1 (ISO 7/1)
G50/2, G51/2, G52/2 - F X M,
AS 1722 pt 1 (ISO 7/1)
T100IR - F X M, NPT
Options: 054 spindle extension
G50 series lockable device (closed only)
for G51* and T100IR

Fluid System Technologies (ES) Pty Ltd

NUPRO

3550 6.83 Manual Plug Valves 1/8"-1/2"
Swagelok and/or NPT 3300 kPa

Fluid System Technologies (ES) Pty Ltd

WHITEY

3551 6.83 40 Series Manual Shut-off Valves
1/8"-3/4" Swagelok or NPT 6800 kPa
3552 6.83 60 Series Ball Valves 1/2"-2"
Swagelok or NPT 3300 kPa
4585 7.90 33 Series Manual Shut-off Valves
6mm and 8mm Swagelok or
NPT Stainless Steel 41 000 kPa
4586 7.90 83 Series Manual Shut-off Valves
6mm-12mm Swagelok or NPT 2-Way
Stainless Steel 41 000 kPa
Brass Ball Valve 2500 kPa

Global Valve Alliance - Agent: Australian Valve Group

P/L

6515 1.04 GVA BV Series Ball Valves
Models BV10F, BV15F, BV20F, BV25F,
BV32F, BV40F, BV50F, BV15FL,
BV20FL and BVF20FL 2500 kPa

HK Industries (Aust) Pty Ltd

6353 12.02 HK Brass Body Ball Valves
1/2" and 3/4" Male x Male and
Female x Female Temperature
Rating 0°C to 60°C 1050 kPa

IMT Armaturen AG

IMT

5683 10.98 593 FxF and 594 MxF Manual
Ball Valves Sizes 1/8", 1/4", 3/8",
1/2", 3/4" 1", 1 1/4", 1 1/2" & 2" 1050 kPa

ITAP SpA

ITAP

5256 5.95 "Berlin" ART 070/072 (Female)
& ART 071/073 (Male/Female)
8mm-50mm 1050 kPa

ITAP SpA

LONDON

6227 11.01 London Series Manual Isolating Valves
Models 066 (F/F), 067 (M/F) Sizes 1/4"- 2"
068 (F/F), 069 (M/F) Sizes 1/4" - 1"
266 (F/F), 267 (M/F) Sizes 1/4" - 2" 1050 kPa

IVR Valvole A Sfera SpA

6022 6.00 IVR art 45 Ball Valves 1/4" (8mm) -
2" (50mm) 500 kPa

Keefer Bros. (Vic) Pty Ltd

KEEFER (K)

2627 8.77 3100 Series Union Plug Valves
Models 3102, 3105, 3105/L,
3105/R and 3128 7 kPa
Note: 6mm, 8mm & 10mm

OneSteel Piping Systems A Business of Onesteel Trad. P/L

EMICO

5547 1.98 EA-305 (SE/BW/SW) Series
Type 1 Manual Isolating Valves
Sizes 15 - 50 mm 3-Piece Firesafe
Full Port Carbon & Stainless Steel
Various End Connections 5000 kPa

OneSteel Piping Systems A Business of Onesteel Trad. P/L

KITZ

3477 2.83 SCTB Series Type 1 Manual
Shut-off Valves 15 -150 mm 2000 kPa
Flanged Carbon Steel Class 150
3478 2.83 SCTB Series Type 1
Manual Shut-off Valves
Sizes 15 -150 mm Flanged 5000 kPa
Carbon Steel Class 300
4537 6.90 AK 800 and AW 800 Type 1
Manual Shut-off Valves
AW 800 Socket Weld 5500 kPa
AK 800 NPT Reduced Bore
Carbon Steel Sizes 8 - 50 mm
4546 3.90 SCTA M FS and STCA FS
Series Type 1 Manual Shut-off Valves
Sizes 15 - 150 mm Flanged Reduced
Bore Carbon Steel Class 150 2000 kPa
4547 3.90 SCTA M FS and SCTA FS Series
Type 1 Manual Shut-off Valves
Sizes 15 -150 mm Flanged Reduced
Bore Carbon Steel Class 300 5000 kPa

OneSteel Piping Systems A Business of Onesteel Trad. P/L

TURNFLO

2687 3.78 B84 Series Type 1 Manual Brass Ball
Valves Sizes 8, 10, 15, 20, 25, 32,
40 & 50 mm 2100 kPa
Sizes 65, 80 and 100 mm 1500 kPa
Male/Female and Male/Male
Thread Configuration
5630 7.98 Type 1 Manual Shut-off Valves
Models T3CS33, T5CA43
Wafer Body Sizes 50 - 150 mm 1600 kPa
Models T4CS33, T4CS33A
and T6CA43 Lugged Body
Sizes 50 - 150 mm 1600 kPa
Note: Installation of a Wafer Body
Valve must comply with requirement
3.3.5(b) of AS 5601

Pipe Couplings (A'Asia) Pty Ltd**PCA**

4203	4.87	Model 1304 1" Male/Female Ball Valve	1050 kPa
4812	3.92	727 Series 10mm-50mm BSPT Full Bore Female Bronze Ball Valves	1050 kPa
4961	3.93	Model 745/A 15mm-50mm Female	

Reece Pty Ltd

6381	12.02	Dura Fig No. BVCW and BVCL Valves BVCW 1161 Wafer Type Butterfly (50, 65, 80, 100, 125 and 150mm)	1050 kPa
		BVCL 2161 Lugged Type Butterfly (50, 65, 80, 100, 125 and 150 mm)	1050 kPa

RIV Rubinetterie Italiane Valvole Spa

5953	3.00	Model Professional 1/4" (8mm) -4" (100mm) Brass Ball Valves End Fittings FxF, MxF, MxM with Threads to ISO7/1	1050 kPa
------	------	---	----------

Rubinetterie Utensilerie Bonomi SRL**RUB**

5244	3.95	S84 Manual Brass Ball Valves NB 8, 10, 15, 20, 25, 32, 40 & 50mm Note: Various thread forms available to R, RC & RP designation standard AS 1722 Part 1	2100 kPa
5779	10.98	S85 Series Models S85B00, S85C00, S85D00, S85E00, S85F00, S85G00, S85H00 and S85I00 (Valves marked S85) Brass Female End Connections NB: 1/4", 5/8", 1/2", 3/4", 1", 1 1/4", 1 1/2" and 2" (8, 10, 15, 20, 25, 32, 40 & 50 mm)	1050 kPa

SCE Company Limited

6217	10.01	1/2" Brass Ball Valves SCE SO219-15 (M/F Straight) & SO253-15 (M/M Right Angle)	20 kPa
------	-------	---	--------

Thomas Gooden Foundry Services Pty Ltd**TG**

6516	11.03	Reduced Bore Type 1 Ball Valve with UNF Compression End Connections Models 2000 1/2" and Model 2001 3/8"	1050 kPa
------	-------	--	----------

Tun Trading Pty Ltd**NOVASFER**

5826	2.99	Novasfer Model ART 375 1/2"x 20 U.N.F. Male/Male Compression Ball Valve	1050 kPa
------	------	---	----------

Tyco Flow Control Pacific Pty Ltd**KEYSTONE**

3245	7.81	F990 Wafer Style Resilient Seated Butterfly Valve 25mm-150mm	1000 kPa
5486	11.96	AR1 and AR2 Type 1 Manual Butterfly Valves AR1 Wafer Style and AR2 Lugged Style Resilient Seated 50, 65, 80, 100, 125 and 150 mm @ 60°C	1200 kPa

Tyco Flow Control Pacific Pty Ltd**RICHARDS**

4754	1.92	R382 and R392 Type 1 Manual Shut-off Valve BSPT and NPT Screwed and Welded End Connections Available in Carbon Steel and Stainless Steel RWT 0°C to 60°C R382 3 Piece Reduced Bore (15, 20, 25, 32, 40 and 50 mm)	6000 kPa
		R392 3 Piece Full Bore (15, 20, 25, 32, 40 and 50 mm)	6000 kPa
4933	11.92	R711 Flanged Reduced Bore Firesafe Ball Valve Class 150 - 50, 80, 100 and 150 mm R713 Flanged Reduced Bore Firesafe Ball Valve Class 300 - 50, 80, 100 and 150 mm R384 3 Piece Reduced Bore Firesafe Ball Valve 15, 20, 25, 40 and 50 mm Available with BSPT, NPT or Welded End Connections. All valves series available in Carbon Steel or Stainless Steel	2000 kPa 5000 kPa 6000 kPa
5872	5.99	R721 and R723 Series Manual Shut-Off Ball Valves R721 Series Flanged Full Bore Class 150, 15mm-150mm (@ 60°C) R723 Series Flanged Full Bore Class 300, 15mm-150mm (@ 60°C)	2000 kPa 5000 kPa

Valvosanitaria Bugatti Spa - Agent: Zetco Pty Ltd**BUGATTI, HYFLO, ZETCO**

6683	11.04	Art (Series) 451, 452, 456 and 457 Full Bore, 2 Piece Brass Body Ball Valves Art 451 - 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2" and 2" Art 452 - 1/4", 3/8", 1/2", 3/4" and 1" Art 456 - 1/4", 3/8", 1/2", 3/4", 1", 1 1/4", 1 1/2" and 2" Art 457 - 1/4", 3/8", 1/2", 3/4" and 1" Connections: BSPP/NPT BSPT Temperature -20°C to 60°C	100 kPa 500 kPa
------	-------	---	--------------------

Valvosanitaria Bugatti Spa - Agent: Zetco Pty Ltd**BUGATTI**

6620	8.04	Full Bore Ball Valves Model Art 553, 2 Piece Brass Body 15, 20, 25, 32, 40 and 50 mm Connections: BSPP/NPT BSPT Temperature -20°C to 60°C	100 kPa 500 kPa
6621	9.04	Type 1 Ball Valves Art 360, 3/8", 1/2" and 3/4" Full Bore, Compression End Connection Ambient Temperature -20°C to 60°C	1050 kPa

Velan Inc

5995	4.00	F*-01402-SSGA and F*-00402-SSGA Full and Reduced Bore Flanged Ball Valves Sizes 15mm-150mm NB ANSI Class 150	2000 kPa
5996	4.00	F*-11402-SSGA and F*-1042-SSGA Full and Reduced Bore Flanged Ball Valves Sizes 15mm-150mm NB ANSI Class 300	4000 kPa
5997	4.00	G-1602-SSGA and G-0602-SSGA NB Full and Reduced Bore Threaded Ball Valves Size 15mm –100mm	7000 kPa
6042	8.00	F-103-SSGA and F-113-SSGA NB Full and Reduced Bore Threaded Ball Valves. Sizes 15mm-100mm	5100 kPa

VIR Valvoindustria Ing Rizzio

6363	1.03	VIR Full Bore Brass Ball Valves Fig 350G ¼” – 2” Female x Female Fig 350DR ¼” – 2” Female x Female Fig 353DR ¼” – 2” Male x Female	2100 kPa 2100 kPa 2100 kPa
6392	2.03	VIR Compression Ended, Full Bore Brass Manual Shut-off Ball Valves Fig 358 ½” and ¾”	1050 kPa

Zetco Pty Ltd**ENOLGAS**

3877	12.84	Atkins/BEP/Duraflor/Hyflo/Topic/ Yorkshire ¼”-4” Full Bore Ball Valves (Various End Connections)	1050 kPa
		Bongas ¼”-4” Reduced Bore Ball Valves (Various End Connections)	1050 kPa
		Logic ¼”-3” Full Bore Ball Valves (Various End Connections)	1050 kPa

Zetco Pty Ltd**OMEGA**

4973	1.94	8mm-100mm Full Bore Ball Valves (Various End Connections)	1050 kPa
------	------	--	----------

TYPE 2 – APPLIANCE CONTROL VALVES**Amalgamated Hardware Merchants Ltd**

6073	10.00	Models KDA-023 & KDA-023/30 Gas Cocks	7 kPa
------	-------	--	-------

Beams Gas Ignitor Company Limited**Agent: 28 Newlands Road Holdings P/L T/as Garth****Sheetmetal**

6340	10.02	Beams VN101 Series, 16 mm Round Rail Mounting Models: VN101-1 and VN101-2, 45° Outlet VN101-3 and VN101-4, 0° Outlet VN101-07, 0° Outlet	7 kPa 7 kPa
6459	7.03	Beams Model VN101-05 Round Rail Gas Valve with Piezo Igniter MWP @ 0°C to 100°C	7 kPa
6556	2.04	FT200 Series, Flame Thrower Appliance Valve, with Piezo Ignition Model FT200-01 Ambient Temperature 0°C to 100°C	7 kPa

Beckley Forge Pty Ltd

2332	1.75	1100 and 1200 Series Rail Cock	7 kPa
2334	1.75	1400 Series Griller Rail Cock	7 kPa
4215	5.87	1850 Series Gas Cock	7 kPa
4342	7.88	1260 Series Rail Cock	7 kPa
5133	7.94	4000 Series Rail Cock	7 kPa

Bromic Pty Ltd

3496	3.83	Domestic Appliance and Barbecue Control Valves Models MP100, MP101, MP103, MP104, MP105, and MP106	7 kPa
4193	3.87	Model MP201 Multigas Cock for use with Small Low Pressure Appliances, Cookers and Barbecues	7 kPa

Bromic Pty Ltd**PINTOSSI**

4062	5.86	Commercial Appliance Control Valves Models: 20N, 21N, 22N, 23N Models: 20S, 21S, 22S and 23S (Combined with Flame Safeguard)	7 kPa 7 kPa
------	------	---	----------------

Bromic Pty Ltd**SABAF**

3080	4.80	Domestic Appliance Control Valve Model 1 with Standard Clamp-on Inlet/Outlet at 90° Model 2 with Standard Screw-in Inlet/Outlet at 90° Model 3 with Standard Clamp-on Inlet/Outlet at 180° Model 4 with Standard Clamp-on Inlet/Outlet at 90°	7 kPa 7 kPa 7 kPa 7 kPa 7 kPa
------	------	---	---

BSI France Holding**SOURDILLON**

3350	1.82	Models 289 B, 289 B1, 289 B2, 389 B, 389 B1, 389 B2, 884 A, 884 A1 and 884 A2 Clamp-On Rail Cocks 0°C to 130°C Note: Individual models are of similar construction with variations in outlet connection and plug rotation.	5.75 kPa
------	------	--	----------

Focus Lifestyle Products Pty Ltd

5979	3.00	Grand Hall Models GH 040 and GH 042 Clamp-on Inlet Connection	7 kPa
------	------	--	-------

GLG Australia Pty Ltd

6070	10.00	Clamp on Rail Cocks Models T-03, T-04 & T-07 with “Flame Thrower” Piezo Ignition Device	7 kPa
------	-------	---	-------

Guangdong Chant Group Co**CHANT**

6701	11.04	Models K-845D4 and K-845D5	7 kPa
------	-------	----------------------------	-------

Hosun Universal Co Ltd
HOSUN

6681	10.04	Appliance Control Valves	
		KV00CPP1	0° Valve
		KV00CPP1-P	0° Valve with Piezo Ignitor
		KV30CPP1	30° Valve
		KV30CPP1-P	30° Valve with Piezo Ignitor
		KV30CPP2	30° Valve with Bracket
		KV45CPP1	45° Valve
		KV45CPP1-P	45° Valve with Piezo Ignitor
		KV90C-P1	90° Valve
		KV90C-P1-P	90° Valve with Piezo Ignitor
		KV00K-P1	0° Twin Valve
		RWP and Temperature	-0°C to 120°C 3.5 kPa

Isphording Hispania SA
ISPHORDING

3246	7.81	GH-400 Series Clamp-On Rail Cocks	
		Single Outlet Models:	7 kPa
		GH-405-002-001-***	
		GH-490-002-001-***	
		GH-495-006-002-***	
		Dual Outlet Models:	
		GH-469-004-001-***	
		Note: Last three digits detail customer Specific bypass rate.	

Keefer Bros. (Vic) Pty Ltd

1969	1.71	Type 9000 Mechanism – Fly-Off Cock	7 kPa
2142	2.64	Series A/30 Rail Cock	7 kPa
2143	10.65	Series B/50 Rail Cock	7 kPa
2144	11.61	Type PT Pilot Cock	7 kPa

Pider Metal Products Co Ltd

PIDER			
6657	8.04	Appliance Control Valve with Flame Failure Model PLE-18-00	7 kPa

Sakura Bath and Kitchen Products (Huanan) Co Ltd

SAKURA			
6604	6.04	Appliance Control Valve for Direct Clamping to 16 mm Round Manifold Model SC5002, RTR: 0°C to 100°C	7 kPa

Sitro Group Australia Pty Ltd

OIC			
4244	8.87	Gasmate Appliance Control Valve Models GM009/S – Straight Outlet, GM009/30 – 30° Angled Outlet and GM009/45 – 45° Angled Outlet	7 kPa

Techrite Controls Australia Pty Ltd

EITAR			
5353	11.95	Model 8000 Series Railcock	5 kPa

TPA Metals & Machinery (Shenzhen) Co Ltd

TPA			
5772	10.98	Models PM15, PM15-1 (Straight Nozzle) PM16 and PM16-1 (Angled Nozzle)	7 kPa
		Note: PM15-1 and PM16-1 are available with a ferric iron cap locating the Spindle onto the body of the gascock.	
6664	9.04	Appliance Control Valve Model PA70	7 kPa
6665	9.04	Appliance Control Valve Model PA69	7 kPa

**TYPE 2 – APPLIANCE CONTROL VALVES
COMBINED WITH FLAME SAFEGUARD**

Beckley Forge Pty Ltd

4101	8.86	1700 Series Combination Gas Cock and Flame Safeguard	7 kPa
5039	9.93	1730 Series Combination Gas Cock	7 kPa

Bromic Pty Ltd

5128	6.94	Model MP 210.21 Gas Cock with Flame Failure Control	
------	------	---	--

Bromic Pty Ltd

IMIT			
5352	11.95	RBV-GM and RBV-GRP Gas Cock with Thermoelectric Flame Failure	7 kPa

Bromic Pty Ltd

SABAF			
3429	11.82	2911 Series, Models 10, 11, 12, 13, 40 and 41 Gas Cock with Flame Failure	7 kPa

Copreci S Coop

COPRECI			
6678	9.04	Appliance Control Valve Combined with Thermal Electric Flame Safeguard Model CPMM18700/348	5 kPa
		Ambient Temperature Range 0°C to 100°C	

Hosun Universal Co Ltd

5654	2.98	KKV Series Models KKV 90CX, KKV 903X, KKV 90CP, KKV 903P, KKV 90CPG and KKV 903PG with Flame Failure with or without Piezo Ignition	5 kPa
------	------	---	-------

Isphording Hispania SA

ISPHORDING			
3258	7.81	GH 600 Series Gas Valve with Flame Failure Models GH-654-001-006-***, GH-690-005-001-*** and GH-659-001-003-***	6.5 kPa
		Ambient Temperature: 0°C to 150°C	
		Note: The final three characters detail customer specific by-pass.	

Keefer Bros (Vic) Pty Ltd

6015	6.00	Model KB-F30, 1/8" BSPT inlet, 1/8" BSP outlet with Flame Failure	7 kPa
------	------	---	-------

Seven Universe Industrial Co Ltd

6358	11.02	AA Series Appliance Control Valves with Thermoelectric Flame Failure Models AA90B0E01, AA90B0E02 (Single Outlet) and AA9040 (Dual Outlet)	
		RWP Temperature -18°C to 120°C	7 kPa

Seven Universe Industrial Co Ltd Continued

6461	6.03	BF Series Appliance Control Valves Type 2 BF90B0E01 Single outlet, with thermoelectric flame valve BF90B0E02 Single outlet, without thermoelectric flame valve BF9040E01 Dual outlet, with thermoelectric flame valve BF9040E02 Dual outlet, without thermoelectric flame valve BF00B0E01 Single outlet, with thermoelectric flame valve BF00B0E02 Single outlet, without thermoelectric flame valve BF0040E01 Dual outlet, with thermoelectric flame valve BF0040E02 Dual outlet, without thermoelectric flame valve RWP Temperature @ -18°C to 160°C	7 kPa
------	------	---	-------

Techrite Controls Australia Pty Ltd

EITAR

4908	10.92	Model 60170 Rail Cock Models 600B+TH02 and 600B+TH04	5 kPa
5506	1.97	Appliance Control Valve with Thermoelectric Flame Failure Models 6760, 670+TH and 6500	5 kPa

TYPE 2 – MISCELLANEOUS VALVES

Beckley Forge Pty Ltd

5208	3.95	3090 Series ¼" BSP 45° Flare Gas Interrupter Valve	7 kPa
------	------	---	-------

Bridge Castings Pty Ltd T/as Consolidated Brass

5598	8.97	LG Series 1, 2, 3 or 4 way Laboratory Gas Turret Assembly	7 kPa
6014	6.00	LG Mk2 Series 1, 2, 3 or 4 way Laboratory Gas Turret (tested @ 60°C)	7 kPa
6080	10.00	Torrens, Celestial and Bellevue Models Manual Isolating Needle Valve Inserts for Standard ½ tap body	700 kPa

Broen Armatur A/S – Broen Lab Division

Agent: SGF Laboratories Pty Ltd

BROEN

5724	7.98	15 and 18 Series Laboratory Gas Valves Models: 15012989, 15013989, 15014989, 15015989, 15016989, 15017989, 15032989, 15066989, 15233989, 15234989, 15285989, 15286989, 15288909, 15316909, 15235909, 15317909, 18006949, 18726949, 18724949, 18022989, 18025989, 18021989, 18011989, 18004989, 18020989, 18029989, 18003989	7 kPa
5991	12.00	09 and 05 Series Laboratory Gas Valves Models 09300989, 09301989, 09302989, 09303989, 09304989, 09305989, 09307989, 09313989, 05116989, 05317989, 05318989, 05319989, 05320989, 05321989, 05322989 and 05722989	7 kPa

Bromic Pty Ltd

4028	1.86	Omeca Model IM-68 Manual Change-Over Valve for LPG Cylinder Installations and LPG Regulator Inlet	2600 kPa
------	------	---	----------

Enware Australia

ENWARE

4604	10.90	Type 29 Bench Mounted Needle Valve	7 kPa
4756	1.92	Model 892137 LF Series Type 37/38/39/ 40/41/42 Laboratory Gas Turret	7 kPa

Fluid System Technologies (ES) Pty Ltd

WHITEY

4333	6.88	Integral Bonnet Needle Valve Model B-1VF4 ¼ NPT Female	10 350 kPa
------	------	---	------------

Galvin Engineering Pty Ltd

5096	4.94	Models 29 and 32 15mm (½") One-Way Gas Turret	7 kPa
------	------	--	-------

Ray Clements Imports A Div. Of Warehouse Discounts Pty Ltd

TEMPOGAZ

3587	8.83	Gas Timer Valve Model E130.5	7 kPa
------	------	------------------------------	-------

SIT Gas Controls Pty Ltd

SIT

6706	11.04	Gas Control System Model ACS11 Manual/Infrared remote controlled automatic gas appliance control system with linked motorised gas control valve. Note: This system has been assessed to standards BS EN126: 1995 and DD EN1954: 1997	6 kPa
------	-------	---	-------

Sitro Group Australia Pty Ltd

GASMATE

3267	7.81	Cylinder Valves to be used with Primus Type Cylinders Model GM001 R3/8" Left Hand Model GM015 R¼" Right Hand	2600 kPa 2600 kPa
------	------	---	----------------------

Techrite Controls Australia Pty Ltd

TECHRITE

5670	4.98	BV Series 20mm-100mm Manual or Motorised Modulating Butterfly Valve	
------	------	--	--

APPLIANCE PRESSURE REGULATORS (AS 4618)

Dong Yang Diecasting Co Ltd –

Agent: Electrolux Home Products Pty Ltd

DONG YANG

6845	8.05	Models DR1CAE (Inlet and Outlet ½" BSPP), DR1CAE-1 (Inlet ½" BSPP and Outlet Special Purpose – G ½ threaded, with seat for sealing washer*) Note: *The special purpose connection on the outlet of DR1CAE-1 is for manifolds and fittings with a flat formed or faced end and G ½ threaded male compression nut. A sealing washer is supplied with this model of regulator to be inserted between the end of the manifold fitting and the washer seat in the outlet of the regulator. No other sealing compound is required at this connection.	5 kPa (NG) 7 kPa (LPG)
------	------	---	---------------------------

Elitre Co Ltd - Agent: Cape Trading Sales**MDG ELITRE**

6422	5.03	GVN-01 Series Class 0, Grade 20 Appliance Regulator, Maximum Inlet Pressure:	5 kPa
		Model Number (Label Cover)	
		EL-12550 (EL-125), EL-12537 (EL-124), EL-12525 (EL-123), EL-9050 (EL-90), EL-9037 (EL-89), EL-9025 (EL-88), EL-15050 (EL-150), EL-15037 (EL-149), EL-15025 (EL-148), EL-6050 (EL-60), EL-6037 (EL-59), EL-6025 (EL-58), EL-35050 (EL-35050)	
		Temperature Range: 0°C to 100°C	

Techrite Controls Australia Pty Ltd**GIULIANI ANELLO**

6905	1.06	FSD15/CE, FSD20/CE, FSD25/CE, FSD32/CE, FSD40/CE, FSD50/CE, FSDC15/CE, FSDC20/CE, FSDC25/CE, FSDC32/CE, FSDC40/CE, FSDC50/CE, FSDR15/CE, FSDR20/CE, FSDR25/CE, FSDR32/CE, FSDR40/CE and FSDR50/CE	20 kPa 50 kPa
------	------	---	------------------

APPLIANCE PRESSURE REGULATORS (AG 202)**Suitable For Outlet Pressure Below 7 kPa****Beams Gas Ignitor Co Ltd – Agent: 28 Newlands Road****Holdings Pty Ltd T/as Garth Sheetmetal****BEAMS**

6609	8.04	NG 000 Series Appliance Regulators NG 001-** (½" BSPP x ½" BSPP) NG 002-** (½" BSPP x M20 x 1.2) NG 003-** (½" BSPP x ½" G) Adjustable/Class 0/Grade 20 Maximum Inlet Pressure Temperature Range 0°C – 100°C NB: “**” denotes non-performance based customer specific requirements.	5 kPa
------	------	--	-------

Beckley Forge Pty Ltd

5151	11.94	Beckley 2300 and 2310 Series Appliance Pressure Regulators Series 2300 ½" and ¾" BSP Series 2310 ½" BSP x ¾" UNF Class 0, Grade 20 Max Inlet Pressure	5 kPa
------	-------	--	-------

Bromic Pty Ltd

5149	8.94	Model BM-WF-1A (NG) (Class 0 Grade 20) Inlet/Outlet ¾" x ¾", ½" x ½", ¾" x ¾" Thread Types Rp, R, G, Max. Inlet Pres.	5 kPa
5862	6.99	Oara 98 Series Appliance Pressure Regulator, (Class 0, Grade 20) Models 980, 980L, 986 & 986L 980 indicates suitability with Natural Gas 986 indicates suitability with Propane Gas “L” suffix indicates a fixed orifice on the top cover to limit venting	5 kPa
6041	10.00	Oara 97 Series ½" Pressure Regulator (Class 0 Grade 20) Suitable for Natural Gas Maximum Inlet Pressure	5 kPa

Delta Fluid Products Ltd – Agent: Gameco Pty Ltd**SPERRYN**

6137	5.01	Sperryn G1000 Series Models ¾", 1", 1¼", 1½" and 2" Class 2, Grade 20	35 kPa
------	------	---	--------

Maxitrol - Agent: Control Components Pty Ltd

2003	7.71	RV52 – Class 3, Grade 20 - ½"-¾" RV53, RV61, RV81 & RV91 Class 2, Grade 20 - ¾"-2½"	
3088	5.80	Maxitrol Appliance RV Series Appliance Regulators RV12 – Class 0, Grade 20, 1/8" 7 kPa RV20 – Class 0, Grade 20, ¼" & 3/8" 5 kPa RV47 – Class 0, Grade 20, 3/8" & ½" 5 kPa RV48 – Class 1, Grade 20, ½" & ¾" 5 kPa Available with BSP or NPT Connections Ambient temperature 0°C to 107°C, Optional 0°C to 135°C	

System Control Engineering Pty Ltd**JEAUVONS**

2146	6.71	Low Pressure Regulators Class 4 Grade 20 Models J78R and J78RS Nominal Sizes ½" (15 mm), ¾" (20 mm) and 1" (25 mm)	35 kPa
2232	5.73	J48 ¾", 1", 1¼", 1½" and 2" (Class 4 Grade 20)	
3722	1.84	80D-J Series 3/8", 60D-J Series ¼", 150D-J Series ½", J10SSP 1/8", J10DSSP ¼" (Class 3 Grade 20)	

Techrite Controls Australia Pty Ltd**SCP**

5193	1.95	SCP-SC-75 Series ½" x ½" NPT Model SC-75LT (Class 2 Grade 10) Model SC-75NT (Class 2 Grade 20) Model SC-75CT (Class 0 Grade 20)	
------	------	--	--

APPLIANCE THERMOSTATS (AS 4619)**Copreci S Coop****COPRECI**

6551	1.04	Modulating Appliance Thermostat with Flame Safeguard Models MTG 22300 and MT 22300	
------	------	---	--

Invensys Controls Australia Pty Ltd**ROBERTSHAW**

6583	5.04	GS Series Appliance Thermostat - Snap Acting Hydraulic Non 'Fail- Safe' Type GS4007 (GSJ10360004) 70°C to 290°C GS6002 (GSC80600014) 15°C to 120°C GS7005 (GS190300400) 95°C to 205°C RWP 3.5 kPa @ 0°C to 93°C Note: Model number in brackets denotes US equivalent model.	
------	------	--	--

APPLIANCE THERMOSTATS (AG 203)**Beckley Forge Pty Ltd**

2661	12.77	Series 2500 Oven Thermostat	
5130	6.94	Series 2810 Oven Thermostat with Thermoelectric Flame Safeguard	

Bromic Pty Ltd**SABAF**

3431	11.82	Models 20, 21, 22, 23, 24, 25, 30, 32, 33 and 34 Oven Thermostat with Optional Combination Grill Control	
------	-------	--	--

Copreci S Coop

6551	1.04	Copreci MTG Modulating Thermostat with Flame Safeguard Model MTG22300	
------	------	---	--

Invensys Appliance Controls SA**RANCO**

3087 4.80 Appliance Thermostats for
Absorption Refrigerators Models V35 and V61

Ispording Hispania SA

3247 7.81 GT300-029-B-1 Series Modulating Oven
Thermostat, Incorporating Flame Failure
Valve Model GT-361-001-001 6.5 kPa
Ambient Temperature 0°C to 150°C

Tu's Brothers Pty Ltd**TU'S**

6606 6.04 Thermostat Model TM-195

THERMOELECTRIC FLAME SAFEGUARDS (AS 4620)
--

Seven Universe Industrial Co Ltd**SU**

6884 4.06 Valve Type Thermoelectric Flame
Safeguard (without piezo and without pilot)
Model: AW90B0 3.447 kPa

THERMOELECTRIC FLAME SAFEGUARDS (AG 204)

BASO Gas Products LLC**Agent: Accutherm International Pty Ltd****BASO**

4236 7.87 H15 Series Thermoelectric Flame Safeguards
Models H15AA, H15AQ, H15AR, H15CA,
H15CQ, H15CR, H15DA, H15DQ,
H15DR, H15EA, H15EQ, H15ER,
H15FA, H15FQ, H15FR, H15HA,
H15HQ, H15HR, H15RA, H15RQ
and H15RR 3.5 kPa
1st suffix A,H: 3/8" (NPT)
R: 7/16" (CC)
C: 1/2" (NPT)
D, E: 3/4" (NPT)
F: 1" (NPT)
2nd Suffix A,Q: -40°C to 80°C
R: -40°C to 150°C
3rd/4th Suffix Customer specific requirements
6734 2.05 H19 Series High Pressure Safety Pilot
Valves Models H19LA-**, H19NA-**,
H19RA-** and H19TA-** 172 kPa
Code Details
L: 3/8" x 3/8" NPT, with flow interrupter
N: 1/4" x 1/4" NPT, with flow interrupter
R: 3/8" x 3/8" NPT, without flow interrupter
T: 1/4" x 1/4" NPT, without flow interrupter
**: Designates customer specific requirements,
ie pilot tap location, pilot tap plug.

Beckley Forge Pty Ltd

2579 1.77 Model 2200

Bromic Pty Ltd

3771 5.84 Models BM/MP 4001 and 4002 with various
inlet/outlet threads, offset and straight
through, standard and high pressure magnet

SIT Gas Controls Pty Ltd

3530 5.83 Model "D" Series R3/8, R1/2 and R3/4
Thermocouple Actuated Safety Control
3531 5.83 Simposit and Duposit Thermocouple
Safety Control

SIT Gas Controls Pty Ltd Continued

3532 5.83 Model M1 Thermocouple Safety Control
3533 5.83 Model "B" Series Thermocouple Safety
Control

System Control Engineering Pty Ltd**NEGAHBAN**

6219 12.01 Thermocouple Actuated Safety Control
Model NGC7303 3/4" NB
Ambient Temperature 0°C to 80°C 5 kPa

Techrite Controls Australia Pty Ltd**EITAR**

4706 6.91 Eitar Model 6400 NB 3/4 18 kPa

LPG REGULATORS (AS 4621)

Austcrown (International) Pty Ltd**AUSTCROWN**

5212 1.95 Single Stage LPG Regulator
Model TPA-7010 3 kg/h
@ 2.75 kPa Outlet Pressure 1750 kPa
Maximum Inlet Pressure 1750 kPa

Coleman Brands Pty Limited

6581 7.04 Single Stage LPG Regulator Assembly
Model: 9942A525A 1750 kPa
Non Adjustable
2.75 kPa Outlet Pressure
For exclusive use with selected Coleman
products only

Guangdong Chant Group Co**CHANT**

6890 12.05 Single Stage LPG Regulator
Model: C001 1750 kPa
1.5kg/h non-adjustable
Inlet Pressure: 250-1750kPa
Outlet Pressure: 2.8kPa
Inlet Connection: POL
Outlet Connection: 1/4 NPT female to adaptor

Onka (H.K) Co Ltd**ONKA**

6866 10.05 Two Stage Low Pressure LP
Gas Regulator
Onka Model: A2SR-60 (6kg/hr) 2.8 kPa
Plumbezy Model:
MDSR300 (6kg/hr) 2.8 kPa

LPG REGULATORS (AG 205)

Amalgamated Hardware Merchants Ltd**AHM**

6266 5.02 Non-Adjustable LPG
Regulator/Hose Assembly
with POL or 3/8" Fitting
(2kg @ 2.8 kPa) Model 700A 1750 kPa
6267 5.02 Right Angle, Non-
Adjustable LPG Regulator/
Hose Assembly with POL or
3/8" Fitting (2kg @ 2.8 kPa)
Model 700B 1750 kPa

Aquaknect Flexibles (A/Asia) Pty Ltd**PLUMB EZY**

6425	5.03	Aquaknect Plumb-Ezy Single Stage Low Pressure Regulator Model AC-M5-R Non-adjustable Regulator/Hose Assembly with POL Fitting.	
6661	9.04	LPG Single Stage Regulator AQCRH20 and AQCR-20 2 kg/h @ 2.8 kPa	1750 kPa

Bromic Pty Ltd**RECA**

3414	10.82	Model 75-1-8, 3.5 kg First Stage Fully Adjustable Maximum Inlet Pressure	1750 kPa
3735	2.84	Model 718-71-890, 2 kg Single Stage Non-Adjustable, Inlet/Outlet at 90° and 180° Maximum Inlet Pressure	1750 kPa
		Available with Pressure Gauge, Model 718-1-890 Available with Dual Take-off Outlet as Model 718/A	
3884	1.85	Model 73-1-8, 10 kg Single Stage Non-Adjustable Maximum Inlet Pressure	1750 kPa

Coleman Brands Pty Limited

6602	7.04	Coleman LP Gas Regulator Assembly Model 5430 For exclusive use with selected Coleman Products only	
------	------	--	--

Focus Lifestyle Products Pty Ltd**Focus Grand Hall**

5087	8.94	Model 7060 Single Stage Low Pressure 2.5 Kg/hr	
------	------	--	--

Kew Holdings Pty Ltd, T/As Kookaburra Gas & Leisure Products**KGE – GRAND HALL**

4865	8.92	Single Stage Low Pressure Regulators Models KGE7060 and KGE7061	
------	------	---	--

Overseas Industrial Corp - Agent: Cape Trading Sales**OVERSEAS**

6697	1.05	Single Stage Model RA202 (straight type regulator with female threaded outlet)	2.8 kPa
		Model RA203 (90 degree type regulator with female threaded outlet)	2.8 kPa
		Note: POL, Soft Nose, Hard Nose and 3/8 LH Versions	

Primus Australia Pty Ltd

5749	10.98	Primus – Astro OC Models 73-310, 73-311 & 73-312 Single Stage LPG Regulators	
------	-------	--	--

Sitro Group Australia Pty Ltd**GASMATE**

5087	8.94	Single Stage Low Pressure, 2.5 kg/h Model 8010-1 POL Regulator Valve Model 8010-3 Regulator for 3/8" BSP LH Cylinder Model 8010-4 Regulator for Primus Type Valve	
------	------	---	--

System Control Engineering Pty Ltd**ALIANCA**

6518	12.03	Two Stage LPG Regulator Model 76503/69 High pressure first stage, low pressure Second stage (4 kg @ 2.75 kPa)	
------	-------	---	--

TPA Metals and Machinery (Shenzhen) Co Ltd

5737	8.98	TPA Adjustable/non-adjustable, Single Stage Low Pressure Regulators, Models R200B and R200B/EFD (1.2 kg/h), R200, R200/EFD, R201 and R201/EFD (2 kg/h) Straight or Right Angled Inlet with Companion or POL Fitting Note: All models with the EFD suffix are fitted with an excess flow device.	
5841	4.99	Model ACR-6 Automatic Change Over Regulator	

Yung Shen Gas Appliance Co Ltd**GLOBAL**

6593	6.04	Single Stage, Low Pressure LPG Regulator Model 901 – Straight Connections Model 902 – Right Angled Inlet Connection 2 kg/hr non-adjustable, single stage, low pressure Inlet Pressure 250 – 1750 kPa Outlet Pressure 2.8 kPa Inlet Connection – POL or POL AUTO (Excess Flow Device Fitted) Outlet Connection - 1/4" NPT-18 Female	
6684	10.04	LPG Single Stage Low Pressure Regulator Model 601-A1 (90 degree connections) 1.5 kg/hr non-adjustable Inlet Pressure 250-1750 kPa Outlet Pressure 2.8 kPa Inlet Connection – POL or POL AUTO (Excess Flow Device Fitted) Outlet Connection - 1/4" NPT-18 Female	

MISCELLANEOUS LPG DEVICES**Air Liquide Australia Limited**

5515	5.97	Industrial Gas Outlets Frover 1 and Frover 2 (Natural and LP Gases)	150 kPa
------	------	---	---------

Focus Lifestyle Products Pty Ltd

5247	7.95	LPG Regulator Flow Limit Device and Thermal Shut-off	2600 kPa
------	------	--	----------

Premier Fosters (Australia) Pty Ltd

6127	3.01	Gasfuse Automatic Shut-Off Valve and Leak Detector	2600 kPa
		Note: Available in 2 body designs; Male POL inlet/Female POL outlet or Male POL inlet/ 1/4" Male NPTF outlet	

LPG CYLINDER VALVES (AS 2473)**Sitro Group Australia Pty Ltd****SHANDONG HUANRI**

6721	1.05	LPG Cylinder Valve Model YSF-RA-1	1750 kPa
------	------	-----------------------------------	----------

IGNITERS (AS 4622)

Bromic Pty Ltd

ISPRACONTROLS

- 4112 9.86 Igniter Box Models:
 BK25020.00, BK25040.00,
 BF50026.50, BF50046.50,
 BF50066.50, BK50020.01,
 BK50020.03, BK50025.00,
 BK50026.00, BK50028.01,
 BK50040.01, BK50040.03,
 BK50042.01, BK50044.00,
 BK50046.00, BK50060.02,
 BK50060.04, BK50062.01,
 BK50064.00, BK50066.00,
 BK50068.01, BF80026-N00,
 BF80046-N00, BF80046-N80,
 BF80066-N00, BF80066-N80,
 BF85046-00, BF90046-N00,
 BF90046-N20, BF90066-N10,
 BF90066-N20
 BK - Spark frequency 5 cycles
 (12V and 220/240V)
 BK - Spark frequency 6-9 cycles
 (1.5V)
 BF - Repetitive sparking 3 cycles in
 compliance with CEE 82/489 with
 AS/NZS 1044 (EN 55014 CEE 82/499
 and international standard CISPR)
 for electro-magnetic compatibility if
 correctly installed and when tested
 within an appliance

Techrite Controls Australia Pty Ltd

ANSTOSS

- 6688 11.04 240 Volt and Battery Operated
 Models: FZ2, FZ4, FZ6
 Model: UBZ2(*) – 2 Point
 Model: UBZ4(*) – 4 Point
 Model UBZ6(*) – 6 Point
 Note: FZ = 240 V & UB = Battery
 *Battery Voltage – 1.5, 9 or 12 DC

IGNITERS (AG 206)

Ambro Controls Pty Ltd

DREEFS

- 6144 5.01 Ignition Boxes Models
 GISL2C2 (240 Volt – 2 point),
 GISL4C2 (240 Volt – 4 point),
 GISL6C2 (240 Volt – 6 point)

Appliance Technology Australia Pty Ltd

- 5463 10.96 Antoss Electronic Ignition
 Device Models FZ2, FZ4 and FZ6

Bromic Pty Ltd

ITALQUARTZ

- 5700 12.98 Model P001 1.5V DC Igniter (Single Point)
 6155 6.01 Models H21/09/02/1.5; H21/09/04/
 1.5; H21/09/06/1.5 1.5V DC
 Igniter (2, 4 or 6 point)

System Control Engineering Pty Ltd

REGESA

- 5994 8.00 Regesa E3 Series Igniters
 P (1.5 vdc – 2 point, 12 vdc – 2 point
 or 240 vac – 1 point),
 P1 (1.5 vdc – 1 point),
 G (1.5, 9 or 12 vdc, 240 vac –
 5-8 points), GA (9 vdc – 6 point or
 240 vac – 6 or 8 point),
 P4, P4A, AF (240 vac – 2 point),
 P4A, AF (240 vac – 4 point),
 AT (240 vac – 1-4 points).
 Regesa E3/P-R Reigniter
 (240 vac – 1 point)

Tytronics Pty Ltd

- 6238 1.02 Models IG230A-1 Igniter
 (240 volt- 1 point)
 RI230A-1 Reigniter
 (240 volt – 1 point)
 RI230A-1E Reigniter
 (240 volt – 1 point, 1Hz spark)

HOSE ASSEMBLIES (AS/NZS 1869)

Class	Maximum Working Pressure at 23°C ± 2°C	Working Temperature
		Range °C
A	7.0 kPa	-20°C to + 65°C
B	7.0 kPa	-20°C to + 125°C
C	2600 kPa	-20°C to + 65°C
D	2600 kPa	-20°C to + 125°C

Abey Australia Pty Ltd

ABEY

- 5516 5.97 Easy Hooker Hose Assembly
 (Class D) 8mm, 10mm, 15 and 20mm 2600 kPa
 5588 5.99 Stainless Steel Hose Assembly
 (Class B) 20mm Nominal Bore 7 kPa

Acolaa International Co Ltd

ACOLAA

- 6848 9.05 GFLX Hose Assembly (Class C)
 6mm: 2600 kPa
 GH 1500 Series
 GH1500, GH1501, GH1502, GH1503,
 GH1504, GH1505
 GH 1550 Series
 GH1550, GH1551, GH1552, GH1553,
 GH1554
 GH 1600 Series
 GH1600, GH1601, GH1602, GH1603
 GH 1650 Series
 GH1650, GH1651, GH1652, GH1653,
 GH1654, GH1655
 GH 1700 Series
 GH1700, GH1701, GH1702, GH1703,
 GH1704, GH1705, GH1706
 GH 1750 Series
 GH1750, GH1751, GH1752, GH1753
 GH 1800 Series
 GH1800, GH1801, GH1802, GH1803
 8mm: 2600 kPa
 GH 000 Series
 GH000, GH001, GH002, GH003, GH004,
 GH005, GH006
 GH 050 Series

Acolaa International Co Ltd Continued
ACOLAA

GH050, GH051, GH052, GH053,
 GH054, GH055, GH056
 GH 100 Series
 GH100, GH101, GH102, GH103,
 GH104, GH105, GH106, GH107, GH108
 GH 150 Series
 GH150, GH151, GH152, GH153,
 GH154, GH155
 GH 200 Series
 GH200, GH201, GH202, GH203
 GH 250 Series
 GH250, GH251, GH252
 GH 300 Series
 GH300, GH301, GH302, GH303,
 GH304
 GH 350 Series
 GH350, GH351, GH352, GH353,
 GH354, GH355, GH356
 GH 400 Series
 GH400, GH401, GH402
 GH 450 Series
 GH450, GH451, GH452, GH453,
 GH454
 10mm: 2600 kPa
 GH 500 Series
 GH500, GH501, GH502, GH503,
 GH504
 GH 550 Series
 GH550, GH551, GH552, GH553,
 GH554, GH555, GH556, GH557
 GH 575 Series
 GH575, GH576, GH577, GH578,
 GH579, GH580
 GH 600 Series
 GH600, GH601, GH602, GH603,
 GH604, GH605, GH606
 GH 650 Series
 GH650, GH651, GH652, GH653
 GH 700 Series
 GH700, GH701, GH702
 GH 750 Series
 GH750, GH751, GH752
 GH 800 Series
 GH800, GH801, GH802, GH803,
 GH804
 12mm: 2600 kPa
 GH 1100 Series
 GH1100, GH1101, GH1102
 GH 1150 Series
 GH1150, GH1151, GH1152, GH1153
 15mm: 2600 kPa
 GH 1200 Series
 GH1200, GH1201, GH1202, GH1203,
 GH1204
 GH 1250 Series
 GH1250, GH1251, GH1252, GH1253,
 GH1254
 6849 9.05 GFLX Hose Assembly (Class D)
 6mm: 2600 kPa
 GHD 1500 Series
 GHD1500, GHD1501, GHD1502,
 GHD1503, GHD1504, GHD1505
 GHD 1550 Series
 GHD1550, GHD1551, GHD1552,
 GHD1553, GHD1554
 GHD 1600 Series
 GHD1600, GHD1601, GHD1602,
 GHD1603
 GHD 1650 Series

Acolaa International Co Ltd Continued
ACOLAA

GHD1650, GHD1651, GHD1652,
 GHD1653, GHD1654, GHD1655
 GHD 1700 Series
 GHD1700, GHD1701, GHD1702,
 GHD1703, GHD1704, GHD1705,
 GHD1706
 GHD 1750 Series
 GHD1750, GHD1751, GHD1752,
 GHD1753
 GHD1800 Series
 GHD1800, GHD1801, GHD1802,
 GHD1803
 8mm: 2600 kPa
 GHD 000 Series
 GHD000, GHD001, GHD002,
 GHD003, GHD004, GHD005, GHD006
 GHD 050 Series
 GHD050, GHD051, GHD052, GHD053,
 GHD054, GHD055, GHD056
 GHD 100 Series
 GHD100, GHD101, GHD102, GHD103,
 GHD104, GHD105, GHD106, GHD107,
 GHD108
 GHD 150 Series
 GHD150, GHD151, GHD152, GHD153,
 GHD154, GHD155
 GHD 200 Series
 GHD200, GHD201, GHD202,
 GHD203
 GHD 250 Series
 GHD250, GHD251, GHD252
 GHD 300 Series
 GHD300, GHD301, GHD302, GHD303,
 GHD304
 GHD 350 Series
 GHD350, GHD351, GHD352, GHD353,
 GHD354, GHD355, GHD356
 GHD 400 Series
 GHD400, GHD401, GHD402
 GHD 450 Series
 GHD450, GHD451, GHD452,
 GHD453, GHD454
 10mm: 2600 kPa
 GHD 500 Series
 GHD500, GHD501, GHD502,
 GHD503, GHD504
 GHD 550 Series
 GHD550, GHD551, GHD552,
 GHD553, GHD554, GHD555,
 GHD556, GHD557
 GHD 575 Series
 GHD575, GHD576, GHD577,
 GHD578, GHD579, GHD580
 GHD 600 Series
 GHD600, GHD601, GHD602,
 GHD603, GHD604, GHD605, GHD606
 GHD 650 Series
 GHD650, GHD651, GHD652, GHD653
 GHD 700 Series
 GHD700, GHD701, GHD702
 GHD 750 Series
 GHD750, GHD751, GHD752
 GHD 800 Series
 GHD800, GHD801, GHD802,
 GHD803, GHD804
 12mm: 2600 kPa
 GHD 1100 Series
 GHD1100, GHD1101, GHD1102
 GHD 1150 Series

Acolaa International Co Ltd Continued

ACOLAA

		GHD1150, GHD1151, GHD1152, GHD1153 15mm: 2600 kPa	
		GHD 1200 Series	
		GHD1200, GHD1201, GHD1202, GHD1203, GHD1204	
		GHD 1250 Series	
		GHD1250, GHD1251, GHD1252, GHD1253, GHD1254	
6850	9.05	Single Stage Non-adjustable LPG Regulator with (Class A) 8mm Hose Assembly 2.0 kg/h with Inlet POL Fitting and Outlet ¼ BSP or 3/8 SAE Model: AL001	7 kPa

Amalgamated Hardware Merchants Ltd

6228	5.02	Campmaster HP 6mm ID (Class C) Camping Hose	2600 kPa
6269	5.02	Campmaster HP 8mm ID (Class A) Camping Hose with Various End Fittings	7 kPa

Amalgamated Hardware Merchants Ltd

AHM, CAMPMASER, KOOKABURRA, WILD COUNTRY, FESTIVA

6719	3.05	PVC LP 6 and 8 mm ID (Class C)	2600 kPa
------	------	--------------------------------	----------

Aquaknect Flexibles (A/Asia) Pty Ltd

5465	10.96	8mm and 10mm NB Stainless Steel Braided Hose Assembly Various end fittings (Class D)	2600 kPa
		Hose/Regulator combination (Class A)	7 kPa
		Contact manufacturer for further details.	
5781	11.98	8mm & 10mm NB Stainless Steel Braided Hose Assembly Various end fittings (Class D)	2600 kPa
		Hose/Regulator combination (Class A)	7 kPa
		Contact Manufacturer for further details	
5919	2.00	PGH Series Hose Assemblies with Various End Fittings PGH 1000 – 6mm, PGH 2000 – 8mm & PGH 3000 – 10mm NB (Class C)	2600 kPa
		Hose/Regulator Combination (Class A)	7 kPa
		Contact Manufacturer for further details.	
6196	12.01	Aquaknect GF1000 Series (8mm NB) and GF2000 Series (10mm NB) Hose Assemblies GF 1000 Series Models: 1000, 1001, 1001/650, 1002, 1003, 1004, 1004/1500, 1004/1800, 1004/2400, 1004/2700, 1004/4000, 1004/5000, 1004/6000, 1004/7000, 1005, 1006, 1007, 1008, 1009, 1010, 1011, 1012, 1013, 1014, 1020, 1021, 1030, 1031, 1032, 1033, 1034, 1040, 1041, 1042, 1043, 1044, 1050, 1051, 1052, 1053, 1054, 1060, 1061, 1062, 1063, 1064, 1100, 1110, 1160, 1160/100, 1162, 1162/800, 1164, 1166, 1166/1100, 1166/1500, 1168, 1168/2000, 1172, 1172/3000, 1172/4000, 1172/6000, 1177, 1178, 1180, 1182, 1182/900, 1186, 1188, 1190, 1201, 1202, 1204, 1206, 1206/1500, 1208, 1209, 1209/2200, 1210, 1210/3000, 1210/3500, 1210/4000, 1226, 1226/600, 1226/900, 1228, 1228/2700, 1230, 1240, 1243, 1245, 1246, 1248, 1248/2000, 1248/2700, 1280,	2600 kPa

Aquaknect Flexibles (A/Asia) Pty Ltd Continued

AQUAKNECT

		1282, 1284, 1284/1000, 1286, 1288, 1288/ 4000, 1288/7000, 1292, 1320, 1321, 1322, 1323, 1324, 1400, 1401, 1402 and 1404 GF2000 Series Models: 2000, 2001, 2002, 2003, 2004, 2005, 2010, 2011, 2012, 2013, 2014, 2019, 2020, 2021, 2022, 2023, 2024, 2030, 2031, 2032, 2033, 2040, 2041, 2042, 2043, 2044, 2045, 2045/4000, 2050, 2051, 2052, 2053, 2054, 2054/2000, 2060, 2061, 2062, 2063, 2064, 2070, 2071, 2072, 2073, 2074, 2075, 2075/2700, 2075/3000, 2075/4000, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2095, 2100, 2102, 2103, 2104, 2105, 2106, 2106/2000, 2106/3000, 2106/6000, 2109, 2110, 2111, 2111/750, 2112, 2113, 2114, 2115, 2115/2000, 2120, 2121, 2122, 2123, 2124, 2201, 2202, 2202/900, 2202/1200, 2202/1800, 2228, 2228/1000, 2230, 2231, 2232, 2232/4000, 2232/5000, 2240, 2241, 2248, 2248/600, 2248/900, 2248/1200, 2248GC, 2250, 2250GC, 2251, 2252, 2252GC, 2300, 2301, 2301/450, 2302, 2303, 2304, 2320, 2322, 2324, 2326, 2326/2500, 2326/3000, 2326GC, 2400, 2401, 2402, 2607, 2608, 2609, 2630, 2636, 2638, 2654, 2656, 2658, 2700, 2701, 2702, 2703, 2704, 2750, 2752, 2754, 2800, 2802, 2900, 2930, 2931, 2950, 2960, 2961, 2962, 2964, 2975, 2977, 2980, 2981, 2982, 2983 and 2984 Model QSG2000 – Hong Kong Class D – Stainless Steel Braided Hose Assembly 2600 kPa Class A Hose/Regulator Combination MWP 7 kPa Various end fittings – Contact Manufacturer for further details.	
6424	5.03	Aquaknect (Class C) Stainless Steel Braided Hose Assembly Models GFPVC008 (8 mm NB) and GFPVC010 (10 mm NB) PVC Hose Lining, Various End Fittings. Contact manufacturer for further details.	2600 kPa
6891	12.05	Aquaknect Class D Hose Assembly GFD-008 and GFD-010	2600 kPa

Aquaknect Flexibles (A/Asia) Pty Ltd

PLUMB EZY

6560	4.04	Hose and Regulator Assembly Model AQR-20 Hose/Regulator Combination, Class A	2.75 kPa
		Contact manufacturer for further details.	

Aquaknect Flexibles (A/Asia) Pty Ltd

PLUMB-EZY QIK-SCREW /ABEY

4007	11.85	8mm-26mm N.B. Braided Stainless	
4385	11.88	8mm, 10mm, 12mm and 15mm ID NB Braided Stainless Steel (Class C)	2600 kPa
		Hose/Regulator combination (Class A)	7 kPa
		Contact Manufacturer for further details	

Barfell Industries Pty Ltd**BARFELL**

4269	4.91	PVC Hose Assembly 10mm ID x 17.2 mm OD PVC upt o 3M long, (Class A) fitted with either a 3/8" or 1/2" BSP loose nut or fixed male nipple and a Type 1 Bayonet Quick Connect Device	7 kPa
5555	5.97	PVC Hose Assembly 10mm ID x 16mm OD up to 3M long, (Class A) Cut Lengths up to 3M and fitted various end fittings	7 kPa

Barfell Industries Pty Ltd**BARFELL/GASMATE**

3445	12.82	PVC Hose Assembly 6.4mm ID x 12.8mm OD Hose Assembly up to 3M long (Class C). Fitted with either a 1/4" or 3/8" BSP Loose Nut or Fixed Male Nipple or a 16mm Knurled Nut with Restrictor Jet.	2600 kPa
------	-------	--	----------

Beams Gas Ignitor Co Ltd - Agent: 28 Newlands Road**Holdings Pty Ltd T/as Garth Sheetmetal****BEAMS**

6164	8.01	8mm PVC Hose Assembly (Class C) with GSM-02 Quick Connect and LPG Regulator with/without Excess Flow Device Models: 2161 (Beige), and 4161 (Black) Beams, Chant, Garth, GSM and Plato 2160 or 2160E Single Stage Low Pressure LPG Regulator 0.6 m ³ /hr (2 kg/hr @ 2.8 kPa)	2600 kPa
------	------	---	----------

Bromic Pty Ltd**BROMIC/KOOKABURRA/PRIMUS/SIEVERT/
GASMATE/ TESUCO/EASTERN
LEISURE/MAXBILT/GAMECO**

4237	11.87	Hose Assembly (Class C) /B-6 mm and /N-6 mm	2600 kPa
------	-------	--	----------

Bromic Pty Ltd**BROMIC**

4303	6.88	8mm NB Hose Assembly (Class C)	2600 kPa
4430	10.89	MT 8mm NB Hose Assembly(Class A)	7 kPa
4631	2.91	Hose Assembly Models Bromic/B and Bromic/N – 10mm (Class A)	7 kPa
5155	11.94	8mm LPG Hose Assembly (Class A)	7 kPa
5368	1.96	FITT 6mm and 8mm LPG Hose Assembly (Class C)	2600 kPa
5497	6.97	FITT 10mm Hose Assembly (Class C)	2600 kPa
		Stainless Steel Braided Hose Assembly (Class B) Bromic Gas 10 mm Bromic/H Gas 10 mm, 13 mm & 19 mm	7 kPa 7 kPa
5581	6.98	Bromic/A 6.3mm (Class C) Hose Assembly with alternate Barbs	2600 kPa
6223	12.01	6.3mm Hose Assembly (Class C)	2600 kPa
6409	4.03	Bromic 6.7mm Hose Assembly (Class C)	2600 kPa
6420	5.03	Bromic 6.3 mm Hose Assembly (Class C)	2600 kPa

Chuan Hseng Co Ltd**CHUAN HSENG/GASMASTER**

6100	1.01	PVC LP Hose Assembly Class C Models: 8 mm ID and 6 mm ID Various end fittings conforming to a recognised standard.	2600 kPa
------	------	---	----------

Coleman Brands Pty Ltd

6856	12.05	Coleman 5" PVC Hose Assemblies (Class C) 5470-564A, R5470-564A, 5470B560A, R5470B560A3, 5040-5651A	2600 kPa
------	-------	---	----------

Dormont Manufacturing Company**Agent: System Control Engineering**

5305	9.95	Series 30, 40, 50 and 60 Plastic Coated, Stainless Steel Assemblies with Quick Disconnect Class B	7 kPa
5607	6.99	Cimfast Combination Ball Valve/Quick Disconnect/Hose Assembly CF50, CF75 and CF100	7 kPa

Elitre Co Ltd - Agent: Cape Trading Sales

6255	4.02	Elitre RHS-005 8mm Stainless Steel Braided Class C Hose Assembly 50FFCO, 50MFCO, 50FFW, 50MFW, 50FFRC, 50MFCR, 50FFCA, 50MFCA, 50MM, 37FFCO, 37MFCO, 37FFW, 37MFW, 37FFCA, 37MFCA, 37MM, 25FFCO, 25MFCO, 25FFW, 25MFW, 25FFCA, 25MFCA and 25MM	2600 kPa
		Connection Size: 50 = 1/2", 37 = 3/8", 25 = 1/4" Connection Type: F = Female, M = Male, CO = Cone, N = Female Connector, MC = Male Connector, FW = Flat Washer, FCA = Female Cave, RC = Rubber Cone	

Fluid Systems Technologies (ES) Pty Ltd**SWAGELOK**

4564	7.90	Thermoplastic Hose Assembly 7R-4 6mm (1/4"), 8R-4 6mm (1/4") and 8R-8 13mm (1/2") (Class C)	2600 kPa
------	------	---	----------

Genesis Australia Corporation Pty Ltd**GENESIS**

6735	3.05	Regulator/Hose Assembly Model GAC-001 (Class A)	7 kPa
------	------	--	-------

Gerrard Hydraulics**COOKERHOSE**

4438	7.89	9.5mm, 12.7mm, 19.0mm and 25.4mm I.D. Hose Assembly (Class C)	2600 kPa
------	------	--	----------

Guangdong Chant Group Co**CHANT**

6682	1.05	8 mm PVC Hose and Regulator Assembly A003 – Hose and Standard Regulator (1.5 kg/hr) (Class A) A004 – Hose and Flow Limiting Regulator (2 kg/hr) (Class A) 8 mm Hose Assembly – Female Flare 3/8" x 3/8" SAE (Class A)	7 kPa 7 kPa 7 kPa
------	------	---	-------------------------

Hardware Importing Co – A Div. Of Parkware Trading**P/L**

5614	7.00	10mm and 15mm, Class A, Stainless Steel Braided Hose Assembly	7 kPa
		10mm, 15mm and 19mm , (Class C)	2600 kPa
		20°C to 65°C	
		Hoses available with various end connections, including Type 1 bayonet	
		Refer to Hardware Importing for details.	
6316	10.02	8 mm Hose Assembly (Class C)	2600 kPa

Keefer Bros. (Vic) Pty Ltd**KEEFLEX**

1894	4.70	½"ID Grey or Black Hose Assembly (Class A)	7 kPa
		Note: Hose assemblies are certified for the attachment of various end fittings.	

Kew Holdings Pty Ltd, T/As Kookaburra Gas & Leisure Products**KGE**

4440	9.89	Kookaburra Hose Assembly KGE 6mm (Class C)	2600 kPa
------	------	--	----------

Nationwide Electrical Wholesale Pty Ltd

5197	6.95	6mm Hose Assembly (Class C)	2600 kPa
------	------	-----------------------------	----------

Nova Comet Srl**NOVACOMET**

6637	10.04	8 mm PVC Hose Assembly (Class C) Optional: NovaComet Europa 5 Type 1661 and 1661E LPG Regulator	
		Connections: Regulator – POL, Hard Nose and O-Ring Hose – G¼ ISO228 (Internal Cone)	
		Maximum Working Pressure – Hose	2600 kPa
		Regulator	1750 kPa
		Ambient Temperature –20°C to 65°C	
		Note: Type 1661E Regulator incorporates a flow limiter	

Overseas Industrial Corp – Agent: Cape Trading Sales

6470	8.03	OIC, Gasmate, Gasmaster and Kookaburra 8mm ID, PVC (Class C), Model PHP Hose Assembly	2600 kPa
		Various lengths and brass end fittings conforming to a recognised standard. PHP Hose Assembly with RA201 or RA201T Regulator (Class A)	7 kPa

Overseas Industrial Corp – Agent: Cape Trading Sales**OVERSEAS**

6830	11.05	Model: RA201-SS (Class A)	7 kPa
		2 kg/hr LPG Single Stage Regulator with Class A 8mm stainless steel hose assembly attached. (Inlet, hose length and end fittings to customer specifications).	
		Model: RA201T-SS (Class A)	7 kPa
		2 kg/hr LPG Single Stage Regulator with pressure test point and Class A 8mm stainless steel hose assembly attached. (Inlet, hose length and end fittings to customer specifications).	

PGI – Parigi Group International SpA**SICURGAS T**

6729	1.05	Stainless Steel Braided 'NBR' Hose Assembly Model: SIT 10 mm (Class A)	7 kPa
------	------	--	-------

Parker Hannifin (Aust) Pty Ltd**PARFLEX**

4804	6.93	Series 55FR 6mm, 10mm, 12.5mm and 20 mm Hose Assemblies (Class D)	2600 kPa
------	------	---	----------

Pirtek Fluid Systems Pty Ltd**SYNFLEX**

4805	9.92	6mm, 8mm and 10mm Type 31FO Hose Assembly (Class D)	2600 kPa
------	------	---	----------

Rilas Pty Ltd**RILAS**

5980	3.00	Model AYR006 6mm PVC Hose Assembly (Class C)	2600 kPa
6813	7.05	8mm ID Steel Braided Hose Assembly Model AYR008 (Class C)	2600 kPa

Rinnai Australia Pty Ltd**RINNAI**

6896	3.06	PVC 10 mm ID Fitted with 3/8" BSP Loose Nut and a Type 1 Bayonet Plug Quick Connect Device Model: RCE (Class A)	7 kPa
------	------	---	-------

Ryco Hydraulics Pty Ltd**RYCO**

4061	5.86	6mm Gates G14 Hose Assembly (Class C)	2600 kPa
4126	10.86	6mm Hose with G100 Fitting (Class C) (Also branded as "Ryco", "Gameco", "Kookaburra" and "Shields")	2600 kPa
4247	4.91	M24G (6.3mm), M26G (9.5mm), M28 (12.5mm) and M212G (19mm) Hose Assembly (Class C)	2.6 MPa
		Note: Nominated end fittings compatible with hose models 100 Series crimp coupling for M24G, T400 Series crimp couplings for M24G, M26G and M212G 400 series field attachable for M24G, M26G, M28G and M212G.	
5271	8.96	6, 10, 12.5, 19, 25 & 32 mm Hose Assembly with 400 and 1400 Series End Fittings (Class C)	2600 kPa
5523	5.97	RQGI Assemblies (Class D) ID ¼", 3/8" ½", 5/8", ¾" and 1"	2600 kPa

SC Kingflex Corporation – Agent: Ausquip Trading Pty Ltd**SC KINGFLEX**

5318	11.95	LPG Hose Assembly 8mm (Class D) Model: LP0 253XBS-AQ	2600 kPa
		With/without stainless steel outer braided cover and fitted with various end fittings - Parker, Weatherhead, Aeroquip, Bevic field attachable or Kingflex factory fitted	

Sitro Group Australia Pty Ltd

4862	6.92	H3 5mm Hose Assembly (Class C)	2600 kPa
------	------	--------------------------------	----------

Sitro Group Australia Pty Ltd**GASMATE**

3445	12.82	6mm Hose Assembly (Class C)	2600 kPa
------	-------	-----------------------------	----------

Supagas – Division of Supagas Pty Ltd

4568	8.90	6mm PVC Hose Assembly (Class C)	2600 kPa
------	------	---------------------------------	----------

Thomas Gooden Foundry Services Pty Ltd**GOODEN/ESDAN**

3732	2.84	10mm & 12mm Hose Assembly (Class A)	7 kPa
------	------	-------------------------------------	-------

Toyota Motor Corporation Australia Ltd**GOSEI**

4106	9.86	4mm, 7.5mm, 13mm and 19mm Low Pressure Hose (Class A) Note: Fork lift application only.	7 kPa
------	------	---	-------

TPA Metals and Machinery (Shenzhen) Co Ltd

5702	6.98	5mm TPA HPH-8 Hose Assembly (Class C)	2.6 MPa
5716	5.99	8mm Low Pressure Hose Model AS 0516L (Class A)	7 kPa
6356	11.02	TPA or Primus PVC 8 mm Model APH801 (Class C)	2600 kPa

United Four Co Ltd**Agent: Aussie Outdoor Imports and Exports Pty Ltd**

6262	7.02	Solimar and BSI Hose Assembly with Regulator Model P1301-AU 8 mm ID (Class C)	2600 kPa
------	------	---	----------

Vickers Systems Pty Ltd**AEROQUIP**

4502	6.91	Hose Assembly FC621-06 8mm NB (Class D)	2600 kPa
------	------	--	----------

Yung Shen Gas Appliance Co Ltd**GLOBAL**

6596	6.04	8 mm NB Hose Assembly with Attached 1.5 kg/hr Non-Adjustable, Single Stage, Low Pressure (2.8 kPa) LPG Regulator Model 601-A Inlet/Outlet 90 degrees Class A	7 kPa
		Model 601-A2 Inlet/Outlet 180 degrees Class A	7 kPa
		Inlet Pressure 250-1750 kPa Inlet Connection POL or POL AUTO (Excess flow device fitted)	
6603	7.04	Model YSH001 (Class C) 8mm ID, Various Brass Threaded End Fittings (male and female) to a Recognised Standard	2600 kPa

LIMITED FLEXIBILITY CONNECTORS (AS 4631)**Tyco Flow Control Pacific Pty Ltd T/as Flexible Piping Systems****FPS**

4989	5.93	Limited Flexibility Connector – Class B Plant Link 6mm, 10mm, 12mm, 16mm, 20mm, 25mm, 32mm, 38mm, 50mm, 65mm, 75mm and 100mm (Corrugated stainless steel inner with braided stainless steel outer wrap)	1500 kPa
------	------	--	----------

LIMITED FLEXIBILITY CONNECTORS (AG 216)**Convolute Technologies Pty Ltd****STANDARD FLEX/SUPER FLEX**

6745	4.05	Stainless Steel Hose Assembly Single Braid 316L STFL1 (ID 6, 10, 12, 16, 20, 25, 32, 40, 50, 65, 80 & 100 mm)	1500 kPa
		Double Braid 316L STFL2 (ID 125, 150 & 200 mm)	1500 kPa
		Single Braid 316L SUFL1 (ID 12, 16, 20, 25, 32, 40, 50, 65, 80 & 100 mm)	1500 kPa

Deutz Australia Pty Ltd**WITZENMANN**

6345	10.02	Flanged Stainless Steel Limited Flexibility Connector Models 080813 RS 331L12 (50mm), 380107 RS 331L12 (65mm), 380106 RS 331L12 (80mm), 377200 RS 331L12 (100mm)	50 kPa
------	-------	---	--------

Dormont Manufacturing Company**Agent: System Control Engineering Pty Ltd****DORMONT**

5531	5.97	Corrugated Stainless Steel Connectors (PVC coated and uncoated) Series 10, 20, 30, 40, 50 & 60 Series 16 (25 to 100) NPFS	500 kPa
------	------	--	---------

Haci Ayvas Endüstriyel Mamüller

5519	8.97	Ayvaz Stainless Steel Connectors Models ASS 10 FHU, ASS 12 FHU, ASS 16 FHU, ASS 20 FHU, ASS 25 FHU, ASS 32 FHU, ASS 40 FHU and ASS 50 FHU Rated Working Temp 0°C to 125°C	7 kPa
------	------	--	-------

Pacific Hoseflex Pty Ltd**PACIFIC HOSEFLEX**

6724	2.05	SS1 (Single SS Braid) and SS2 (Double SS Braid) Models SS1/SS2 (6, 10, 13, 19 and 25 mm)	1500 kPa
		SS1/SS2 (32, 38, 51, 62.5, 75.5 and 103 mm)	1000 kPa

Radcoflex Australia Pty Ltd**LOCOR/PARCOR/PARRAP/PARNOR**

4041	3.86	Stainless Steel Connectors Locor/Parcor 9mm-27mm and 20mm-50mm (Class D)	2600 kPa
		Locor/Parcor 65mm-100mm (Class B)	7 kPa
		Parrap/Parnor 1/4"-2" (Class D)	2600 kPa
		Parrap/Parnor 2 1/4"-4" (Class B)	7 kPa

JOINTING MATERIALS AND COMPOUNDS (AS 4623)**JOINTING COMPOUNDS****Basil VR Greatrex Pty Ltd****FACOT**

6672	2.05	Anaerobic Thread Sealant "Gas Seal"	2600 kPa
------	------	--	----------

Holdtite Australia Pty Ltd**GASTITE**

6900	12.05	Pipeseal High Viscosity Gel Paste Model: S77Y	2600 kPa
------	-------	--	----------

JOINTING MATERIALS**ACL Specialised Gaskets Pty Ltd****FLEXITALLIC**

4383	2.89	Thread Seal Tape JCTD Series GT PTFE	2000 kPa
------	------	---	----------

ACL Specialised Gaskets Pty Ltd**PERMANITE**

4730	8.91	Gasket Material AFS 2100	2500 kPa
------	------	--------------------------	----------

Basil VR Greatrex Pty Ltd**FACOT**

6732 4.05 Thread Sealing Tape
Model Silicon Sealing Tape 2600 kPa

Donit Tesnit dd**TESNIT**

6780 6.05 **Q-Fit Australasia Pty Ltd**
Non Asbestos Gasket Sheeting
Model BA-U 10 000 kPa

Queensland Gaskets

Non Asbestos Gasket Sheeting
Model BA-U 10 000 kPa

South Eastern Gaskets Pty Ltd

Non Asbestos Gasket Sheeting
Model BA-U 10 000 kPa

Agent: Trelleborg Qld Rubber P/L

C/- Trelleborg Armwest
Non Asbestos Gasket Sheeting
Model BA-U 10 000 kPa

Fedseal**FEDSEAL**

6940 5.06 Gas Thread Sealing Tape
Model: FS 003 2600 kPa

Garlock Pty Limited**GARLOCK**

6893 12.05 Gasket Material Garlock Style 9800 2600 kPa

Henkel Australia Pty Ltd

6007 8.00 Product 55 Jointing Material
Pipe Sealing Cord 2400 kPa

Reece Pty Ltd**BRIDGLAND**

6871 10.05 High Density Teflon Tape
RWT 180°C to 260°C 2.6 MPa

JOINTING MATERIALS AND COMPOUNDS (AG 208)
--

JOINTING COMPOUNDS

J Blackwood & Son Ltd

4068 6.86 Stag Jointing Compound 20 kPa

Basil VR Greatrex Pty Ltd

2619 7.77 La-Co Tot Non Drip Compound 7 kPa
2672 1.78 La-Co Slic-Tite Compound 1050 kPa

Bostik Findley Australia Pty Ltd

4640 2.91 Plumb-Weld Jointing Compound
Gas Pipe Thread Sealant 1050 kPa

Bromic Pty Ltd**LOXEAL**

5047 9.93 Loxeal/Bromic Type 18-10 Medium
Pressure Anaerobic Thread Sealant 1050 kPa
5048 9.93 Loxeal/Bromic Type 58-11 High
Pressure Anaerobic Thread Sealant 2600 kPa

Henkel Australia Pty Ltd

2590 3.77 Loctite 510 and 515 Jointing Compound
Gasket Eliminator 690 kPa
3207 3.81 Loctite 567 Jointing Compound
Pipe Sealant 1050 kPa
3375 5.82 Loctite 569 Hydraulic Jointing
Compound Thread Sealant 1050 kPa
4787 7.92 Loctite 577 Jointing Compound
Pipe Sealant 2600 kPa

WT Hawkins (Aust) Pty Ltd

4058 5.86 Hawkins Jointing Compound
Temperature Resistance 10°C to 135°C 7 kPa

ITW Polymers & Fluids – A Div of ITW Australia Pty Ltd

2262 11.73 Jointing Compound Rocol Gasseal 7 kPa

J & B Products

1839 10.69 “Boss White” Pipe Jointing Compound 70 kPa

Mirror Paints Pty Ltd

3373 5.82 Mirror Type 577 Pipe Sealant 7 kPa

Nichias FGS SDN BHD**TOMBO**

6635 9.04 Yellow Gas Line PTFE Thread
Seal Tape 12.4mm x 0.09mm 2100 kPa
Rated Working Temperature:
-40°C to 150°C

Permabond Engineering Adhesives Ltd**Agent: Rowe Trading Co Pty Ltd**

3217 5.81 Permabond Jointing Compound A131 1050 kPa
3940 5.85 Permabond Jointing Compound A129 1050 kPa
5999 10.00 Permabond Anaerobic Thread
Sealant A1044 2500 kPa

Thomas Grozier & Son Pty Ltd

3992 9.85 Dixon Pipe Jointing Compound 30 kPa

Unasco Pty Ltd

2616 7.77 PTFE (Teflon) Thread Sealant Paste 2600 kPa
3223 5.81 Heavy Duty Thread Sealant Compound
(with Teflon Fibres) 3300 kPa

Unasco Pty Ltd**UNASCOSEAL ORANGE**

6636 10.04 CT011 Thread Sealant 14 kPa

JOINTING MATERIALS

Blackwell Trading Co Pty Ltd

4867 10.92 Boston PTFE Thread Seal Tape
Temperature Range -200°C to +310°C 2600 kPa
5034 9.93 Boston PTFE High Density Gas Seal Tape
Temperature Range -200°C to +310°C 2600 kPa

Cop-A-Mate Products Pty Ltd

5720 7.98 Cop-A-Mate Flange System
25mm-450 mm with male spigot or
female socket 2000 kPa

Elson Australasia Pty Ltd

6001 5.00 Oschin Gas Tape 60507 2600 kPa

Fibras Y Elastomeros SA - Agent: Hawleys Pty Ltd

6427 4.03 Montero Belpa Gasket Material
Model CSA-320 5000 kPa

Fluid System Technologies (ES) Pty Ltd

5551	7.97	Swagelok Thread Tape P/No's MS-STR-4 (1/4")	25 MPa
		MS-STR-8 (1/2")	25 MPa

Garlock Pty Ltd

4516	12.89	Blue-Gard Style 3000 Gasket Material	2600 kPa
4810	5.92	Garlock Style 2950 Gasket Material	3300 kPa

Klinger Pty Ltd

5237	1.95	Klingsil C-4430 Flange Jointing Material	2600 kPa
5582	8.97	Klinger 12 x 0.1mm PTFE (Teflon) Gas Sealant Tape	7 kPa to 25 MPa

Nichias FGS SDN BHD

6438	5.03	Tombo Yellow Gas Line PTFE Thread Seal Tape 12.4mm x 0.09mm Rated Working Temperature -40°C to 150°C	690 kPa
------	------	---	---------

Unasco Pty Ltd

3228	6.81	Gas Sealant Yellow Teflon Thread Tape	30 MPa
5238	2.95	Apex Gas Tape	2600 kPa
5239	2.95	Unasco White GT Sealing Tape	2600 kPa

COMBINATION CONTROLS (AS 4624)

Class classification listed in each entry.

Bromic Pty Ltd**PEL PINTOSI**

6879	1.06	Commercial Gas Control with Flame Failure Control, Solenoid Valve and Pilot (optional) Class 1 35S – with Pilot Connection 36S – without Pilot Connection	5 kPa
------	------	--	-------

Invensys Controls Australia Pty Ltd**ROBERTSHAW**

5414	10.96	Unitrol Combination Control – Storage Water Heater - Class 3 Models: 220RTSP and 220RTSPHX Regulated Pilot Class 4, Grade 20 Regulator	5 kPa
6716	12.04	Unitrol 7000 Series Combination Controls – Class 3 Models: BERL3501, BERL4512, BERL4520, BMVRL5507, BMVRL5515, BMVRL5517, BMVRLS7C5515, BMVRLS7C5523, BMVRLS7C5531 and DERHCS7C Regulator Classification: Type B Class 2, Grade 20 Models BGORL6032 and BGORL6040 Regulator Classification: Type B Class 3, Grade 20	3.5 kPa

Johnson Controls, JCI Regelungstechnik GmbH**Agent: Accutherm International Pty Ltd****JOHNSON CONTROLS**

5059	11.93	GS and GM Series Gas Valves with GO Series Gas Options GS – Single Solenoid Gas Valve GS-1000, GS-2000 and GS-4000 Series GM – Multifunction Solenoid Gas Valve GM-2000 and GM-4000 Series Voltage: 24, 110, 240 Valve Size: 3/8", 1/2", 3/4", 1" and 1 1/2" GO Series Gas Options: CPI – (Closed Position Indicator) – 2000 and 4000 Series Twin Seat Valves Single Seat Valves Regulated Valves	35 kPa 20 kPa 10 kPa
------	-------	--	----------------------------

Robertshaw Controls Co, Invensys Climate Controls**ROBERTSHAW**

6828	7.05	7500 Series Combination Controls Class 3 – Models 7500MVR, 7500MVRB, 7500MVRBC, 7500MVRB-LP, 7500MVRC and 7500MVR-LP	6.5 kPa
------	------	--	---------

SIT Gas Controls Pty Ltd**SIT**

6912	2.06	850 Micro and 853 Micro Combination Controls – Class 2 Model: 850 (On-Off Version) - Automatic Shut-Off Valve EV1 (Class 2) and EV2 (Class 2) Regulator (Class 2, Grade 20) Model: 853 (High-Low Modulating Version) – Automatic Shut-Off Valve EV1 (Class 2) and EV2 (Class 3) Regulator (Class 2, Grade 20)	6 kPa 6 kPa
------	------	--	----------------

System Control Engineering Pty Ltd**KROMSCHRODER**

4496	10.89	CG Series Combination Controls – Class 1 CG 1 Rp: 3/4" CG 2 Rp: 3/4", 1", 1 1/4" and 1 1/2" CG 3 Rp: 1 1/2" CG 2R03 Rp: 3/4", 1" and 1 1/2" CG10 Rp: 1/2" CG15, CG 20, CG 25 and CG 30 Rp: 1/2", 3/4", 1", 1 1/4" and 1 1/2"	10 kPa 10 kPa 10 kPa 36 kPa 15 kPa 36 kPa
------	-------	--	--

System Control Engineering Pty Ltd**NEGAHBAN**

6220	12.01	Combination Control Model NGC6801 Class 3 Ambient Temperature: 0°C to 80°C	5 kPa
------	-------	--	-------

System Control Engineering Pty Ltd

WHITE RODGERS

5153 3.95 25M Series Combination Controls
 Models 25M-05V-***, 25M-06V-***,
 25M-16V-***, 25M-42S-***,
 25M-42V-*** and 25M-82S-*** 5 kPa
 Class 2 Automatic Shut-Off Valve
 Class 4, Grade 20 Regulator
 Ambient Temperature 0°C to 60°C
 Note: Last three characters (***) identify:
 Thread form, NPT or Rp
 Special fittings, ie Inverted flare or
 Compression
 Customer specific labelling
 Inlet/Outlet configuration
 Regulator setting, NG and LP
 Electrical connections

COMBINATION CONTROLS (AG 209)

Class classification listed in each entry.

BASO Gas Products LLC

Agent: Accutherm International Pty Ltd

BASOTROL

3495 3.83 G96 and G196 Series Combination
 Controls – Class 3
 G96 HGA Series (BSP) and
 G96 SHA Series (NPT) 3.5 kPa
 G196 *GH Series 3.4 kPa

Bromic Pty Ltd

PEL

4459 7.89 Commercial Appliance Application
 with Pressure Test Point and Adjustable
 Pilot Outlet Class 3
 Models 24ST, 24ST-S Large Capacity 7 kPa
 Model 25ST Medium Capacity 7 kPa

Honeywell Limited

HONEYWELL

Note: The final four digits after the model number have no effect on the safety of the valve but determine finer characteristics and individual customer special requirements. For more information, please contact Honeywell.

2380 10.75 V4400 and V8800 Series Combination
 Controls Class 3 Models V4400A 1025,
 V4400A 1090, V4400A 1108, V4400A 1116,
 V4400B 1015, V4400C 1013, V4400C 1104,
 V4400C 1112, V4400C 1211, V4400C 1229,
 V4400C 1237, V4400C 1245, V4400C 1286,
 V4400C 1302, V4400C 1310, V4400C 1336,
 V4400C 1369, V4400C 1377, V4410C 1011,
 V8800A 1014, V8800A 1030, V8800A 1063,
 V8800A 1105, V8800A 1113, V8800A 1121,
 V8800C 1044, V8800C 1051, V8800C 1119,
 V8800C 1127, V8800C 1135 5 kPa
 2959 4.79 Compact Series V4600 and V8600 Class 3
 Note: Working pressure variable with regulator
 type – refer to manufacturer’s catalogue.
 4717 7.91 VR430* Series (240V) Class 2
 VR830* and VR840* Series (24V) 3.5 kPa
 Dual Automatic Valves, Safety
 Shut-off and Manual Valve.
 Regulator: Class 3, Grade 20
 VR8300/VR4300 Continuous pilot
 VR8304/VR4304 Intermittent pilot
 VR8305/VR4305 Direct ignition
 VR8405/VR4405 Direct ignition/dual
 Controls, mounted in series

Honeywell Limited Continued

HONEYWELL

4733 8.91 VR46*** and VR86*** Series Combination
 Controls Class 2
 3rd Character – Line Voltage:
 4 = 240V/50 Hz
 8 = 24V/50 Hz
 5th Character – Valve Class:
 0 = Class 2 + 3
 6th Character – Pilot:
 1 = Pilot, 5 = No Pilot
 7th Character – Operator:
 A = Fast opening with regulator
 B = Fast opening without regulator
 C = SOFTLITE opening with regulator
 D = SOFTLITE opening without regulator
 M = Fast opening with Modureg
 N = SOFTLITE opening with Modureg
 P = Fast opening with high-low
 Q = SOFTLITE opening with high-low
 Regulator Class 4, Grade 20
 Maximum Inlet Pressure 6.0 kPa
 Ambient Temperature 0°C to 70°C
 (Standing Pilot)
 0°C to 60°C (Compact Automatic)
 4752 10.91 VR420* Series (240V) & VR820* Series (24V)
 Dual Automatic Valves, Class 2 3.5 kPa
 Safety Shut-off and Manual Valve.
 Regulator: Class 3, Grade 20
 VR8200/VR4200 Continuous pilot
 VR8204/VR4204 Intermittent pilot
 VR8205/VR4025 Direct Ignition
 5354 5.97 VK41*** Series – 240V and VK81*** Series
 24V Combination Controls Valve Classification:
 Valve 1 – Class 2
 Valve 2 – Class 3
 Regulator Class 4, Grade 20
 Ambient Temperature:
 0°C to 70°C (Standing Pilot)
 0°C to 60°C (Compact Automatic)
 Connections ½” and Flange
 Models: 6 kPa
 VK*1** A Fast Opening with Regulator
 M Fast Opening with Modureg
 P Fast Opening with High-Low
 R Fast Opening, Suitable for Gas/Air
 Application
 V Integrated Gas/Air 1:1
 G Integrated Modulation with
 Maximum Pressure Regulator
 5913 9.99 VR400 Series Servo Regulated
 Combination Valve Class 1 Valve,
 Class 2, Grade 20 Regulator.
 Ambient temp. –15°C to 60°C
 15-32mm Sizes ¾”-1¼” 20/36 3
 VR4--** Refers to Line Voltage
 (240 Vac/110 Vac/200 Vac)
 VR8--** Refers to Low Voltage
 (28 VDC/24 Vac)
 VR*--** Flange Connection Sizes 15-32mm.
 DN20 = Rp ¾”
 VR*--A* Pressure Regulator
 VR*--M* Electrical Modulating Regulator
 VR*--P* Hi-Low Regulator
 VR*--V* Gas/Air 1:1 Ratio
 R*--*A Second Valve Fast Opening for
 Direct Burner Applications
 VR*--*B Second Valve Characterised
 Opening for Direct Burner
 Applications

Honeywell Limited Continued

HONEYWELL

- VR*--*E Second Valve Fast Opening for Intermittent Pilot Applications
- VR*--*F Second Valve Characterised Opening for Intermittent Pilot Applications
- Note: (i) Depending on regulator used, max outlet pressure may vary. Refer to manufacturers specifications.
- (ii) The final four digits after VR400*-- have no effect on the safety of the valve, but determine finer characteristics and individual customer special requirements. For more information, please contact Honeywell.

SIT Gas Controls Pty Ltd

- 3526 5.83 Minisit Thermostatically Operated Combination Control Class 3 5 kPa
- 3527 5.83 Elettrosit Combination Control Class 3 5 kPa
- 3528 5.83 Babysit Combination Control Class 3 5 kPa
- 3529 5.83 Model AC3 Storage Water Heater Control Class 3 5 kPa
- 3721 1.84 Model 0.630 Eurosit Combination Control Class 3 5 kPa
- 3830 8.84 Composit Multi-Function Control Class 3 5 kPa
- 4032 2.86 Nova Models 820, 820 mv and 825 Class 3 6 kPa
- 4317 5.88 Nova Models 822/827 and Novatronik Model 823 Class 2 5 kPa
- 4499 12.89 "Tandem" 830 Series Class 2 6 kPa
- Models 010/020/030/034/035/045 (240 Volt)
- Models 011/021/031/046/074 (24 Volt)
- 5067 11.93 SIT Tandem 837 Class 2 6 kPa
- 5068 11.93 SIT Tandem 836 Class 2 6 kPa
- 5125 6.94 Eurosit Catering 630 Combination Control Class 3 5 kPa
- 5182 10.94 Novamix 828 Class 2 6 kPa
- 5733 2.99 Sigma Models 840 On/Off 6 kPa
- 845 Electrical Modulation, 843 Hi/Lo 6 kPa
- 848 Servo Operated Gas/Air ratio control 6 kPa
- Note: The assembly combines a Class 2, 1st stage safety shut-off valve with a Class 3, 2nd stage safety shut-off valve. Regulator is Class 2, Grade 20.

System Control Engineering Pty Ltd

KROMSCHRODER

- 5319 10.96 Class 1 GV xxx ML Series 20 kPa
- and RVS xx ML Series 20 kPa
- 3/8", 1/2", 3/4", 1", 1 1/2"
- Note: Available with following valve bodies:
- "VS" Single Block
- "VZ" High/Low
- Valve actuators designations as:
- "N" Fast Opening
- "L" Slow Opening
- "Z" High/Low
- "D" Flow Adjustment
- "T" 220/240V
- "M" 110/120V
- "K" 24V
- Pressure Regulator designated as:
- "GVS" Standard
- "GVD" Slow Opening
- "GVI" Air/Gas Ratio
- "GVIB" Air/Gas Ratio
- "GVR" Variable Air/Gas Ratio
- "GVRH" Variable Air/Gas Ratio

System Control Engineering Pty Ltd Continued

KROMSCHRODER

- "GVE" Electronic Control
- 5408 10.96 CG35 & CG45 Series Class 1 50 kPa
- 6234 12.01 LSV 220 – 20 mm & LSV 225 25 mm Class 1 10 kPa

System Control Engineering Pty Ltd

WHITE RODGERS

- 2784 10.78 Model 36C 67-401, Class 3, 24 V ac, Thermocouple with Standing Pilot – Two Stage Opening (Slow Opening) ECO Terminals 3.5 kPa
- Model 36D 22H-401, 240 V ac, Thermocouple With Standing Pilot 3.5 kPa
- Model 36C 03C-435, 24 V ac, Thermocouple with Standing Pilot – ECO Terminals 3.5 kPa
- Model 36C 68H-435, 240 V ac, Redundant Valve for use with Electronic Controllers – ON/OFF Double Coil 3.5 kPa
- Model 36C 68C-430, 24 V ac, Redundant Valve for Use with Electronic Controllers ON/OFF Double Coil 3.5 kPa
- Model 36C 03U-438 – Thermopile 750 mV with Thermopile Interconnected, No External Power Source 3.5 kPa
- Model 36C 03U-439 – Thermopile 750 mV plus Separate Thermocouple (Fast Response), No External Power Source. Pilot Burner Requires Two-Sensor Holder 3.5 kPa
- 2812 11.78 Maytag Model 25K 49H-66 (240 V) Class 3 3.5 kPa
- 5004 5.93 784-1** (3/8" BSP) & 784-5** (1/2" BSP) Class 3 3.5 kPa
- 5099 4.94 36E Series Class 2 Models 36E16, 36E16S, 36E17, 36E18, 36E46, 36E47 and 36E48 5 kPa
- 36E Series Models 36E06-301, 36E20-301 and 36E96-229 5 kPa
- 36E Series Models 36E06-302, 36E22-2-02 and 36E96-235
- 36E Series Models 36E52 and 36E54 5 kPa
- 6670 9.04 36G Series Class 2 Combination Controls Models 36G22 and 36G54 (Fast Open) 3.5 kPa
- Models 36G23, 36G24, 36G52 and 36G55 (Slow Open) 3.5 kPa
- Rated Working Temperature –40°C to 79°C
- Outlet Pressure Range 0.5 kPa to 3.0 kPa
- Regulator Classification: Adjustable, Class 2, Grade 20

Techrite Controls Australia Pty Ltd

DUNGS

- 4066 5.86 MB-D and MB-DLE Series. Class 1 B01 and B07 Versions Models MB-D403/MB-DLE403 (R3/8") 20 kPa
- Models MB-D405/MB-DLE405 (R1/2") 36 kPa
- Models MB-D407/MB-DLE407 (R3/4")
- Models MB-D410/MB-DLE410 (R1")
- Models MB-D412/MB-DLE412 (R1 1/4")
- Models MB-D415/MB-DLE415 (R1 1/2")
- Models MB-D420/MB-DLE420 (R2")
- Note: Closed position indicator switch available.

Techrite Controls Australia Pty Ltd Continued
DUNGS

4519	1.90	MB-ZRD and MB-ZRDLE Series Class 1 B01 and B07 versions	36 kPa
		Models MB-ZRD405/MB-ZRDLE405 (R _{3/8} "")	
		Models MB-ZRD407/MB-ZRDLE407 (R _{3/4} "")	
		Models MB-ZRD410/MB-ZRDLE410 (R1")	
		Models MB-ZRD412/MB-ZRDLE412 (R1 _{1/4} "")	
		Models MB-ZRD415/MB-ZRDLE415 (R1 _{1/2} "")	
		Models MB-ZRD420/MB-ZRDLE420 (R2")	
4916	10.92	Model BM733 Class 3	5 kPa
4917	10.92	Model BM762 Class 2 Multifunction Valve	5 kPa
5005	6.93	Model BM751-LR Class 3	5 kPa
5211	12.94	Model BM762 Class 1	10 kPa
5512	1.97	MB-VEF Series Gas/Air Ratio Combination Valves Class 1	10 or 36 kPa
6046	8.00	DMV-SE Series Class 1 – Servo Regulator Assisted – Class 3, Grade 10. Flange sizes indicated. 507/11 – 15, 20, 25 & 32 mm 512/11 – 25 & 32mm 520/11 – 40 & 50mm, 525/11 – 50mm, 5050/11 – 50mm, 5065/11 – 65mm, 5080/11 – 80mm, 5100/11 – 100mm and 5125/11 – 125mm	50 kPa
		Regulator range: S20 and S22 – 0.2-2 kPa, S80 and S82 – 0.5-8 kPa and S300 and S302 – 3-30 kPa	
		DMV-ZR, ZRD, ZRLE and ZRDLE Series – Non-regulator assisted. Flange sizes indicated. 507/11 – 15, 20 & 25mm, 512/11 – 25, 32, 40 and 50mm and 520/11 – 25, 32, 40 and 50mm.	50 kPa
		ZR-GV1 Fast Open/Close, GV2 Two Stage, ZRD-GV1 and GV2 Fast Open/ Close ZRLE –GV1 Fast Open/ Close, GV2 Lift adjustment, ZRDLE-GV1 Fast Open/Close, GV2 Slow Opening or Two Stage. Contact Techrite Controls for further Information.	
6047	8.00	Dungs BG 055 D01 Series Combination Control Class 2 Servo Regulator Assisted – Class 3 Grade 20 Models GB-LEP 055 D01, GB-ND 055 D01, GB-M(P) 055 D01 and GB-WND 055 D01	6.5 kPa
		Model number depends on single or two stage, fast or slow opening, with pressure switch and start gas take-off and setting options and gas/air ratio option. Contact Techrite Controls for further information.	

AIR/FUEL RATIO CONTROL DEVICES (EN 298/AS 4625)

Note: These Air/Fuel Ratio Devices are for use in Type B appliances only and are subject to acceptance by the various State and Territory Gas Authorities, on a case-by-case basis.

Honeywell Limited
HONEYWELL

6759	3.05	Controlinks Air Fuel Ratio Control Systems Controllers: R7999A 1005 and R7999B 1003 Actuators: ML7999A and ML7999B
------	------	--

AIR/FUEL RATIO CONTROL DEVICES (EN 298/AG210)

Note: These Air/Fuel Ratio Devices are for use in Type B appliances only and are subject to acceptance by the various State and Territory Gas Authorities, on a case-by-case basis.

Energy Technology & Control Ltd
ETC

5981	5.00	Air/Fuel Ratio Controller ETC 3000 c/w Display Panel. Display Panel Options ETC 3000/Radiotronic 3000/ Saacke Series 320
------	------	---

Siemens Building Technologies, A Division of Siemens Ltd

5805	5.99	Landis & Gyr RVW20 Series Air/Fuel Ratio Control Valves Models RVW20.000C27, RVW20.001C27, RVW20.000D27 and RVW20.001D27 Suitable for use with LFE1 Series 02 and 03, LEC1 with LFE10 Amplifier, LEC1 with LFE50/QRA50 Amplifier and Self Checking Detector, LFL1 Series Rectification or UV, LGK16 Series Rectification, LGK16 Series with QRA53/55 UV Electronic Burner Controls and O2 Trim Control Model RP025.
------	------	---

**ELECTRONIC FLAME SAFEGUARDS INCLUDING
IGNITERS (AS 4625 AND AS 4622)**

Kidde Fenwal Inc

Agent: Techrite Controls Australia Pty Ltd
FENWAL

5435	7.96	Triton Series 35-60, 35-61, 35-65, 38-80 24 VAC Microprocessor Based Ignition Controls 35-60(2, 3, 5, 6, 8) (0, 1, 2, 3, 5, 6) (0, 1, 5, 6) - (0, 1, 2) (0, 1, 2) (1, 3, 5, 7) DSI	Class 2Cb
		35-61(5, 8) (0, 1, 2, 3) (0, 1, 5, 6) - (0, 1, 2) (0, 1, 2) (1, 3, 5, 7) DSI	Class 2Cb
		35-65 20(0, 5) (0, 1, 2) (0, 1, 2) (1, 3, 5, 7) HSI	Class 2Cb
		35-80(1, 2, 3) (1, 2) (1, 2, 3) (0, 1, 2, 3, 5, 6, 7, 8) - (0, 1, 2) (0, 1, 2) (1, 3, 5, 7) DSI	Class 2Cb
		OEM Models 35-605944-109 and 35-802907-221 DSI	Class 2A
		OEM Models 35-802903-115 and 35-802905-115 DSI	Class 2Cb
		DSI = Direct Spark Ignition HSI = Hot Surface Ignition Series 35-61 includes blower relay. Refer to Techrite Controls Australia Pty Ltd for further information relating to timings and features.	

System Control Engineering Pty Ltd

KROMSCHRODER

6880 11.05 Automatic Burner Control Unit
BCU 370 (W, Q), (I1, I2, I3), (F),
(E), (U0, U1), (D1, D3), (B1*), (-3*)
Mains Voltage
W = 230 VAC, 50/60 Hz, Q = 120 VAC,
50/60 Hz
Ignition
I1* = electronic ignition – single pole
I2* = electronic ignition – double pole
I3* = electronic ignition – double pole
with neutral conductor
F = Fan control
E = Valve control
Flame Control
U0 = ionisation control (continuous or
Intermittent op)
U1 = UV (continuous operation with UVD 1)
D1 = DGmax. Monitoring.
D3 = integrated leakage detection
B1* for PROFIBUS-DP
-3* = three point step control via PROFIBUS-
DP
* if not present, this option is omitted.
Note: Classification depends on setting
of internal parameters.

**ELECTRONIC FLAME SAFEGUARDS INCLUDING
IGNITERS (AG 210 AND AG 206)**

Honeywell Limited

HONEYWELL

4639 4.91 S456* Series
Models S456* E/E* Class 2A
Models S456* C/D/C*/D* Class 2Ca
Models S456* A/B/P/Q/R/T/A*/B*/Q*/T* 2Cb
240V Flame Safeguard Ignition Modules
for both Intermittent Pilot and Direct
Ignition applications
4927 11.92 S457* Series Single Electrode
Hot Surface Electronic Burner Controller
S4570A 1006, S4570AS 1004,
S4570AS 1012, S4570AS 1020,
S4570AS 1038, S4570AS 1046,
S4570BS 1002, S4570BS 1010,
S4570BS 1028, S4570BS 1036,
S4571AS 1003 and S4571AS 1011 Class 2Cb
S4570LS 1000, S4570LS 1018,
S4570LS 1026, S4570LS 1034,
S4570LS 1059, S4570LS 1067,
S4570LS 1075, S4570LS 1083 and
S4570LS 1091 Class 2Ca
5082 4.94 Intermittent Pilot Burner Control
S8605B 1004, S8605C 1002,
S8605H 0005, S8605H 0090 and
S8605H 1001 B Class 2Cb
5501 12.96 SV9*05 and SV9*06 for use with
Type A appliances only Class 2Cb
Intermittent Pilot Ignition Module
Volatile and Non-volatile Lockout
Option with or without Prepurge Option

Johnson Controls Australia Pty Ltd

4524 1.90 Models G760, G765, G766 and G770
Igniter and Flame Safeguard,
Rectification Class 2Cb

Johnson Controls Inc – Agent: Johnson Controls Aust. P/L

5952 1.00 G821L/G822L Series Electronic Flame
Safeguard Including Igniter Models
G821LDD-5401, G821LDD-5412
and G822LDD-5412 Class 2Cb

Kidde Fenwal Inc

Agent: Techrite Controls Australia Pty Ltd

FENWAL

5434 7.96 Triton 1250D Series Direct Spark
Ignition Class 2Cb
Triton 1251D Series Direct Spark
Ignition with Blower Relay Class 2Cb
6010 5.00 Series 35-53 12VDC Microprocessor
Based Direct Spark Ignition Control
35-53(0, 5) (5, 8, 9) (0, 5) (0, 1) - (0, 1, 3)
(0, 1, 3) (1, 3, 5) Class 2B
35-53(0, 5) (5, 8, 9) (0, 5) (5, 6)
- (0, 1, 3) (0, 1, 3) (1, 3, 5) Class 2Cb
Direct spark ignition control with optional
blower relay and local or remote flame
sense option. Refer to Techrite Controls
Australia Pty Ltd for further information
relating to timings and features.

SIT Gas Controls Pty Ltd

5467 12.96 SIT 501 EFD Series
Atmospheric and Forced Draught
Combustion Systems. 240 Volt, direct
spark ignition and intermittent pilot
systems. Models:
0.501.001 – 0.501.024 Class 2Cb
0.501.037 – 0.501.072
0.501.085 – 0.501.098
0.501.101
Models
0.501.025 – 0.501.036 Class 2Ca
0.501.073 – 0.501.084
5959 2.00 537 ABC Series Class 2Ca or 2Cb*
0.537.0xx, 0.537.1xx, 0.537.2xx,
0.537.3xx, 0.537.4xx and 0.537.5xx
Note: xx Indicates a progressive number
from 00 to 99
Further type references are DM, SM, DV, SV,
SVO or SVO-NP
S: Monoelectrode D: Separate ignition,
Detection and electrodes, M: Manual reset,
V: Electrical reset, NP: Non-polarised
*Class depends on M or V designation
and Flame Establishment Period.
Formerly identified as EFD Series.
6087 2.01 SIT 503 EFD Series
Atmospheric and Forced Draught
Combustion Systems 240 VAC, Direct
Spark Ignition and Intermittent Pilot Systems.
Models 0.503.001, 0.503.002, 0.503.003,
0.503.006, 0.503.101, 0.503.102, 0.503.103,
0.503.203, 0.503.205, 0.503.602,
0.503.603, 0.503.901 Class 2Cb
0.503.004, 0.503.501, 0.503.902 Class 2Ca
6530 12.03 SIT 577 DBC Series Electronic Flame
Safeguard Device with Igniter
Models 577,002, 577,009, 577,010,
577,101, 577,102, 577,301, 577,304,
577,305, 577,306, 577,307, 577,311,
577,404, 577,405, 577,406, 577,503,
577,504, 577,601, 577,602, 577,603,
577,701 and 577,702 Class 2Cb

Stadt Industries Pty Ltd (In Receivership – contact AGA)

4992 5.93 FLT Model 1000 (EFS) with Hot Surface Igniter Class 2Ca

System Control Engineering Pty Ltd**RAM Electronics**

5522 10.97 Direct Spark Ignition Models 3MC and 3EMC Class 2Ca
 Direct Spark Ignition Models 3M and 3EM Class 2Cb
 Intermittent Pilot Models 5MC and 5EMC Class 2Ca
 Intermittent Pilot Models 5M and 5EM Class 2Cb
 Hot Surface Ignition Model H4M7-01 Class 2Cb
 Hot Surface Ignition Model H4MC9-01 Class 2Cb

System Control Engineering Pty Ltd**SCARICO**

3876 12.84 3300/3303 Ignition Module Class 2Cb
 3310/3311 Ignition Module Class 2B
 3313 Ignition Module Class 2B

System Control Engineering Pty Ltd**WHITE RODGERS**

5431 11.96 50A72 Series Microprocessor Based Electronic Flame Safeguard With Hot Surface Ignition Model 50A72-178 Class 2Ca
 Models 50A72-200 and 50A72-298 Class 2Cb
 Note: Refer to System Control Engineering for further information relating to timings and features.

Techrite Controls Australia Pty Ltd**DUNGS**

5851 5.00 DGAI.70N Series. For use with 24 Volt, Flame Rectification, Intermittent Pilot, Atmospheric Burner Applications
 Model 10.3 TCV Class 2Cb
 Model 5.1 TCV Class 2Cb
 Model 5.1 TVV Class 2B
 Model 10.3 TLL Class 2B
 Model 10.3 TLL SO2 Class 2B
 DGAI.73 Series. For use with 240 volt, Flame Rectification, Intermittent Pilot, Atmospheric or Fan Combustion Burner Applications
 Model 5.1.30 TCL Class 2Ca
 Model 10.1.3 TCL Class 2Cb
 Model 10.1.30 TCL Class 2Cb
 Model 3.1.30 TCL Class 2A
 Model 3.1.30 TLL-Z Class 2A
 Model 5.1.0 TCL Class 2Cb
 Model 10.1.0 TCL Class 2Cb
 Model 5.1.0 TLL Class 2B

Tytronics Pty Ltd

6693 12.04 RIV120M Series Electronic Burner Control Models RIV120M-1, RIV120M-2, RIV120M-3, RIV120M-4, RIV120M-5 and RIV120M-6 Class 2Cb

ELECTRONIC FLAME SAFEGUARDS AND DETECTORS (AS 4625)**Consolidated Fire and Steam Pty Ltd
KROMSCHRÖDER**

6874 10.05 Automatic Burner Controls Models: KM621, KM625, Class 2A/2B/2Ca/
 and KM628-R500 2Cb
 Note: These controls can have a Class 2A, 2Ca, 2B or 2Cb depending on how safety parameters are set.
 Classification depends on the setting of safety parameters governing re-ignition, flame failure behaviour and flame establishment period.

Fireye Inc

6342 11.02 **Agent: Gosfern Pty Ltd**
 UniFlame Integrated Flame Scanners with Integral Flame Relay Models 401111-02
 401112-02, 401113-02
 401111-04, 401112-04
 401113-04, 401111-22
 401111-24
 Fireye Insight – Integrated Flame Scanners with Integral Flame Relay Models 95IRS1E-1, 95UVS1E-1, 95DSS1E-1, 95IRS2E-1, 95UVS2E-1, 95DSS2E-1, 95DSS2E-1CG, 95IRS1E-2, 95IRS1E-1CG, 95UVS1E-1CG, 95DSS1E-1CG, 95IRS2E-1CG, 95UVS2E-1CG, 95IRS2E-2, 95IRS1E-2CG, 95IRS2E-2CG, 95IRS1E-1CEX, 95UVS1E-1CEX, 95DSS1E-1CEX, 95IRS2E-1CEX, 95UVS2E-1CEX, 95DSS2E-1CEX

Honeywell Limited**SATRONIC**

3749 3.84 Two Stage, Forced Draft Flame Safeguard MMI 810.1 Mod 43 Ionisation, or IR 24 Class 2A
 MMG 810.1 Mod 43 Ionisation, IR or UV 24 Class 2A
 MMG 870.1 Mod 65 Ionisation, IR or UV 24 Class 2A
 Ambient Temperature: -20°C to 60°C
 5428 6.96 TMG740-3 Series Electronic Flame Safeguard/Detector Models: 32-32, 43-35, 63-55, 13-53 Class 2A
 5820 6.99 MMI 962 Series Electronic Flame Safeguards and Detectors Models MMI 962 Mod 23 and Class 2A
 MMI 962.1 Mod 23 Rectification or Infra-red
 6018 6.00 DKG 972 Series Electronic Flame Safeguards and Detectors Class 2Cb
 Models 05 and 10 Microprocessor Based Burner Controls
 Note: Compatible with TFI*-** series. Refer Specifications or manufacturer for details.

Honeywell Limited Continued

SATRONIC

6039 7.00 DMG 97*.-** Series Electronic Flame Safeguards and Detectors Microprocessor Based Burner Control Class 2A
 DMG 970 – Gas/Dual Fuel Power Burner, 2 Stage, For Direct Air Heater or 2 Stage Power Burner with Pilot Valve.
 DMG 971 – Same features as DMG 970, with Control; Loop Security Thermostat and Gas Pressure Switch
 DMG 972 – Same features as DMG 970, with Damper Control and Remote Reset
 DMG 973 – Same features as DMG 970, with Damper Control or 2 Stage.
 Note: Compatible with MMI ***.-** series.
 Refer specifications or manufacturer for details.

Durag GmbH - Agent: Saacke Australia Pty Ltd

Continued

Note: Class depends upon specific application, ie Atmospheric 1B, Fan Forced 1A
 6528 12.03 Durag Microprocessor Based Flame Monitor and Optional Flame Sensors Model D-UG660 Flame Monitor
 Flame Sensor Models:
 D-LE603 UH-P, D-LE603 UH-MP, D-LE603 UH-CG, D-LE603 UH-AP, D-LE603 UH/94EX, D-LE603 US-P, D-LE603 US-CG, D-LE603 US-AP, D-LE603 US/94E, D-LE603 UAF-P, D-LE603 UAF-MP, D-LE603 UAF-CG, D-LE603 UAF-AP, D-LE603 UAF/94EX, D-LE603 UA-P, D-LE603 UA-MP, D-LE603 UA-CG, D-LE603 UA-AP, D-LE603 UA/94EX, D-LE603 UI-P, D-LE603 UI-MP, D-LE603 UI-CG, D-LE603 UI-AP, D-LE603 UI/94EX, D-LE603 IG-P, D-LE603 IG-MP, D-LE603 IG-CG, D-LE603 IG-AP and D-LE603 IG/94EX
 Note 1: Class depends upon specific burner programmer, D-UG660 flame monitor and D-LE603 flame sensors incorporate self check function.
 Note 2: Flame failure response time is not to exceed 2 seconds.
 6741 2.05 D-LX 100 Series Microprocessor Based Flame Monitoring System and Optional (Integral) Flame Sensors Models D-LX 100 UL, D-LX 100 UA, D-LX 100 UAF and D-LX 100 IG
 Note 1: Class depends upon specific Burner programmer, flame monitor and flame sensor
 Note 2: Flame failure response time is not to exceed 2 seconds.

ELECTRONIC FLAME SAFEGUARDS AND DETECTORS (AG 210)

Air and Gas Industries a Unit of Air & Gas Holdings P/L IRIS

4993 5.93 500 Flame Monitoring System, with S509/IRX2 Infra-red Sensor or S506 UV Sensor Class 1D
 For use with burner management systems
 Requiring Classifications up to, and including 1A

Durag GmbH - Agent: Saacke Australia Pty Ltd DURAG

6499 9.03 Microprocessor Based Burner Programmer and Optional Flame Sensors Programmer Model D-GF 150 Class 1A/1B
 Optional Flame Sensor Models:
 D-LE 103 UL-P
 D-LE 103 UL-MP
 D-LE 103 UL-CG
 D-LE 103 UL-AP
 D-LE 103 UAF-P
 D-LE 103 UAF-MP
 D-LE 103 UAF-CG
 D-LE 103 UAF-AP
 D-LE 103 UA-P
 D-LE 103 UA-MP
 D-LE 103 UA-CG
 D-LE 103 UA-AP
 D-LE 103 IG-P
 D-LE 103 IG-MP
 D-LE 103 IG-CG
 D-LE 103 IG-AP
 Note: Class depends upon specific application, ie Atmospheric 1B, Fan Forced 1A
 6500 9.03 Microprocessor Based Burner Programmer and Optional Flame Sensors Programmer Models D-GF 200-10 and D-GF 200-20 Class 1A/1B
 Optional Flame Sensor Models:
 D-LE 103 UL-P, D-LE 103 UL-MP, D-LE 103 UL-CG, D-LE 103 UL-AP, D-LE 103 UAF-P, D-LE 103 UAF-MP, D-LE 103 UAF-CG, D-LE 103 UAF-AP, D-LE 103 UA-P, D-LE 103 UA-MP, D-LE 103 UA-CG, D-LE 103 UA-AP, D-LE 103 IG-P, D-LE 103 IG-MP, D-LE 103 IG-CG, D-LE 103 IG-AP

Fireye Inc – Agent: POGC Sensor Technology Pty Ltd

5675 4.01 Electronic Flame Safeguard and Dectectors
Fireye E210/211 Flame Monitoring™
Microprocessor – Based Burner
Management Control
Configuration: E210/211 complete with
EP 113NR or EP 113E Programmer and
Selected Amplifier Modules & Scanner Types

Scanner Type	Scanner Model	Amplifier Module	AG 210 Class. With EP113NR Programmr	AG 210
Infrared	48PT2-1003	E1R1, E1R3	1A	1Ca, 1Cb
	48PT2-1007	E1R1, E1R3	1A	1Ca, 1Cb
	48PT2-9003	E1R1, E1R3	1A	1Ca, 1Cb
	48PT2-9007	E1R1, E1R3	1A	1Ca, 1Cb
Ultra Violet Self check	45UV5-1007	EUVS4	1A	1Ca, 1Cb
	45UV5-1008	EUVS4	1A	1Ca, 1Cb
	45UV5-1009	EUVS4	1A	1Ca, 1Cb
Ultra-Violet	UV1A3	EUV1	2A	2Ca, 2Cb
	UV1A6	EUV1	2A	2Ca, 2Cb
	UV2	EUV1	2A	2Ca, 2Cb
	45UV3-1050	EUV1	2A	2Ca, 2Cb
	UV8A	EUV1	2A	2Ca, 2Cb
Flame Rod	69ND1-1000K4	ERT1	2A	2Ca, 2Cb
	69ND1-1000K6	ERT1	2A	2Ca, 2Cb
	69ND1-1000K8	ERT1	2A	2Ca, 2Cb
	69ND1-1000Y	ERT1	2A	2Ca, 2Cb
Photo-cell	45CM1-1000	ERT1	2A	2Ca, 2Cb
	45CM1-1000Y	ERT1	2A	2Ca, 2Cb

Note: Additional suffix character denotes different enclosure types to cater for extreme environment conditions ie. Weather proof, explosion proof etc. Operation remains unaltered. Contact the manufacturer for further information.

Fireye Inc – Agent: POGC Sensor Technology P/L

5790 11.98 M Series II Electronic Flame Safeguard System with Ionisation or UV Detection. The list below shows the combinations of components and class.

Chassis	Progrmmr	Amplifier	UV Scanner or Flame Rod	Class
MC120E	MP100	MARTIT	69NDI	2Cb
MC120RE	“	“	“	“
MC120E	MP100	MAUVIT	UV1A, UV8A	2Cb
MC120RE	“	“	“	“
MC120E	MP102	MARTIT	69NDI	2B
MC120RE	“	“	“	“
MC120E	MP102	MAUVIT	UV1A, UV8A	2B
MC120RE	“	“	“	“
MC230	MP100E	MARTIT	69NDI	2Cb
MC230R	“	“	“	“
MC230	MP100E	MAUVIT	UV1A, UV8A	2Cb
MC230R	“	“	“	“
MC230	MP102E	MARTIT	69NDI	2B
MC230R	“	“	“	“
MC230	MP102E	MAUVIT	UV1A, UV8A	2B
MC230R	“	“	“	“

Fireye Inc – Agent: POGC Sensor Technology P/L FIREYE

5974 3.00 Flame Detector
Amplifier Model 25SU3-2000 Class 3D
Note: Comes complete with any of the following Fireye flame scanners Models 45UV5-1101, 45RM4-1001 and 45RM4-1000

**Georg Hegwein GmbH & Co KG
Agent: Saacke Australia Pty Limited
HEGWEIN**

6658 9.04 Z0215Z Series Flame Monitor – Ionization Type Models Z0215Z0033, Z0215Z033B, Z0215Z033C, Z0215Z033M, Z0215Z033Y and Z0215Z033Z 3D

Gosfern Pty Ltd

IRIS
5840 4.99 Model 400 Flame Monitoring System with UV Detector Class 3D
Model 700 DC Series Flame Monitor & Scanner Class 3D

Hamworthy Combustion Engineering Limited

6450 6.03 Hamworthy Microprocessor Based Flame Monitoring System Model SmartScan 121
Amplifier: Facia Head Unit Part No 363920652
Panel Head Unit Part No 363920603
Wall Mount Head Unit Part No 363920660
Rack Mount Part No 3439017/008/U
Sensor: UV (Safe Area) Part No 363920794/P
UV (Intrinsically Safe) Part No 363920802/P
UV (Stainless Steel) Part No 363921068/P
UV – Vis (Safe Area) Part No 363920828/P
UV – Vis (Intrinsically Safe) Part No 363920836/P
UV – Vis (Stainless Steel) Part No 363921076/P
Refer manufacturers instruction manual for temperature ratings. Flame failure response time is selectable, ie 1 sec or 3 sec. AG 210 specifies response time is not to exceed 2 sec.

Honeywell Limited

HONEYWELL
3911 4.85 Electronic Flame Switch and Optional Flame Amplifiers Class 3D
Flame Switch Model R4348B 1057
Optional Amplifiers:
Ultraviolet:
R7061A 1008, R7061A 1016, R7247C 1019, R7247C 1035, R7321B 1010, R7321B 1028, R7323A 1020, R7323B 1018 and R7323B 1026 Class 3D
Ultraviolet (Adjustable Sensitivity) R7247B 1011, R7247B 1037 and R7476A 1015 Class 3D
Rectifying Flame Rod: R7321A 1012 Class 3D

Honeywell Limited Continued

HONEYWELL

4022	12.85	R4343A Flame Switches for Non-self Check Detectors	Class 3D
		Amplifiers: R7321A – rectification R7232A – UV	
		R4343D Flame Switches for Non-self Check Detectors	
		Rectification	Class 3D
		R4343B and R4343E – Flame Switches for Mini UV Detectors	Class 3D
5097	6.94	7800 Series Microprocessor Based Burner Control with Plug-in Amplifiers, Purge Cards and Optional Keyboard Display Module RM/EC7810 – Atmospheric Modulating (low, high – low) or On/Off Applications	Class 1A or 2A*
		RM/EC7820 – Fan Assisted Modulating or On/Off Applications	Class 1A or 2A*
		RM/EC7830 – On/Off Power Burners	Class 1A or 2A*
		RM/EC7850 – Modulating Power Burners	Class 1A or 2A*
		EC7865 – Pulse Burners	Class 1A or 2A*
		Class depends on amplifier	
		Amplifiers	
		R7847A – For Rectification Sensors without Dynamic Self Check	
		R7847B – For Rectification Sensors without Dynamic Self Check	
		R7847C – For UV Sensors with Dynamic Self Check	
		R7848A – For IR Detectors without Dynamic Self Check	
		R7848B – For IR Detectors with Dynamic Self Check	
		R7849A – For UV Sensors without Dynamic Self Check	
		R7849B – For UV Sensors with Dynamic Self Check	
		R7861A – For UV Sensors without Dynamic Self Check	
		R7886A – For UV Sensors without Dynamic Self Check	
		Sensors	
		C7008/C7009/Q379 – Flame Rod for use with R7847A	
		C7027/C7035/C7044 – UV Sensor for use with R7849A/B	
		C7061 – UV Sensor for use with R7861	
		C7012 – UV Sensor for use with R7847	
		C7012 – UV Sensor for use with R7847C	
		C7076 – UV Sensor for use with R7886A	
		Note: The final four digits after **78**, have no effect on the safety of the controller but determine finer characteristics and individual customer special requirements. For more information please contact Honeywell.	

Hurl Nu Way Pty Ltd

BLACK TEKNIGAS

5478	9.96	703-02-10 & 708-10-10 Electronic Flame Safeguard Controls	2Cb
------	------	---	-----

Kidde-Fenwal Inc - Agent: Tectrite Controls Australia P/L

KIDDE FENWAL

6595	5.04	Automatic and Manual Reset and Lochinvar 35-67 Series Electronic Flame Safeguards	
		Automatic Reset Models:	
		35-67 (0, 1, 2, 3) (0, 1, 2, 3, 8)	
		(0, 1, 5, 7) (0, 1, 5, 6)-(0, 1, 2, 3, 4, 5, 6, 7, 8)	
		(0, 1, 3, 4, 5, 6, 7) (0, 1, 3, 5, 7)	Class 2Cb
		Manual Reset Models:	
		35-67 (9) (0, 1, 2, 3, 4, 5, 6, 7, 8)	
		(0, 1, 5, 7) (2, 3)-(0, 1, 2, 3, 4, 5, 6, 7, 8)	
		(0, 1, 3, 4, 5, 6, 7) (0, 1)	Class 2A
		35-67 (9) (0, 1, 2, 3, 4, 5, 6, 7, 8)	
		(0, 1, 5, 7) (2, 3)-(0, 1, 2, 3, 5, 6, 7, 8)	
		(0, 1, 3, 4, 5, 6, 7) (3, 5, 7)	Class 2B
		35-67 (9) (0, 1, 2, 3, 4, 5, 6, 7, 8)	
		(0, 1, 5, 7) (0, 1)-(0, 1, 2, 3, 4, 5, 6, 7, 8)	
		(0, 1, 3, 4, 5, 6, 7) (0, 1)	Class 2Ca
		35-67 (9) (0, 1, 2, 3, 4, 5, 6, 7, 8)	
		(0, 1, 5, 7) (5, 6, 7, 8)-(0, 1, 2, 3, 4, 5, 6, 7, 8)	
		(0, 1, 3, 4, 5, 6, 7) (0, 1, 3, 5, 7)	Class 2Cb
		35-67 (9) (0, 1, 2, 3, 4, 5, 6, 7, 8)	
		(0, 1, 5, 7) (0, 1)-(0, 1, 2, 3, 4, 5, 6, 7, 8)	
		(0, 1, 3, 4, 5, 6, 7) (3, 5, 7)	Class 2Cb
		Lochinvar Model:	
		35-67 9926-153	Class 2A

Rayson Industries Pty Ltd

RIELLO

2750	10.81	Models 505SE & 506SE, Rectification	Class 2A
4127	10.86	Models 508SE, 508SE/GB, 509SE and 509SE/GB, Rectification	Class 2A
5138	7.94	Model 525 SE/5, Rectification	Class 2Ca

Siemens Building Technologies, A Division of Siemens Ltd

2706	11.78	Landis & Gyr LFE1 Series 03 Electronic Flame Safeguards and Detectors	
		Models LFE1.1/8854, LFE1/8851, LFE1/8853, LFE1/8866, LFE1/8867, LFE1/8868 and LFE1/8892	
		Rectification or UV	Class 2A
2734	10.80	Landis & Gyr LFL1 Series Electronic Flame Safeguards and Detectors	
		Models LFL1.122, LFL1.133, LFL1.322, LFL1.333, LFL1.335, LFL1.622, LFL1.635 and LFL1.638	Class 2A
		LFL1.148	Class 2B
		Rectification or UV	
2994	8.79	Landis & Gyr LEC1 Series Electronic Flame Safeguards and Detectors	
		Rectification or UV	
		with LFE10 Amplifier.	Class 2A
		With LFE50/QRA50 Amplifier and Self-Checking Detector	Class 1A
		Models LEC1/8851, LEC1/8853, LEC1/8866, LEC1/8867, LEC1/8868, LEC1/8892, LEC1.1/8854, LEC1/9500, LEC1/9501, LEC1/9502 & LEC1/9503	
3861	11.84	Landi & Gyr LGK16 Series Electronic Flame Safeguards and Detectors	
		Models LGK16.122A27, LGK16.133A27, LGK16.322A27, LGK16.333A27, LGK16.335A27, LGK16.622A27 and LGK16.635A27	
		LGK 16 Series, Rectification or UV	Class 2A
		LGK16 Series with QRA53/QRA55	
		UV Self-Checking Detector	Class 1A

Siemens Building Technologies, A Division of Siemens Ltd

4075	6.86	Landis & Gyr LGA41 Series Electronic Flame Safeguard and Detector Models LGA41.173A27 And LGA41.153A27, Rectification	Class 2Cb
4393	12.88	Landis & Gyr LGB Series Electronic Flame Safeguard and Detectors Rectification or UV with ACQ... Auxillary Unit Models LGB21.130A27, LGB21.350A27, LGB21.550A27 and LGB41.255A27 Model LGB41.258A27	Class 2A Class 2B
		Rectification or UV with QRA... Detector Tube and ACQ ... Auxillary Unit Models LGB22.130A27, LGB22.330A27, LGB32.130A27 and LGB32.350A27	Class 2A
5403	6.96	Landis & Gyr LGI16 Series Electronic Flame Safeguard and Detector Models LGI16.053A27 and LGI16053A17 Class 1A, 2A or 2Ca depending on Amplifier 1-r or 2 UV	
5517	2.97	Landis & Gyr Electronic Flame Safeguard and Detector LFE 10 Series 02 Relay	Class 3D
5829	6.99	Landis & Gyr LMG21, LMG22 and LMG25 Series Electronic Flame Safeguard Systems Models LMG21.130B27, LMG21.230B27, LMG21.330B27, LMG21.350B27 and LMG21.550B27	Class 2A
		Models LMG22.130B27, LMG22.230B27, LMG22.233B27, LMG22.330B27 Models LMG25.230B27, LMG25.330B27 and LMG25.350B27	Class 2A Class 2Ca
		Rectification or UV. UV Detector QRA.. with AGQ Auxillary Flame Amplifier	
6436	6.03	Landis and Staefa LMV5 Series Micoprocessor based Burner Management System with Integrated Air/Fuel Ratio Control and Load Control for Forced Draft Burners. Models LMV5 (1, 2) (0, 1, 2)(00) (X) (1, 2) (XX) Classification 1A or 2A – Depends on method of flame monitoring i.e. Self-Checking QRI Device or Flame Ionisation. Suitable for use with the following auxillary devices: Display and Operating Unit AZL51... Flame Monitoring Device QRI... Actuators SQM4.. Contact Manufacturer for further information.	

System Control Engineering Pty Ltd**BRAHMA**

3915	4.85	Model AT5/TR	Class 2Ca
5367	3.96	RE3 Rectification or U.V.	Class 3D
5380	11.96	Eurobox Series Models CM381, CM391 with flame establishment period less than 5 secs	Class 2Ca
		Models CM191, SM191, SM192, SM152, SM592, MM191, MM192, CE191, SE191, SE192, CE391, SE152, SE592, ME191, ME192 with flame establishment period less than 15 secs	Class 2Cb
5390	11.96	Euroflat Series Models HS31, CM31/0, CM31, CM32, MM32 with flame establishment period less than 5 secs	Class 2Ca
		Models HS11, HE11, HE31, CM32, CSPAR, CE11/0, CM11/0, CE31/0, CE11, CE31, CE32, SE11, ME51, ME32, CM11, SM11, MM51 with flame establishment period less than 15 secs	Class 2Cb

System Control Engineering Pty Ltd Continued**BRAHMA**

5391	11.96	Microflat Series Electronic Flame Safeguard Models CM31U, TM31, XM31, CM31F, TM31F, MM31F, SM31F, CM32F, TM32F, MM32F, CE31F, TE31F, ME31F, SE31F, CE32F, TE32F and ME32F	Class 2Ca
		Models CM11U, CM12U, TM12, XM11, XM12, CE11U, CE12U, CE31U, TE11, TE12, TE31, XE12, XE31, CM11F, CM12F, MM11F, MM12F, MM51F, SM11F, CE11F, CE12F, ME11F, ME12F, ME51F, SE11F, TM11F, TM12F, TE11F and TE12F	Class 2Cb
5557	12.98	Eurogas Series Model VM42	Class 2A

System Control Engineering Pty Ltd**CROUZET**

5726	1.99	CGG1 85 216 Series Models 413, 511, 513, 514 and 515	Class 2A
		CGG2 85 216 Series Models 521 & 522	Class 2A

System Control Engineering Pty Ltd**KROMSCHRODER**

4230	7.87	Models IFS 110 IM and IFS 110 IM-110V	Class 2B
		IFS 258 – 3/1 and 5/1 No Re-ignition Option	Class 2A
		IFS 258 – 10/1 No Re-ignition Option	Class 2B
		IFS 244 and 258 – 3/1 and 5/1 with re-ignition option	Class 2Ca
		IFS 244 and 258 – 10/1 with Re-ignition option	Class 2Cb
5597	3.99	PF 19” PFx 7 xx Series For use within the PF 19” Process Firing System Switch Combinations S3 Position 1 – S4 Position 1 or 2	Class 2Cb
		Switch Combinations S3 Position 2 – S4 Position 2	Class 2A
		Features: Model PFF 7x4 Flame Detector Model PFR 704 Relay Assembly Model PFP 700 Power Supply	
6478	8.03	Kromschroder BCU Series Models BCU440, BCU460 and BCU480 Note: 1: Model numbers will be suffixed by the following letters or digits which relate to timings and features: -3,5 or 10, /3 or 5*, /1 or 2, L*, T or N, 1-8*, D or GB, P*, D2 or D3*, S2, S3 or S4*, /2,3 or 4*, U*, Z* Refer to manufacturer for further information. Note 2: Classification depends on parameters set for the application. Note 3: This series of devices for industrial or commercial applications.	

Techrite Controls Australia Pty Ltd**INECO**

5180	4.95	Series 800 Electronic Flame Safeguard and Burner Control, Models 800-03-09 and 800-23-09, Rectification	Class 2Cb
------	------	---	-----------

Tytronics Pty Ltd**TYTRONICS**

4704	6.91	Models PFS15RH, PFS15RHL, PFS15R and PFS15RL Programming Flame Safeguard and Igniter, Rectification Class 2Cb	
4905	9.92	Models PFS15RHLS, PFS15RHS, PFS15RS, PFS15RS/RHS & PFS15RLS Programming Flame Safeguard and Igniter, Rectification Class 2Cb	
5548	10.97	Model PFS04RV	Class 2Cb
6674	10.04	Automatic Electronic Burner Controller Models HC04 and HC04NV	Class 2Cb

QUICK-CONNECT DEVICES (AG 212)**Aquaknect Flexibles (A'Asia) Pty Ltd**

5508	4.97	Male Gas Bayonet Quick-Connect Device (Type 1)	7 kPa
5803	12.98	Model 13-020BF Floor/Wall Socket for bayonet connections (Type 1)	7 kPa

Barfell Industries Pty Ltd**TEMA**

4444	6.89	Quick Connect Device (Type 2) Series	
		2500 (6.5 mm)	30 000 kPa
		3800 (10 mm)	28 000 kPa
		5000 (13 mm)	25 000 kPa
		7500 (20 mm)	22 500 kPa
		10000 (25 mm)	18 000 kPa
		15000 (35 mm)	18 000 kPa
		20000 (45 mm)	15 000 kPa

Bromic Pty Ltd

4747	9.92	Models OMB2-1 and OMB3-1 (Type 1)	7 kPa
6421	4.03	Bromic (Type 1) Quick Connect Device Model: BR2-1 (Types Rp ½ and G ½)	7 kPa

Dormont Manufacturing Company**Agent: System Control Engineering Pty Ltd****SNAP-TITE**

5306	9.95	A50 (15mm), A75 (20mm), A100 (25mm) and A125 (32mm) NPT Thread A50BSP (15mm), A75BSP (20mm), A100BSP (25mm), A125BSP (32mm) Type 2	7 kPa
------	------	--	-------

Focus Lifestyle Products Pty Ltd

5274	7.95	LPG Cylinder Safety Shut-off Quick-Connect Device	2600 kPa
------	------	---	----------

GLG Australia Pty Ltd

6475	7.03	GLG (Type 2) Quick Connect Device Models QC-T2A and QC-T2B RWT @ 0°C to 60°C	7 kPa
------	------	--	-------

Hurll Nu-Way Pty Ltd

3649	12.83	Rectus Type 21 1/8", 1/4" and 3/8" BSP Type 25 and HK 25 1/4", 3/8" and 1/2" BSP Temperature Range -40°C to +120°C (Type 2)	2600 kPa
------	-------	---	----------

Keefer Bros. (Vic) Pty Ltd**KEEFLEX**

4806	3.92	61900/1 Floor Socket (Type 1)	7 kPa
------	------	-------------------------------	-------

Thomas Gooden Foundry Services Pty Ltd

3519	5.83	Cooker Socket 2412, Floor Mounted Socket 2415 and Wall Mounted Sockets 2420 and 2422 (Type 1)	7 kPa
------	------	---	-------

White & McAllister (Contractors) Pty Ltd

6326	8.02	Bench Mounted Gas Outlet Type 1 Model WM-1	7 kPa
------	------	--	-------

28 Newlands Road Holdings Pty Ltd T/as Garth Sheetmetal GSM

6458	7.03	GSM2 Series Type 2 Snap Lock Connector Models GSM-01, GSM-02, GSM-03 and GSM-04 @ 20°C to 60°C	2600 kPa
------	------	--	----------

PRESSURE AND TEMPERATURE LIMIT DEVICES (AS 4628)**Invensys Controls Australia Pty Ltd****ROBERTSHAW**

2263	11.73	LC Series Over-Temperature Cut-Off Control Models: LCCM080360000 and LCCM0017	
------	-------	---	--

Techrite Controls Australia Pty Ltd**CLEVELAND CONTROLS**

5562	5.97	RSS Series Differential Air Pressure Switches Models: RSS-495, RSS-498, RSS-6000-xxx	7 kPa
------	------	--	-------

PRESSURE AND TEMPERATURE LIMIT DEVICES (AG 213)**EGO Australia Pty Ltd**

4270	10.87	EGO Manual Reset Over-Temperature Cut-Off Thermostat (12V, 0.5A) Models 51.63955.030 and 51.63955.040	
------	-------	---	--

Honeywell Limited

4442	7.89	C6065 and C4065 Series Differential Air Pressure Switches Models C6065A, C6065AH, C6065B, C6065F, C6065FH, C4065A, C4065AH, C4065B, C4065F and C4065FH C – Denotes differential pressure switch 6 – Denotes SPDT 4 – Denotes SPST 065 – Family number A/F – Denotes standard accuracy B – Denotes standard accuracy but riveted as well as metal folding fixing AH/FH – Denotes high accuracy	6 kPa
------	------	--	-------

Johnson Controls Australia Pty Ltd**JOHNSON CONTROLS/PENN**

4439	6.89	Differential Pressure Switch Model P32**.*	6.9 kPa
		1 st Character: Range Adjustment – A, B, C, D, H, J, K	
		2 nd Character: Contact Type – A, B, C, D, E, F, G, H, J, K, L, M, N, P, Q, R, S, T, U, V	
		3 rd and 4 th Characters: Customer Specified	

Karl Dungs GmbH & CoAgent: **Techrite Controls Australia Pty Ltd****DUNGS**

- 4413 3.89 Types UB...A2 and UB...A4 Pressure Limiter Manual Reset Excess Pressure (Gas and Air)
Types NB...A2 and NB...A4 Pressure Limiter Manual Reset Under-Pressure (Gas and Air)
- 4414 3.89 LGW and GW Series Pressure and Temperature Limit Devices
Air and Gas:
Models GW 3, GW 10, GW 50, GW 150, GW 500, GW 1500, GW 2000, GW 6000
GW 3 A2, GW 10 A2, GW 50 A2, GW 150 A2,
GW 500 A2, GW 10 A3, GW 50 A3, GW 100 A3,
GW 3 A4, GW 10 A4, GW 50 A4, GW 150 A4,
GW 500 A4, GW 2000 A4, GW 6000 A4,
GW 500 A4/2, GW 2000 A4/2 and GW 6000 A4/2
Air Only:
Models LGW 3, LGW 10, LGW 50, LGW 150, LGW 3 A1, LGW 10 A1, LGW 50 A1, LGW 3 A2, LGW 10 A2, LGW 50 A2, LGW 150 A2, LGW 3 A2P, LGW 10 A2P, LGW 50 A2P, LGW 150 A2P
Air and Gas:
LGW 3 A4, LGW 10 A4, LGW 50 A4, LGW 150 A4, LGW 3A4/2, LGW 10 A4/2, LGW 50 A4/2 and LGW 150 A4/2

SIT Gas Controls Pty Ltd

- 5471 2.97 SIT Differential Air Pressure Switch 380 Series
Operating range 0.4 to 5 m bar
Max operating pressure 50 m bar

System Control Engineering**CAMPINI-COREL**

- 5973 3.00 Campini Ty 95-Z Manual Reset Over-Temperature Cut-off with Gold Plated Contacts

System Control Engineering Pty Ltd**KROMSCHRODER**

- 5484 10.96 DG Series Pressure Switch for Gas Excess Negative and Differential Gas and Air Pressure Monitoring. Models 6, 10, 50, 150, 500 B/U/N/H
DL Series Pressure Switch for Excess, Negative and Differential Air Pressure Monitoring. Models 1, 3, 5, 10, 50 – E.
3, 5, 10, 50, 150 – A/K.
Refer to System Control for AGA for further information relating to certified options.

Techrite Controls Australia Pty Ltd**DUNGS**

- 6062 10.00 GW A5/A6 Series
GW 3 A5/A6, GW 10 A5/A6, 50 kPa
GW 50 A5/A6, GW 150 A5/A6 60 kPa
GW 500 A5/A6
A5 versions for direct connection to Dungs gas controls.
A6 versions for stand alone applications.

Techrite Controls Australia Pty Ltd**KIDDE-FENWAL**

- 5849 4.99 08.80 Series Over-Temperature Cut-Out Device

Techrite Controls Australia Pty Ltd**TECASA**

- 6375 12.02 Over-Temperature Limit Device
Model SP-021-PGV

Tu's Brothers Pty Ltd**TU'S**

- 6662 9.04 High Limit Cut-Out Device
Model TML-230

LEAKAGE DETECTION SYSTEMS (AS 4630)**Honeywell Limited**

- 6019 6.00 A4021 Series, Microprocessor Based Valve Proving System, A4021A1002 220-240VAC and A4021A1010 100-120VAC
Note: The final four digits after the model number have no effect on the safety of the device but determine finer characteristics and individual customer special requirements. For additional information, please contact Honeywell.

LEAKAGE DETECTION SYSTEMS (AG 215)**Siemens Building Technologies, A Division of Siemens Ltd**

- 3860 11.84 Landis & Gyr LDU11 Series Gas Valve Proving System Models LDU11.323A17, LDU11.323A27, LDU11.523A17 and LDU11.523A27

System Control Engineering Pty Ltd**KROMSCHRODER**

- 4581 7.90 Version TC2, TC3, TCI and TC410 Gas Leakage Detection Systems

Techrite Controls Australia Pty Ltd**DUNGS**

- 5272 8.95 VPS 504 Series 01, 02, 04 and 05 50 kPa
5553 4.98 VDK 200A Series O2 36 kPa

Techrite Controls Australia Pty Ltd

- 6465 7.03 Techrite Models FLT-03 (240 VAC) and FLT-04 (24 VDC) Fitting Line Tester

MISCELLANEOUS LEAKAGE DETECTION SYSTEMS

The following entries list equipment that is not suitable for use as part of a safety shut-off system in Industrial/Commercial Gas-Fired Applications (as outlined in AS 3814/AG501).

Suregas (Pty) Ltd**The SureGas Sentry**

- 6068 9.00 Gas leak detector with 1 or 2 sensors that respond to gas concentrations at 10% of the LEL and provides 12V DC outputs designed for connection to a gas shut-off solenoid valve and optional remote buzzer N/A

FLUE COWLS (AS 4566)**Western Valley Flues Pty Ltd**

- 5559 11.97 WVF Series Flue Cowl
Models WVF 4" (100mm), WVF 6" (150mm), WVF 8" (200mm) and WVF 9" (225mm)
Note: Flues can be constructed from either sheet galvanized or stainless steel.

FLUE COWLS (AG 604)**A & B Industries Pty Ltd**

4234	7.87	FC75 – 75mm, FC100 – 100mm and FC125 – 125mm Round
5524	3.97	FC150, 150mm Round FC175, 175mm Round

Abey Australia Pty Ltd

2331	12.74	A and B 75mm, 100mm and 125mm Round
3078	4.80	A and B 150mm, 200mm, 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 550mm and 600mm Round
4198	9.88	Mk 2 Screw Lock 75mm and 100mm Round

Agnews Pty Ltd

6521	12.03	Agnews 9" Flue Cowl Model A9C
------	-------	-------------------------------

Aira Pty Ltd

4396	1.89	Ameri-Vent Models C, EC and RC 76mm (3") to 762mm (30") Round
------	------	---

Doherty Industries Pty Ltd

2982	7.79	Model GC* Flue Cowl denotes nominal flue diameter size in mm (75, 125, 140, 150, 175, 200, 225, 250, 300, 350, 400, 450, 500, 550, 600)
3208	4.81	Model GC100 Cowl to suit 100mm diameter flue pipe

Flo-Met Pty Ltd

5410	8.96	Flo-Met Flue Cowl 4" (Single skin) and 4" (twin skin)
6573	4.04	Flo-Met Direct Vent Model 4" DVGC Note: For use with Regency/Masport F39, F37, P36 & P121 Room Sealed Heaters
6714	1.05	Flo-Met Single and Twin Skin Single Skin 150 mm, 200 mm and 225 mm Twin Skin 150 mm, 200 mm and 250 mm

Formacs

5494	12.96	Formacs 100mm and 125mm Round Formacs TL 100mm and TL 125mm Round (suitable for dura-vent twistlock twin wall flue or similar)
------	-------	--

Jetmaster Fireplaces Australia (Pty) Ltd

6043	12.00	Jetmaster 200mm Flue Cowl
------	-------	---------------------------

Methven Voumard Pty Ltd**VOUMARD**

2337	2.75	Jaks Flue Cowls Sizes 75, 90, 100, 125, 150, 175, 205, 230, 255, 275, 305, 355, 405, 455, 505, 560, 610, 660, 710, 760, 810 and 840 mm
5659	7.97	Mini Jaks Flue Cowls Sizes 40, 75, 100, 125, 150, 200, 250, 300, 350, 400, 450 and 500mm NB Note: Flue cowls can be manufactured from galvanised, zincalume or stainless steel sheet

Roladuct Spiral Tubing Pty Ltd

5972	3.00	ROL Series 76mm-1016mm Round
------	------	------------------------------

SFP Sheetmetal Fabrication Products Ltd

6449	6.03	SFP Flue Cowl Model 100 (4") Note: Flue cowl can be constructed from either stainless steel, galvanised steel or copper sheet.
------	------	---

Western Valley Flues Pty Ltd

6559	3.04	Valley Flues 125 mm Flue Cowl WVS2-5
------	------	--------------------------------------

FLUES (AG 605)**A & B Industries Pty Ltd**

4412	3.89	A & B Rectangular (Type 2) Twin Wall Flue System
------	------	--

Abey Australia Pty Ltd

3565	3.85	Duravent Oval (Type 2) Twin Wall Flue System
3716	12.83	Duravent Round (Type 3) Twin Wall Flue 75mm, 100mm and 125mm

Aira Pty Ltd

4339	8.88	Ameri-Vent Oval (Type 2) 100mm, 125mm and 150mm Twin Wall Metal Flue System Ameri-Vent Round (Type 3) 75mm, 100mm, 125 mm, 150mm, 175mm and 200mm Twin Wall Metal Flue System
------	------	--

Gasflues Pty Ltd

6158	7.01	Type 3 Co-axial Flue System AFP Power Flue Kit suitable for use with Rinnai Models RHFE-308FTR, RHFE-431FTR, RHFE-556FTR, RHFE-556FDT, RHFE-557FTR, RHFE-1004FTR and RHFE-1004FDT Space Heaters
------	------	--

Methven Voumard Pty Ltd**VOUMARD**

2640	9.77	Rectangular Flue System Type 2 Twin Wall
4323	6.88	Co-Axial Flue Kit – Type 3 For use with Rinnai Space Heater Models RHFE-557FT, RHFE-308FTR, RHFE-431FT, RHFE-556FTR, RHFE-556FM, RHFE-1004FTR, and RHFE-1004FDT

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)

OPERATING POSITION KEY

1. Actuator vertically above flowline.
2. Actuator in any or multi purpose position.
3. See manufacturer's instructions or catalogue.

**AUTOMATIC SHUT-OFF VALVES
(CLASS 1) (AS 4629)**

Atlas Measurement (Gas) Pty Ltd

RMG

6203 7.02

EVA Series Direct acting, Disc on Seat Solenoid Valve.

Threaded Valves

10	Rp 3/8	01-EVA 3-4	10	3
15	Rp 1/2	01-EVA 5-4	10	3
20	Rp 3/4	01-EVA 7-4	10	3
32	Rp 1 1/4	01-EVA 12-4	10	3
40	Rp 1 1/2	01-EVA 15-4	10	3
50	Rp 2	01-EVA 20-4	10	3
8	Rp 1/4	03-EVA 2-4	30	3
10	Rp 3/8	03-EVA 3-4	30	3
15	Rp 1/2	03-EVA 5-4	30	3
20	Rp 3/4	03-EVA 7-4	30	3
25	Rp 1	03-EVA 10-4	30	3
32	Rp 1 1/4	03-EVA 12-4	30	3
40	Rp 1 1/2	03-EVA 15-4	30	3
50	Rp 2	03-EVA 20-4	30	3
8	Rp 1/4	1-EVA 2-4	100	3
10	Rp 3/8	1-EVA 3-4	100	3
15	Rp 1/2	1-EVA 5-4	100	3
20	Rp 3/4	1-EVA 7-4	100	3
25	Rp 1	1-EVA 10-4	100	3
32	Rp 1 1/4	1-EVA 12-4	100	3
40	Rp 1 1/2	1-EVA 15-4	100	3
8	Rp 1/4	25-EVA 23-4.04	2500	3
15	Rp 1/2	6-EVA 24-4.04	600	3
10	Rp 1/4	5-EVA 24-4	500	3
15	Rp 1/2	5-EVA 5-4	500	3

Flanged Valves

40	DN 40	01-EVA 15NH-4	10	3
50	DN 50	01-EVA 20NH-4	10	3
65	DN 65	01-EVA 25NH-4	10	3
80	DN 80	01-EVA 30NH-4	10	3
100	DN 100	01-EVA 100H-4	10	3
15	DN 15	02-EVA 5NH-4	20	3
20	DN 20	02-EVA 7NH-4	20	3
25	DN 25	02-EVA 10NH-4	20	3
32	DN 32	02-EVA 12NH-4	20	3
40	DN 40	02-EVA 15NH-4	20	3
50	DN 50	02-EVA 20NH-4	20	3
65	DN 65	02-EVA 25NH-4	20	3
80	DN 80	02-EVA 30NH-4	20	3
100	DN 100	02-EVA 100H-4	20	3
125	DN 125	02-EVA 125H-4	20	3
150	DN 150	02-EVA 150H-4	20	3
15	DN 15	05-EVA 5NH-4	50	3
20	DN 20	05-EVA 7NH-4	50	3
25	DN 25	05-EVA 10NH-4	50	3
32	DN 32	05-EVA 12NH-4	50	3
40	DN 40	05-EVA 15NH-4	50	3
50	DN 50	05-EVA 20NH-4	50	3
65	DN 65	05-EVA 25NH-4	50	3
80	DN 80	05-EVA 30NH-4	50	3
100	DN 100	05-EVA 100H-4	50	3

Atlas Measurement (Gas) Pty Ltd Continued

RMG

125	DN 125	05-EVA 125H-4	50	3
150	DN 150	05-EVA 150H-4	50	3
50	DN 50	1-EVA 20NH-4	100	3
65	DN 65	1-EVA 25NH-4	100	3
80	DN 80	1-EVA 30NH-4	100	3
100	DN 100	1-EVA 100H-4	100	3
125	DN 125	1-EVA 125H-4	100	3

6350 12.02

EPVA Series Electro-Pneumatic, Disc on Seat, Automatic Shut-off Valve. Flanged Valves.

15	DN 15	6-4-EPVA 5N(H)-4	600	3
20	DN 20	6-4-EPVA 7N(H)-4	600	3
25	DN 25	6-4-EPVA 10N(H)-4	600	3
40	DN 40	6-4-EPVA 15N(H)-4	600	3
50	DN 50	6-4-EPVA 20N(H)-4	600	3
65	DN 65	6-4-EPVA 25N(H)-4	600	3
80	DN 80	6-4-EPVA 30N(H)-4	600	3
100	DN 100	6-4-EPVA 100 (H)-4	600	3
125	DN 125	6-4-EPVA 125 (H)-4	600	3
150	DN 150	6-4-EPVA 150 (H)-4	600	3
80	DN 80	1-4-EPVA 30N(H)-4	100	3
150	DN 150	1-4-EPVA 150N(H)-4	100	3
50	DN 50	2-4-EPVA 20N(H)-4	200	3
65	DN 65	2-4-EPVA 25N(H)-4	200	3
125	DN 125	2-4-EPVA 150(H)-4	200	3
40	DN 40	3-4-EPVA 15N(H)-4	300	3
100	DN 100	3-4-EPVA 100 (H)-4	300	3
150	DN 150	4-4-EPVA 150 (H)-4	400	3

Note: All valves, except for "W" suffix, solenoid vertical ± 5°. "W" suffix valves – vertical or horizontal.

Flowserve Australia Pty Ltd

WORCESTER

2723 3.80

K52 Series 15mm –150mm, ANSI Flanged 300

Raised Face Automatic Shut-off Valves 5000 2

Models: 05K52-**66*T/10RDB40, 07K52-**66*T/10RDB40,

10K52-**66*T/10RDB40, 15K52-**66*T/15RDB40,

20K52-**66*T/20RDB40, 30K52-**66*Z/30RDB40,

40K52-**66*Z/33RDB40, 60K52-**66*Z/40RDB40

Note:

1. 6th and 7th characters ** designate body material ie 44 = Carbon Steel, 66 = Stainless Steel, 10th character * designates seat material ie T = PTFE, R = RPFTE, 11th character designate stem seal material, ie T = PTFE, Z = Graphite
2. The AGA approved actuator/valve combination are based upon a specified rated supply pressure (air) of 550 to 700 kPa.
3. Optional Norbro J-Switch proving and position indicating switch boxes and ASCO silencers.

Nominal Size mm	Connections in	Designation	Rated		Nominal Size mm	Connections in	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)

Flowserve Australia Pty Ltd Continued
WORCESTER

2724 3.80
K51 Series 15mm – 150 mm ANSI Flanged 150 Raised Face Automatic Shut-off Valves 1900 2
05K51-**66T/10RDB40, 07K51-**66*T/10RDB40, 10K51-**66*T/10RDB40, 15K51-**66*T/15RDB40, 20K51-**66*T/20RDB40, 30K51-**66*Z/30RDB40, 40K51-**66*Z/33RDB40 and 60K51-**66*Z/40RDB40
1. 6th and 7th characters ** designate body material ie 44 = Carbon Steel, 66 = Stainless Steel, 10th character * designates seat material ie T = PFTE, R = RPFTE, 11th character designate stem seal material, ie T = PTFE, Z = Graphite
2. The AGA approved actuator/valve combination are based upon a specified rated supply pressure (air) of 550 to 700 kPa.
3. Optional Norbro J-Switch proving and position indicating switch boxes and ASCO silencers.

2740 5.81
F44 Series, 3 Piece Body, Reduced Bore, Automatic Shut-Off Ball Valve MWP 5000 kPa 0°C to 60°C. Available in Carbon Steel or Stainless Steel with PTFE or RPTFE Seats

15	½"	05F44-4466TZ/10RDB40	5000	3
20	¾"	07F44-4466TZ/10RDB40	5000	3
25	1"	10F44-4466TZ/10RDB40	5000	3
32	1¼"	12F44-4466TZ/10RDB40	5000	3
40	1½"	15F44-4466TZ/15RDB40	5000	3
50	2"	20F44-4466TZ/20RDB40	5000	3

6th and 7th characters denote body material
44 = carbon steel
66 = stainless steel
10th character denotes seat material
T = PTFE R = RPTFE (15% Glass Filled)
Valve packages include:
Norbro RDB40 series spring to open actuator
Asco 551 series solenoid valve
Optional: Norbro J-Switch position proving and position indicating switchboxes

6826 7.05
F519, F529, F819 and F829 Full Bore Automatic Shut-off Valves

15mm – 40mm ANSI Flanged 150 Raised Face,	1900	2
One Piece Body		
05F519 466TZ 10RDB40, 07F519 466TZ 10RDB40, 10F519 466TZ 10RDB40 and 15F519 466TZ 15RDB40		
50mm – 150mm ANSI Flanged 150 Raised Face,	1900	2
Two Piece Body		
20F819 466TZ 20RDB40, 30F819 466TZ 30RDB40, 40F819 466TZ 33RDB40 and 60F819 466TZ 40RDB40		
15mm – 40 mm ANSI Flanged 300 Raised Face,	5000	2
One Piece Body		
05F529 466TT 10RDB40, 07F529 466TT 10RDB40, 10F529 466TT 10RDB40 and 15F529 466TT 15RDB40		
50mm – 150mm ANSI Flanged 300 Raised Face,	5000	2
Two Piece Body		
20F829 466TZ 20RDB40, 30F829 466TZ 33RDB40, 40F829 466TZ 35RDB40 and 60F829 466TZ 40RDB40		

Goyen Controls Company Pty Ltd
GOYEN

2501 2.76
Two Way, Direct Acting, Disc on Seat Solenoid Valve

8	RC	¼ BSP	1B6M-E1BNT-6uvw	2100	2
8	RC	¼ BSP	1B6M-C1BNT-6uvw	2100	2
8	RC	¼ BSP	2B6M-E1BNT-6uvw	1200	2
8	RC	¼ BSP	2B6M-C1BNT-6uvw	1200	2
8	RC	¼ BSP	4B6M-E1BNT-6uvw	1000	2
8	RC	¼ BSP	4B6M-C1BNT-6uvw	1000	2
8	RC	¼ BSP	5B6M-E1BNT-6uvw	400	2
8	RC	¼ BSP	6B6M-C1BNT-6uvw	200	2
8	RC	¼ BSP	5B6M-C1BNT-6uvw	400	2
8	RC	¼ BSP	6B6M-E1BNT-6uvw	200	2
8	RC	¼ BSP	6BL2-E1BNT-6uvw	70	2
10	RC	¾ BSP	10BL2-E1BNT-6uvw	70	2
15	RC	½ BSP	12BL2-E1BNT-6uvw	40	2
8	RC	¼ BSP	6QL2-E1BNT-7uvw	35	2
10	RC	¾ BSP	10QL2-E1BNT-7uvw	35	2

u= '0' Din Socket
u= '1' Screw terminals in Nema 1 Metric enclosures
u= '3' Screw terminals - open C frame
u= '4' Twin flying leads
u= '5' 6.3mm spade terminals - open C frame (Only for "QL2" coils)
u= '6' 2 core cable - open C frame (Only for "QL2" coils)
v= '4' 240V
v= '5' 220V or 240V+ (Except for u='6')
v= '8' 110V or 120V+ (Except for u='6')
v= '9' 110V
v= 'G' 74V (Except for "QL2" coils)
v= 'B' 48V (Except for "QL2" coils)
v= 'C' 32V (Except for u='6')
v= '2' 24V
v= 'D' 12V
+= 'Dual voltage coils'
w= '1' 50Hz or 60Hz Continuous Duty+
(For "B6M" and "BL2" coils, only for v= '5', '8' and '2')
(For "QL2" coils, only for v= '5', '8' and 'C')
w= '3' 50Hz Continuous Duty
(For "B6M" and "BL2" coils, only for v= '4', 'B', 'C' and 'D')
(For "QL2" coils, only for v= '2', '4' and 'D')
w= '7' DC Continuous Duty
(Only for "B6M" coils, only for v= '4', '9', 'G', 'B', 'C', '2' and 'D')

2870 12.82
Two Way, Direct Acting, Disc on Seat Valve Solenoid Valve

6	RC	1/8"	1Q3M-A1BNT 7xyz	2550	2
6	RC	1/8"	1Q3M-A1BVT 7xyz	2550	2
6	RC	1/8"	1Q3M-A1ANT 7xyz	2550	2
6	RC	1/8"	1Q3M-A1AVT 7xyz	2550	2
8	RC	¼"	1Q6M-A1BNT 7xyz	2550	2
8	RC	¼"	1Q6M-A1BVT 7xyz	2550	2
6	RC	1/8"	2Q3M-A1BNT 7xyz	1000	2
6	RC	1/8"	2Q3M-A1BVT 7xyz	1000	2
6	RC	1/8"	2Q3M-A1ANT 7xyz	1000	2
6	RC	1/8"	2Q3M-A1AVT 7xyz	1000	2
6	RC	1/8"	3Q3M-A1BNT 7xyz	700	2
6	RC	1/8"	3Q3M-A1BVT 7xyz	700	2
6	RC	1/8"	3Q3M-A1ANT 7xyz	700	2
6	RC	1/8"	3Q3M-A1AVT 7xyz	700	2
6	RC	1/8"	4Q3M-A1BNT 7xyz	500	2
6	RC	1/8"	4Q3M-A1BVT 7xyz	500	2
6	RC	1/8"	4Q3M-A1ANT 7xyz	500	2
6	RC	1/8"	4Q3M-A1AVT 7xyz	500	2
6	RC	1/8"	4Q3M-VDC/3371	100	2

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure	Operating Position				Working Pressure	Operating Position
mm	in		kPa	(See Key)	mm	in		kPa	(See Key)

Goyen Controls Company Pty Ltd Continued
GOYEN

Suffixes: A1BNT = Brass body – nitrile seat – RC thread
A1BVT = Brass body – viton seat – RC thread
A1ANT = Aluminium body – nitrile seat – RC thread
A1AVT = Aluminium body – viton seat – RC thread
x denotes coil housing connection – 0: Din Socket,
1: Screw terminals in Nema 1 Metric enclosure,
3: Screw terminals – open C frame,
4: Twin flying leads – open C frame,
5: 6.3mm spade terminals – open C frame
6: 2 core cable – open C frame
y denotes coil voltage – 4: 240V, 6: 220V,
9: 110V, G: 74V, B: 48V, C: 32V, 2: 24V, D: 12V
z denotes type of current – 3: 50 Hz continuous,
7: DC continuous

4283 12.87

Direct Acting Solenoid Valve					
8	RC	¼ BSP	6QLS-A1ANT-8uvw	7	2
8	RC	¼ BSP	6QLS-A1ANP-8uvw	7	2
10	RC	¾ BSP	10QLS-A1ANT-8uvw	7	2
10	RP	¾ BSP	10QLS-A1ANP-8uvw	7	2
u= '3' Screw terminals- open C frame					
u= '4' Twin flying leads					
u= '5' 6.3mm spade terminals - open C frame					
u= '6' 2 core cable - open C frame					
v= '4' 240V					
v= '5' 220V or 240V+ (Except for u= '6')					
v= '8' 110V or 120V+ (Except for u= '6')					
v= '9' 110V					
v= 'G' 74V					
v= 'B' 48V					
v= 'C' 32V					
v= '2' 24V					
v= 'D' 12V					
+ = 'Dual voltage coils'					
w= '1' 50Hz or 60Hz Continuous Duty+ (Only for u= '3', '4' and '5', v= '5', 'B' and 'C')					
w= '3' 50Hz Continuous Duty (Only for v= '2', '4' and 'D')					
w= '7' DC Continuous Duty					

4978 5.93

Direct Acting Solenoid Valve					
10	RC	¾ BSP	10QLS2-A1ANT-8u43	7	2
10	RP	¾ BSP	10QLS2-A1ANP-8u43	7	2
10	RC	¾ BSP	10QLS2-A1AVT-8u43	7	2
10	RP	¾ BSP	10QLS2-A1AVP-8u43	7	2
u= 'E' Electronic - spade terminals					
u= 'F' Electronic - 2 core cable					

Techrite Controls Australia Pty Ltd
ECONEX

5570 12.97

SVB Series. Disc on seat valve. D.A. Solenoid. Fast opening/closing. Screwed

10	Rp ¾	SVB08C09A01	100	2
10	Rp ¾	SVB08C09P01	36	2
15	Rp ½	SVB10C15A01	100	2
15	Rp ½	SVB13C15A01	20	2
20	Rp ¾	SVB13C20A01	20	2

AUTOMATIC SHUT-OFF VALVES
(CLASS 3) (AS 4629)

Dong Yang Diecasting Co Ltd

DONG YANG

6949 5.06

Double Solenoid Automatic Shut-Off Valve					
15	¾ BSP	DS1CAE		5	2

Goyen Controls Company Pty Ltd

GOYEN

3818 7.84

Direct Acting Solenoid Valve					
10	¾ BSP	10QLS-E3ANT-8uvw		7	2
10	¾ BSP	10QLS-E3ANP-8uvw		7	2
10	¾ BSP	10QLS-C3ANT-8uvw		7	2
10	¾ BSP	10QLS-C3ANP-8uvw		7	2
6	¼ BSP	6QLS2-A3AVT-8uvw		7	2
6	¼ BSP	6QLS2-A3AVP-8uvw		7	2
10	¾ BSP	10QLS2-A3AVT-8uvw		7	2
10	¾ BSP	10QLS2-A3AVP-8uvw		7	2
u= '0' Din socket					
u= '1' Screw terminals in Nema 1 Metric enclosure					
u= '3' Screw terminals - open C frame					
u= '4' Twin flying leads					
u= '5' 6.3mm spade terminals - open C frame					
u= '6' 2 core cable - open C frame					
u= 'E' Electronic - spade terminals (Only for 'QLS2')					
u= 'F' Electronic - 2 core cable (Only for 'QLS2')					
v= '4' 240V					
v= '6' 220V					
v= '7' 208V					
v= '9' 110V					
v= 'G' 74V					
v= 'B' 48V					
v= 'C' 32V					
v= '2' 24V					
v= 'D' 12V					
v= 'H' 9V					
w= '3' 50Hz Continuous					
w= '4' DC Continuous					

5080 2.94

Direct Acting Solenoid Valve					
20	RC	¾ BSP	20BAL-E3ANT-6uvw	10	2
20	RP	¾ BSP	20BAL-E3ANP-6uvw	10	2
u= '0' Din socket					
u= '1' Screw terminals in Nema 1 Metric enclosure					
u= '3' Screw terminals - open C frame					
u= '4' Twin flying leads					
v= '4' 240V					
v= '5' 220V or 240V+					
v= '8' 110V or 120V+					
v= '9' 110V					
v= 'B' 48V					
v= 'C' 32V					
v= '2' 24V					
v= 'D' 12V					
+ = 'Dual voltage coils'					
w= '1' 50Hz or 60Hz Continuous Duty+ (Only for v= '5', '8' & '2')					
w= '3' 50Hz Continuous Duty (Only for v= '4', 'B', 'C' and 'D')					

Nominal Size mm	Connections in	Designation	Rated		Nominal Size mm	Connections in	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)

Invensys Controls Australia Pty Ltd
INVENSYS

5623	10.97	NC-4100-5 Series Thermal Bi-Metal Valve			3.5	2
Single or Dual Outlet						
Optional: Norton Model 501A IGN Hot Surface Ignitor (HSI)						
					3.5	2

AUTOMATIC SHUT-OFF VALVES
(CLASS 1) (AG 214)

Ascomation Pty Ltd

ASCO

2504	4.76	262 Series 2-Way. Direct Acting, Disc-On-Seat Solenoid Valves.				
6	1/8	*****_262C2	AC	200	2	
8	1/4	*****_262C13	AC	140	2	
8	1/4	*****_262C90	AC	120	2	
8	1/4	*****_262B210	AC	280	2	

Ambient Temperature 0°C to 77°C

Options: 1st Character Set, Coil and Enclosure Type
AG, AGU, AGUS, AGSC, EAAG, VMAG, WSVMAG and WPAG.

2nd Character Set, Thread Type
'B' NPT, 'D' BSPT and 'E' BSPP

2505 **4.76**

AGD030 Series. Disc on seat valve. D.A. Sol.						
10	3/8 BSP	AGD030B10	AC	40	2	
15	1/2 BSP	AGD030A16	AC	14	2	
Optional construction with NPT thread has "D" replaced with "B" e.g. AGB030B10.						
Optional solenoids are indicated by prefixes: EA, FA, SC or SD. Eg: EAAGD030B10						

2506 **4.76**

AGD040 Series. Disc on seat valve. D.A. Sol.						
15	1/2 BSP	AGD040B2	AC	9	2	
20	3/4 BSP	AGD040B3	AC	9	2	
Optional construction with NPT thread has "D" replaced with "B" e.g. AGB040B2.						
Optional solenoids are indicated by prefixes: EA, FA, NE, SC, VF eg: AGSCD40B2						

Asco UK EG Series

15	1/2 Rp	EGSCE040B2	AC	9	2	
Optional construction with NPT thread as "E" replaced with "8" eg: EGSC8040B2						

2867 **11.82**

AGD044 Series. Disc on seat valve. D.A. Sol. Manual reset.						
20	3/4 BSP	AGD044B1	AC	175	1	
25	1 BSP	AGD044A2	AC	175	1	
32	1 1/4 BSP	AGD044A3	AC	175	1	
40	1 1/2 BSP	AGD044A4	AC	175	1	
50	2 BSP	AGD044A5	AC	140	1	
65	2 1/2 BSP	AGD044A6	AC	70	1	
80	3 BSP	AGD044A7	AC	70	1	
Optional construction with NPT thread has "D" replaced with "B" (eg: AGB044B)						
Optional Solenoids are prefixed "NE" "SC" (eg: AGSCD044B)						

Ascomation Pty Ltd Continued

ASCO

2874	6.83	AGD042 "C" and "D" Series. Disc on seat valve. D.A. Sol.				
20	3/4 BSP	AGD042D35	AC	350	1	
25	1 BSP	AGD042C45	AC	350	1	
32	1 1/4 BSP	AGD042C55	AC	350	1	
40	1 1/2 BSP	AGD042C65	AC	350	1	
Optional construction with NPT thread has "D" replaced with "B" e.g. AGB042D35.						
Optional solenoids are not available.						

3205 **3.81**

AGD261 Series. Disc on seat valve. D.A. Sol.						
6	1/8 BSP	AGD2618	AC	420	2	
Optional construction with NPT thread has "D" replaced with "B" e.g. AGB2618.						
Optional solenoids are indicated by prefix "US" e.g. AGUSD2618.						

Gosfern Pty Ltd

SKOTCH

4633	8.92	Trifecta T4000 Series. Double block and vent valve. Pneumatic.				
25	1 Flange	T4106		345	2	
50	2 Flange	T4206		345	2	
80	3 Flange	T4306		345	2	
100	4 Flange	T4406		345	2	
150	6 Flange	T4606		345	2	

Honeywell Limited

HONEYWELL

2705	10.78	V5055 Series. Disc on seat valve and Direct Mount Electro/Hydraulic Actuators				
20 - 80mm	Sizes 3/4"-3"	V5055*---		105/310/517	2	
100mm	Sizes 4"	V5055*---		105	2	
Available with NPT/BSPP/4" Flange.						
Higher pressures applicable for V5055D, E versions.						
V5055A---	Low pressure on/off					
V5055B---	Low pressure characterized valve					
V5055C---	Low pressure. Double seat					
V5055D---	High pressure on/off					
V5055E---	High pressure. Double seat.					
The above operate with actuators as follows:						
V5055A, B, C, D, E	V4055A, B, C, D, E			3/4"-3"		
V5055B	V4062A, D, V90555A, D			3/4"-3"		
V5055A, B	V4055A, B, C, D, E,					
	V4062A, D, V90555A, D			4" only		
V5055C	V4055A, B, C, D, E,					
	V4062A, D, V90555A, D			4" only		

- Note: (i) The final four digits after V5055*---, have no effect on the safety of the valve but determine finer characteristics and individual customer special requirements. For more information, please contact Honeywell.
- (ii) These products carry Factory Mutual Approval.

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure	Operating Position				Working Pressure	Operating Position
mm	in		kPa	(See Key)	mm	in		kPa	(See Key)

Honeywell Limited Continued

HONEYWELL

6002 5.00

VQ Series. Disc on Seat Solenoid Valve.

20-50 3/4"-2" VQ*--*** 20-35 3

Note:

VQ4--**** Refers to line voltage (240Vac/110Vac/200Vac)

VQ8--**** Refers to low voltage (28Vac/24Vac)

VQ*--A** no extra 3rd valve

VQ*--B** internal bypass or high/low valve

VQ*--C** vent valve

VQ*--D** internal bypass and vent valve

VQ*--E** external pilot valve

VQ*--F** external pilot valve and internal bypass

or high/low valve

VQ*--G** internal bypass valve and external pilot valve

VQ*--H** internal bypass and no 1st valve

VQ*--J** external pilot valve and vent valve

VQ*--*A* 2nd valve fast opened and fast open

internal bypass or high/low valve

VQ*--*B* 2nd valve slow opened and fast open

internal bypass or high/low valve

VQ*--*C* 2nd valve fast opened and slow open

internal bypass or high/low valve

VQ*--*D* 2nd valve slow opened and slow open

internal bypass or high/low valve

VQ*--**1 Female threaded connection

Note: The final four digits after the model number have no effect on the safety of the valve but determine finer characteristics and individual customer special requirements. For additional information, please contact Honeywell.

Honeywell Limited (NSW)

HONEYWELL

5362 2.96

VE4000 and VE400AA Series. Disc on Seat Solenoid Valve

VE4000 Series

10 3/8" VE*010* 35 3

15 1/2" VE*015* 35 3

20 3/4" VE*020* 20 3

25 1" VE*025* 20 3

32 1/4" VE*032* 20 3

40 1/2" VE*040* 20 3

50 2" VE*050* 20 3

65 2 1/2" VE*065* 20 3

80 3" VE*080* 20 3

100 Flange VE*100* 20 3

VE4**** (240Vac/110Vac/120Vac)

VE8**** (24Vac/24Vdc)

VEN4**** (110Vac/200Vac)

VE****A (On/Off)

VE****B (Flow Regulation)

VE****C (Flow Regulation and Adjustable Opening)

VE****S (On/Off Normally Open)

VE400AA Series

8 1/4" VE408AA 50 3

10 3/8" VE410AA 20 3

15 1/2" VE415AA 20 3

20 3/4" VE420AA 20 3

VE**AA (230Vac/110Vac)

Hurl Nu-Way Pty Ltd

BLACK TEKNIGAS

5477 12.99

28 Series: Disc on seat, direct acting valve with full wave rectified coil

6 1/8 2811 10 3

8 1/4 2821 10 3

10 3/8 2831 10 3

15 1/2 2841 10 3

20 3/4 2851 10 3

Disc on seat, direct acting double block valves with full wave rectified coil

10 3/8 2832 10 3

15 1/2 2842 10 3

Note: The above entry for Certificate 5477 was included in earlier AGA Directories in error. Please refer to AGA Technical Office for any further information.

6341 10.02

Black Teknigas Series 2000

Fast Opening

3/4" 2000 230 V 2000 110 V 2000 24 V 36 3

1" 2001 230 V 2001 110 V 2001 24 V 20 3

1 1/4" 2002 230 V 2002 110 V 2002 24 V 20 3

1 1/2" 2003 230 V 2003 110 V 2003 24 V 20 3

2" 2004 230 V 2004 110 V 2004 24 V 20 3

Fast Opening with Flow Adjustment

3/4" 2000 230 VR 2000 110 VR 2000 24 VR 36 3

1" 2001 230 VR 2001 110 VR 2001 24 VR 20 3

1 1/4" 2002 230 VR 2002 110 VR 2002 24 VR 20 3

1 1/2" 2003 230 VR 2003 110 VR 2003 24 VR 20 3

2" 2004 230 VR 2004 110 VR 2004 24 VR 20 3

Fast Opening with CPI Switch

3/4" 2000 230 VC 2000 110 VC 2000 24 VC 36 3

1" 2001 230 VC 2001 110 VC 2001 24 VC 20 3

1 1/4" 2002 230 VC 2002 110 VC 2002 24 VC 20 3

1 1/2" 2003 230 VC 2003 110 VC 2003 24 VC 20 3

2" 2004 230 VC 2004 110 VC 2004 24 VC 20 3

Slow Opening

3/4" 2000 230 VS 2000 110 VS 2000 24 VS 36 3

1" 2001 230 VS 2001 110 VS 2001 24 VS 20 3

1 1/4" 2002 230 VS 2002 110 VS 2002 24 VS 20 3

1 1/2" 2003 230 VS 2003 110 VS 2003 24 VS 20 3

2" 2004 230 VS 2004 110 VS 2004 24 VS 20 3

Slow Opening with Flow Adjustment

3/4" 2000 230 VSR 2000 110 VSR 2000 24 VSR 36 3

1" 2001 230 VSR 2001 110 VSR 2001 24 VSR 20 3

1 1/4" 2002 230 VSR 2002 110 VSR 2002 24 VSR 20 3

1 1/2" 2003 230 VSR 2003 110 VSR 2003 24 VSR 20 3

2" 2004 230 VSR 2004 110 VSR 2004 24 VSR 20 3

Slow Opening with CPI Switch

3/4" 2000 230 VSC 2000 110 VSC 2000 24 VSC 36 3

1" 2001 230 VSC 2001 110 VSC 2001 24 VSC 20 3

1 1/4" 2002 230 VSC 2002 110 VSC 2002 24 VSC 20 3

1 1/2" 2003 230 VSC 2003 110 VSC 2003 24 VSC 20 3

2" 2004 230 VSC 2004 110 VSC 2004 24 VSC 20 3

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure	Operating Position				Working Pressure	Operating Position
mm	in		kPa	(See Key)	mm	in		kPa	(See Key)

Karl Dungs GmbH & Co KG

Agent: Techrite Controls Aust Pty Ltd

DUNGS

6509 1.04

SV Series Disc on Seat, Direct Acting Automatic Shut-Off Valves

SV – Single-stage Solenoid, fast-opening, fast-closing

SV-D – Single-stage solenoid, fast opening, fast-closing

SV-DLE – Single-stage solenoid valve, slow-opening, fast-closing

15	Rp 1/2	SV 505, SV-D 505 and SV-DLE 505	50	1
20	Rp 3/4	SV 507, SV-D 507 and SV-DLE 507	50	1
25	Rp 1	SV 510, SV-D 510 and SV-DLE 510	50	1
40	Rp 1 1/2	SV 515, SV-D 515 and SV-DLE 515	50	1
50	Rp 2	SV 520, SV-D 520 and SV-DLE 520	50	1

Maxon Corporation – Agent: Techrite Controls Australia P/L

MAXON

2443 1.76

808 Series Sliding Gate Valve. Manual Reset.

20	3/4 NPT	808	860	3
25	1 NPT	808	860	3
32	1 1/4 NPT	808	690	3
40	1 1/2 NPT	808	480	3
50	2 NPT	808	480	3
65	2 1/2 NPT	808	275	3
65	2 1/2 NPT	808CP	340	3
80	3 NPT	808	210	3
80	3 NPT	808CP	340	3
100	4 Flange	808CP	340	3

Valves with special valve trim material are designated 818 or 818CP.

Valves with cast steel bodies are designated 808-S or 818-S.

2444 1.76

5000 Series. Sliding Gate Valve. Solenoid and Motor.

20	3/4 NPT	5000	860	3
25	1 NPT	5000	860	3
32	1 1/4 NPT	5000	690	3
40	1 1/2 NPT	5000	480	3
50	2 NPT	5000	480	3
65	2 1/2 NPT	5000	275	3
65	2 1/2 NPT	5000CP	340	3
80	3 NPT	5000	210	3
80	3 NPT	5000CP	340	3
100	4 Flange	5000CP	340	3

Valves with special valve trim material are designated 5100 or 5100CP.

Valves with cast steel bodies are designated 5000-S or 5100-S.

2445 1.76

7000 Series. Sliding Gate Valve. Manual Reset.

100	4 Flange	7000	400	1
150	6 Flange	7000	340	1

Metso Automation (ANZ) Pty Ltd

JAMESBURY

6774 5.05

Series 4000

15	1/2 4 A ##### # 1	6895	3
20	3/4 4 A ##### # 1	6895	3
25	1 4 A ##### # 1	6895	3
40	1 1/2 4 A ##### # 1	6895	3
50	2 4 A ##### # 1	6895	3

Reduced Bore

4th – 7th Characters denote 2236 or 3600

8th – 9th Characters denote TT, MT or XT

20	3/4 4 B ##### # 1	6895	3
25	1 4 B ##### # 1	6895	3
40	1 1/2 4 B ##### # 1	6895	3

Full Bore

4th – 7th Characters denote 2236 or 3600

8th – 9th Characters denote TT, MT or XT

Assemblies marked “Shut-Off” and includes:

Quadra-Powr II actuator – QP1C/M

Asco pilot operated solenoid valve – EF8316G54

Stonel Quartz position indicating switch types

QZM or QZP

6775 5.05

Series 5000

15	1/2 5150 31 ##### # 1	2000	3
20	3/4 5150 31 ##### # 1	2000	3
25	1 5150 31 ##### # 1	2000	3
40	1 1/2 5150 31 ##### # 1	2000	3
50	2 5150 31 ##### # 1	2000	3

8th – 11th Characters denote 2236 or 3600

12th – 13th Characters denote TT, MT or XT

Assemblies marked “Shut-Off” and includes:

Quadra-Powr II actuator – QP1C/M (1/2" to 1"),

QP2C/M (1 1/2" & 2")

Asco pilot operated solenoid valve – EF8316G54

Stonel Quartz position indicating switch types

QZM or QZP

6776 5.05

Series 7000

80	3 7150 31 ##### # 1	2000	3
100	4 7150 31 ##### # 1	2000	3
150	6 7150 31 ##### # 1	2000	3

8th – 11th Characters denote 2236 or 3600

12th – 14th Characters denote TTT, MTT or XTZ

Assemblies marked “Shut-Off” and includes:

Quadra-Powr II actuator – QP3C/M (3"),

QP4C/M (4" & 6")

Asco pilot operated solenoid valve – EF8316G54

Stonel Quartz position indicating switch types QZM or QZP

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure	Operating Position				Working Pressure	Operating Position
mm	in		kPa	(See Key)	mm	in		kPa	(See Key)

OneSteel Piping Systems A Business of OneSteel Trading P/L
EMICO/EL-O-MATIC

6567 3.04

Emico Full Bore Ball Valves/El-O-Matic Spring to Close Actuator

15	½"	SO 15 * ***	5000	2
20	¾"	SO 20 * ***	5000	2
25	1"	SO 25 * ***	5000	2
40	1½"	SO 40 * ***	5000	2
50	2"	SO 50 * ***	5000	2

SO: Shut-off valve – Emico EA 305A or EA305C

*: Body construction ie A = Stainless Steel, B = Carbon Steel

***: Limit Switch APL = APL310N (general purpose),

HDX = El-O-Matic HDX model H2 (explosion proof)

Additional Package Details:

Actuators – El-O-Matic models:

15mm package: ES0012.MIA0202A.09K (ES12 prior to May 2003)

20mm package: ES0025.MIA04A.11K (ES25 prior to May 2003)

25mm package: ES0040.MIA04A.14K (ES40 prior to May 2003)

40mm package: ES0065.MIA04A.14K (ES65 prior to May 2003)

50mm package: ES0100.MIA04A.19K (ES100 prior to May 2003)

Solenoid valve: Burket 6519 (namur) NB: Pressure limited to 800 kPa (700 kPa with I.S. coil), Voltages (AC/DC): 24, 110, 240

Silencer (std on all packages): SAS brand, SFS series, Model 2SEP, size ¼"

Isolation valve: Emico valves are available with NPT, BSP thread forms or socket weld ends. Working temperature 0-60°C

OneSteel Piping Systems A Business of OneSteel Trading P/L
KITZ/EL-O-MATIC

6113 5.01

Automatic Shut-Off Valves

Class 150 Models SCTAM-FS – Reduced Port and

SCTBZM-FS – Full Port Sizes 15, 20, 25, 40,

50, 80, 100 and 150 mm @ 60°C 1900 2

Class 300 Models SCTAM-FS – Reduced Port and

SCTBZM-FS – Full Port Sizes 15, 20, 25, 40, 50, 80, 100 and 150 mm @ 60°C 4920 2

Fitted with various models El-O-Matic Actuators

and Burket model 6519 ¼" Solenoids

OneSteel Piping Systems A Business of OneSteel Trading P/L
TURNFLO

6443 9.03

T3 and T5 (Wafer Body) – T4 and T6 (Lugged Body) Butterfly Valves, NB 50, 65, 80, 100, 125 and 150mm 1050 2

Note: Valve package includes El-o-matic type ES pneumatic

actuator/Burkert type 6519 solenoid valve, coil voltages

either 240, 110, 28, 24 and 12/VSR quick exhaust-silencer/

APL model 310N limit switch

Parker Hannifin (Australia) Pty Ltd

LUCIFER

6160 7.01

7221G Series 2/2 Pilot Operated Diaphragm Valve

20 ¾" BSP 7221GBY3534C 200 2

25 1" BSP 7221GBY3534A 100 2

Refer to Manufacturer for voltage/power/coil type details

6162 7.01

7121K Series 2/2 Direct Acting Disc-On-Seat Solenoid Valve

8 ¼" BSP 7121KBG2SV00 200-500 2

10 3/8" BSP 7121KBG3UV00 110/300 2

15 ½" BSP 7121KBG44V00E 30-70 2

15 ½" BSP 7121KBG42V00E 50-120 2

Refer to Manufacturer for voltage/power/coil type details

Siemens Building Technologies, A Division of Siemens Ltd
LANDIS & GYR

2863 3.82

VGG10, VGF10, VGH10, VRF10 and VRH10 Series Class 1 Automatic Safety Shut-off Valves with SKP Series Actuators.

20	¾ BSP	VGG10.204P	140	3
25	1 BSP	VGG10.254P	140	3
40	1½ BSP	VGG10.404P	140	3
50	2 BSP	VGG10.504P	140	3
80	3 BSP	VGG10.804P	70	3
65	2½ Flange	VGF10.654P	70	3
80	3 Flange	VGF10.804P	70	3
80	3 Flange	VGH10.18050	70	3
100	4 Flange	VGH10.19050	70	3
125	5 Flange	VGH10.19150	50	3

Note: VGG and VGF valves not ending with "P" do not have profiled seat. Suffix "U" indicates Underwriters Laboratory listed. The following valves are suitable for Biogas and Recycling gas applications.

40	1½ Flange	VRF10.404	60	3
50	2 Flange	VRF10.504	60	3
65	2½ Flange	VRF10.654	30	3
80	3 Flange	VRF10.804	30	3
80	3 Flange	VRH10.805 High Flow	30	3
100	4 Flange	VRH10.905 High Flow	30	3
125	5 Flange	VRH10.915 High Flow	30	3

Note: A range of actuators is available to suit the above valves:

- SKPx0.11yBz7 actuator.
 - SKP10.123Az7 high-low control, with end/auxiliary switch actuator
 - SKP11.211Az7 continuous operation actuator
 - SKP11.212Az7 continuous operation with auxiliary/end switch actuator
 - SKP27.11yCz7 proportioning control actuator
- x: 1 Denotes only on/off
2 Denotes on/off, c/w governor
5 Denotes on/off, air/gas ratio control
7 Denotes on/off, air/gas ratio control
- y: 0 Denotes auxiliary end switch is not fitted
1 Denotes auxiliary/end switch is fitted (ie indicates fully closed position)
- z: 1 Denotes 110V actuator
2 Denotes 240V actuator

4570 2.92

Landis & Gyr VGD20 and VGD40 Series Disc on Seat Valves with SKP Series Actuators.

40	1½ BSP	VGD20.403	140	3
50	2 BSP	VGD20.503A	140	3
A indicates pilot connection of 1"				
40	1½ Flange	VGD40.040	100	3
50	2 Flange	VGD40.050	100	3
65	2½ Flange	VGD40.065	70	3
80	3 Flange	VGD40.080	70	3
100	4 Flange	VGD40.100	70	3
125	5 Flange	VGD40.125	70	3
150	6 Flange	VGD40.150	70	3

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure	Operating Position				Working Pressure	Operating Position
mm	in		kPa	(See Key)	mm	in		kPa	(See Key)

**Siemens Building Technologies, A Division of Siemens Ltd
LANDIS & GYR Continued**

Note: A range of actuators is available to suit the above valves:

1. SKPx0.11yBz7 actuator.
 2. SKP10.123Bz7 high-low control, with end/auxiliary switch actuator
 3. SKP11.211Az7 continuous operation actuator
 4. SKP11.212Az7 continuous operation with auxiliary/end switch actuator
 5. SKP27.11yCz7 proportioning control actuator
- x: 1 Denotes only on/off
2 Denotes on/off, c/w governor
5 Denotes on/off, air/gas ratio control
7 Denotes on/off, air/gas ratio control
- y: 0 Denotes auxiliary end switch is not fitted
1 Denotes auxiliary/end switch is fitted (ie indicates fully closed position)
- z: 1 Denotes 110V actuator
2 Denotes 240V actuator

System Control Engineering Pty Ltd

BRAHMA

4314 4.88

Disc on seat valve series D.A. Sol

6-15	Rp 1/4" - 1/2"	E6G***	Range 10-100 kPa	2
	6mm			
	Compression			
	Rp 1/4"	E8/***	Range 10-200 kPa	1
15	Rp 1/2"	EG12***	Range 25-50 kPa	2
15	Rp 1/2"	EG15***	Range 10-50 kPa	3
20	Rp 3/4"	EG25***	Range 5-50 kPa	3
25	Rp 1"	EG30***	Range 20-50 kPa	3
40	Rp 1 1/2"	EG40***	20 kPa	3
15	Rp 1/2"	GVC15***	Range 10-50 kPa	3
20	Rp 3/4"	GVC25***	Range 35-50 kPa	3
25	Rp 1"	GVC30***	Range 20-50 kPa	3
40	Rp 1 1/2"	GVC40***	20 kPa	3

System Control Engineering Pty Ltd

KROMSCHRODER

2726 4.80

VK Series. Disc on seat valve. Electrohyd.

40	1 1/2 BSP	VK1 1/2"	100*	3
40	1 1/2 Flange	VK40	100*	3
50	2 BSP	VK2"	100*	3
50	2 Flange	VK50	100*	3
65	2 1/2 BSP	VK2 1/2"	100*	3
65	2 1/2 Flange	VK65	100*	3
80	3 Flange	VK80	100*	3
100	4 Flange	VK100	100*	3
125	5 Flange	VK125	60	3
150	6 Flange	VK150	40	3

Valves with 2-step slow opening are designated V2K.

'E' after designation above indicates position indicating switch.

*400 kPa version available on request.

System Control Engineering Pty Ltd Continued

KROMSCHRODER

3968 5.86

VG Series. Disc on seat valve. D.A. Solenoid

Fast opening/closing, without max. flow adjustment

VG 6 K 03 G	36	3
VG 6 K 05	50	3
VG 6 R 05	50	3
VG 8 R 03 G	36	3
VG 8 R 05	50	3
VG 10 R 01	10	3
VG 15/10 R 01	10	3
VG 15/12 R 18 N 31	180	3
VG 25/15 R 18 N 31	180	3
VG 40/33 R 10 N 33	100	3
VG 50/39 R 10 N 33	100	3
VG 65/49 R 10 N 33	100	3
VG 40/33 F 10 N 33	100	3
VG 50/39 F 10 N 33	100	3
VG 65/49 F 10 N 33	100	3

Fast opening/closing, with max. flow adjustment

VG 10/15 R 02 ND 31	20	3
VG 15 R 02 ND 31	20	3
VG 20 R 02 ND 31	20	3
VG 25 R 02 ND 31	20	3
VG 40/32 R 02 ND 31	20	3
VG 40 R 02 ND 33	20	3
VG 50 R 02 ND 33	20	3
VG 65 R 02 ND 33	20	3
VG 40 F 02 ND 33	20	3
VG 50 F 02 ND 33	20	3
VG 65 F 02 ND 33	20	3
VG 80 F 02 ND 33	20	3
VG 100 F 02 ND 33	20	3
VG 8 R 18	180	3
VG 10/15 R 03 ND 31	36	3
VG 15 R 03 ND 31	36	3
VG 20 R 03 ND 31	36	3
VG 25 R 03 ND 31	36	3
VG 40 R 03 ND 33	36	3
VG 50 R 03 ND 33	36	3
VG 65 R 03 ND 33	36	3
VG 40 F 03 ND 33	36	3
VG 50 F 03 ND 33	36	3
VG 65 F 03 ND 33	36	3
VG 80 F 03 ND 33	36	3

Slow opening/fast closing, with max. flow adjustment

VG 10/15 R 02 LD 31	20	3
VG 15 R 02 LD 31	20	3
VG 20 R 02 LD 31	20	3
VG 25 R 02 LD 31	20	3
VG 40/32 R 02 LD 31	20	3
VG 40 R 02 LD 33	20	3
VG 50 R 02 LD 33	20	3
VG 65 R 02 LD 33	20	3
VG 40 F 02 LD 33	20	3
VG 50 F 02 LD 33	20	3
VG 65 F 02 LD 33	20	3
VG 80 F 02 LD 33	20	3
VG 100 F 02 LD 33	20	3
VG 15 R 03 LD 31	36	3
VG 20 R 03 LD 31	36	3
VG 25 R 03 LD 31	36	3
VG 40 R 03 LD 33	36	3
VG 50 R 03 LD 33	36	3
VG 65 R 03 LD 33	36	3

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)
System Control Engineering Pty Ltd Continued					System Control Engineering Pty Ltd Continued				
KROMSCHRODER					KROMSCHRODER				
VG 40 F 03	LD 33		36	3	Note: Available with following valve bodies:				
VG 50 F 03	LD 33		36	3	"VS" - Single Block				
VG 65 F 03	LD 33		36	3	"VD" - Double Block				
VG 80 F 03	LD 33		36	3	"VZ" - High/Low				
Note: Valve and valve actuator designations as follows:					Valve actuator designations as follows:				
"VG"	-	Type			"N"	-	Fast Opening		
"R"	-	Thread			"L"	-	Slow Opening		
"F"	-	Flange			"Z"	-	High/Low		
"K"	-	Tapered ring			"S"	-	Position Indicator		
"N"	-	Quick Opening			"G"	-	Position Indicator Gold Contacts		
"L"	-	Slow Opening			"D"	-	Flow Adjustments		
"D"	-	Flow Adjustment			"M"	-	Biologically produced methane		
"S"	-	Position Indicator			"V"	-	Vitron Disc		
5320 10.96					"3"				
VS and VD Series. Moduline Gas Block ML....					"6"				
10	3/8 BSP	VS 120 ML 01	10	2	"T"				
15	1/2 BSP	VS 120 ML 01	10	2	"M"				
20	3/4 BSP	VS 120 ML 01	10	2	"K"				
25	1 BSP	VS 120 ML 01	10	2	5567 7.97				
25	1 BSP	VS 236 ML 01	10	2	VGP Series Disc on seat Valve DA Solenoid				
40	1 1/2 BSP	VS 236 ML 01	10	2	10	3/8 BSP	VGP10	20	3
40	1 1/2 BSP	VS 345 ML 01	10	2	10	3/8 BSP	VGP10E	20	3
50	2 BSP	VS 345 ML 01	10	2	15	1/2 BSP	VGP15	20	3
					15	1/2 BSP	VGP15E	20	3
10	3/8 BSP	VS 115 ML 02	20	2	20	3/4 BSP	VGP20E	15	3
15	1/2 BSP	VS 115 ML 02	20	2	25	1 BSP	VGP25E	15	3
20	3/4 BSP	VS 115 ML 02	20	2	E - Economy power consumption				
25	1 BSP	VS 115 ML 02	20	2	System Control Engineering Pty Ltd				
20	3/4 BSP	VS125 ML 02	20	2	STAIGER				
25	1 BSP	VS 125 ML 02	20	2	3777 5.84				
25	1 BSP	VS 232 ML 02	20	2	Solenoid valve. Disc on seat valve. D.A. Sol.				
40	1 1/2 BSP	VS 232 ML 02	20	2	8	1/4	MA 232-007P	500	1
40	1 1/2 BSP	VS 240 ML 02	20	2	4432 5.89				
50	2 BSP	VS 240 ML 02	20	2	Disc on seat. Sol. Valve.				
40	1 1/2 BSP	VS 350 ML 02	20	2	10	3/8 BSP	Type MA243-001...	20	2
50	2 BSP	VS 350 ML 02	20	2	10	3/8 BSP	Type MA242-005 V	50	2
					15	1/2 BSP	Type MA253-001...	20	2
10	3/8 BSP	VD 115 ML 02	20	2	6016 1.01				
15	1/2 BSP	VD 115 ML 02	20	2	Disc on seat, D.A. Solenoid Valve				
20	3/4 BSP	VD 115 ML 02	20	2	15	1/2 BSP	MA 252-001 P-27 SAH	20	1
25	1 BSP	VD 115 ML 02	20	2	System Control Engineering Pty Ltd				
20	3/4 BSP	VD 125 ML 02	20	2	TEDDINGTON CONTROLS				
25	1 BSP	VD 125 ML 02	20	2	6709 2.05				
25	1 BSP	VD 232 ML 02	20	2	SOVA Series Direct Acting, Disc-on-Seat				
40	1 1/2 BSP	VD 232 ML 02	20	2	Valves Models SOVA 10321 (12 Vdc)				
40	1 1/2 BSP	VD 240 ML 02	20	2	and SOVA 10325 (230 Vac)				
50	2 BSP	VD 240 ML 02	20	2	Ambient Temperature: 0°C to 70°C				
40	1 1/2 BSP	VD 350 ML 02	20	2					
50	2 BSP	VD 350 ML 02	20	2					
10	3/8 BSP	VS 115 ML 03	36	2					
15	1/2 BSP	VS 115 ML 03	36	2					
20	3/4 BSP	VS 115 ML 03	36	2					
25	1 BSP	VS 115 ML 03	36	2					
20	3/4 BSP	VS 125 ML 03	36	2					
25	1 BSP	VS 125 ML 03	36	2					
25	1 BSP	VS 232 ML 03	36	2					
40	1 1/2 BSP	VS 232 ML 03	36	2					
40	1 1/2 BSP	VS 240 ML 03	36	2					
50	2 BSP	VS 240 ML 03	36	2					
40	1 1/2 BSP	VS 350 ML 03	36	2					
50	2 BSP	VS 350 ML 03	36	2					

Nominal Size mm	Connections in	Designation	Rated		Nominal Size mm	Connections in	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)
Techrite Controls Australia Pty Ltd					Techrite Controls Australia Pty Ltd Continued				
DUNGS					DUNGS				
4522 1.90					4492 10.89				
MV, MVD and MVDLE Series. Disc on Seat, Direct Acting					ZR/5 Series . Two-stage solenoid, rapid opening, flow setting for Stage 1.				
Automatic Shut-off Solenoid Valve					Note: Contact Techrite Controls for further information Relating to Closed Position or Proof of Closer indicator Switches and solenoid selection.				
10	Rp 3/8	MVD 203/5	36	3	150	DN 150	MV 2150/5 S	20	3
15	Rp 1/2	MVD 205/5	36	3	100	DN 100	MVD 5100/5	50	3
20	Rp 3/4	MVD 207/5	20	3	125	DN 125	MVD 5125/5	50	3
20	Rp 3/4	MVD 207/5	36	3	150	DN 150	MVD 5150/5	50	3
25	Rp 1	MVD 210/5	36	3	Note: Contact Techrite Controls for further information Relating to Closed Position or Proof of Closer indicator Switches and solenoid selection.				
40	Rp 1 1/2	MVD 215/5	20	3	4492 10.89				
40	Rp 1 1/2	MVD 215/5	36	3	ZR/5 Series . Two-stage solenoid, rapid opening, flow setting for Stage 1.				
50	Rp 2	MVD 220/5	20	3	20	3/4 BSP	ZR407/5	36	3
65	Rp 2 1/2	MVD 225/5	20	3	20	3/4 Flange	ZR4020/5	36	3
10	Rp 3/8	MVDLE 203/5	36	3	25	1 BSP	ZR410/5	36	3
15	Rp 1/2	MVDLE 205/5	36	3	25	1 Flange	ZR4025/5	36	3
20	Rp 3/4	MVDLE 207/5	36	3	40	1 1/2 BSP	ZR415/5	36	3
25	Rp 1	MVDLE 210/5	36	3	40	1 1/2 Flange	ZR4040/5	36	3
40	Rp 1 1/2	MVDLE 215/5	20	3	50	2 BSP	ZR420/5	36	3
40	Rp 1 1/2	MVDLE 215/5	36	3	50	2 Flange	ZR4050/5	36	3
50	Rp 2	MVDLE 220/5	20	3	Note: Additional features have suffixes as follows- "D" suffix – flow setting for Stage 2. "LE" suffix – slow opening.				
65	Rp 2 1/2	MVDLE 225/5	20	3	5038 6.94				
10	Rp 3/8	MVD 503/5	50	3	DMV-D Series Double solenoid disc on seat valve. D.A. Sol.				
15	Rp 1/2	MVD 505/5	50	3	10	Rp 3/8	DMV-D 503/10	50	3
20	Rp 3/4	MVD 507/5	50	3	15	Rp 1/2	DMV-D 505/10	50	3
25	Rp 1	MVD 510/5	50	3	20	Rp 3/4	DMV-D 507/10	50	3
40	Rp 1 1/2	MVD 515/5	50	3	25	Rp 1	DMV-D 510/10	50	3
50	Rp 2	MVD 520/5	50	3	32	Rp 1 1/4	DMV-D 512/10	50	3
65	Rp 2 1/2	MVD 525/5	50	3	40	Rp 1 1/2	DMV-D 515/10	50	3
10	Rp 3/8	MVDLE 503/5	50	3	50	Rp 2	DMV-D 520/10	50	3
15	Rp 1/2	MVDLE 505/5	50	3	Flanged				
20	Rp 3/4	MVDLE 507/5	50	3	40	DN 40	DMV-D 5040/10	50	3
25	Rp 1	MVDLE 510/5	50	3	50	DN 50	DMV-D 5050/10	50	3
40	Rp 1 1/2	MVDLE 515/5	50	3	65	DN 64	DMV-D 5065/10	50	3
50	Rp 2	MVDLE 520/5	50	3	80	DN 80	DMV-D 5080/10	50	3
20	DN 20	MVD 2020/5	20	3	100	DN 100	DMV-D 5100/10	50	3
20	DN 20	MVD 2020/5	36	3	125	DN 125	DMV-D 5125/10	50	3
25	DN 25	MVD 2025/5	36	3	Screwed				
40	DN 40	MVD 2040/5	20	3	10-15	Rp3/8-Rp1/2	DMV-D 503/11	50	3
40	DN 40	MVD 2040/5	36	3	15-25	Rp1/2 - Rp1	DMV-D 507/11	50	3
50	DN 50	MVD 2050/5	20	3	25-50	Rp1 - Rp2	DMV-D 512/11	50	3
65	DN 65	MVD 2065/5	20	3	25-50	Rp1 - Rp2	DMV-D 520/11	50	3
80	DN 80	MVD 2080/5	20	3	10-15	Rp3/8-Rp1/2	DMV-DLE 503/11	50	3
100	DN 100	MVD 2100/5	20	3	15-25	Rp1/2 - Rp1	DMV-DLE 507/11	50	3
20	DN 20	MVDLE 2020/5	36	3	25-50	Rp1 - Rp2	DMV-DLE 512/11	50	3
25	DN 25	MVDLE 2025/5	36	3	25-50	Rp1 - Rp2	DMV-DLE 520/11	50	3
40	DN 40	MVDLE 2040/5	20	3	Flanged				
40	DN 40	MVDLE 2040/5	36	3	40	DN40	DMV-D 5040/11	50	3
50	DN 50	MVDLE 2050/5	20	3	50	DN50	DMV-D 5050/11	50	3
65	DN 65	MVDLE 2065/5	20	3	65	DN65	DMV-D 5065/11	50	3
80	DN 80	MVDLE 2080/5	20	3	80	DN80	DMV-D 5080/11	50	3
100	DN 100	MVDLE 2100/5	20	3	100	DN100	DMV-D 5100/11	50	3
20	DN 20	MVD 5020/5	50	3	125	DN125	DMV-D 5125/11	50	3
25	DN 25	MVD 5025/5	50	3	All valves in this series are available with the LE suffix which denotes a slow opening valve eg: DMV-DLE 5040/11 Flanges are not available for the 3/8" – 1/4" valves.				
40	DN 40	MVD 5040/5	50	3					
50	DN 50	MVD 5050/5	50	3					
65	DN 65	MVD 5065/5	50	3					
80	DN 80	MVD 5080/5	50	3					
100	DN 100	MVD 5100/5	50	3					
20	DN 20	MVDLE 5020/5	50	3					
25	DN 25	MVDLE 5025/5	50	3					
40	DN 40	MVDLE 5040/5	50	3					
50	DN 50	MVDLE 5050/5	50	3					
8	DN 8	MV 502	50	3					
8	Rp 1/4	MV 502	50	3					
100	DN 100	MV 5100/5 S	50	3					
125	DN 125	MV 2125/5 S	20	3					

Nominal Size mm	Connections in	Designation	Rated		Nominal Size mm	Connections in	Designation	Rated		
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)	
Techrite Controls Australia Pty Ltd					Tyco Flow Control Pacific Pty Ltd Continued					
PARKER HANNIFIN					KEYSTONE					
4462 7.89					All packages available with:					
Solenoid Valve					- Keystone F79U or F79S spring to open pneumatic actuators					
6	1/8 BSP	VE 131.4 CG	200	2	- Asco 314, 551, 307 and 327 series solenoid valves					
8	1/4 BSP	VE 131.4 GG	200	2	- Asco MV27 series 1/4" or 1/2" quick exhaust valves					
Available with Solenoid Coil Models:					- Vicker AQE series 1/4" or 1/2" quick exhaust valves					
			KT09	200	2	- Keystone F792LP or F792K switch boxes with position proving and position indicating				
			KT05	6	2					
			KT06	20	2					
10	3/8 BSP	VE 153 BV	200	2						
15	1/2 BSP	VE 153 GV	200	2						
Available with Solenoid Coil Models:										
			ZB14	200	2					
			ZB12	150	2					
Tyco Flow Control Pacific Pty Ltd					Tyco Flow Control Pacific Pty Ltd					
KEYSTONE					RICHARDS					
2741 8.81					4768 1.92					
F990 Series Wafer Style Resilient Seated Butterfly Valves.					R382 and R392 Series 3 Piece Reduced Bore Automatic Shut-Off Ball Valves. BSPT and NPT Screwed and Welded End Connections. Available in Carbon Steel and Stainless Steel. RWT 0°C to 60°C					
					R382 Series					
25	1"	F990 025 F79U-006 STC AGA	900	2	15	1/2"	R382 015 F79U 002 STC AGA	6000	2	
40	1 1/2"	F990 040 F79U-006 STC AGA	900	2	20	3/4"	R382 020 F79U 002 STC AGA	6000	2	
50	2"	F990 050 F79U-012 STC AGA	900	2	25	1"	R382 025 F79U 002 STC AGA	6000	2	
65	2 1/2"	F990 065 F79U-012 STC AGA	900	2	32	1 1/4"	R382 032 F79U 003 STC AGA	6000	2	
80	3"	F990 080 F79U-024 STC AGA	900	2	40	1 1/2"	R382 040 F79U 003 STC AGA	6000	2	
100	4"	F990 100 F79U-024 STC AGA	900	2	50	2"	R382 050 F79U 006 STC AGA	6000	2	
125	5"	F990 125 F79U-036 STC AGA	900	2	R392 Series					
150	6"	F990 150 F79U-065 STC AGA	900	2	15	1/2"	R392 015 F79U 002 STC AGA	6000	2	
All valves are fitted with F79U series spring to close pneumatic actuator and with the option of F792 switchboxes with position proving and position indicating.					20	3/4"	R392 020 F79U 002 STC AGA	6000	2	
					25	1"	R392 025 F79U 003 STC AGA	6000	2	
					32	1 1/4"	R392 032 F79U 003 STC AGA	6000	2	
					40	1 1/2"	R392 040 F79U 006 STC AGA	6000	2	
					50	2"	R392 050 F79U 012 STC AGA	6000	2	
					All packages available with:					
					- Keystone F79U spring to open pneumatic actuators					
					- Asco 314, 551, 307 or 327 series solenoid valves					
					- Asco MV27 series 1/4" or 1/2" quick exhaust valves					
					- Vicker AQE series 1/4" or 1/2" quick exhaust valves					
					- Keystone F792LP or F792K switch boxes with position proving and position indicating					
5487 11.96					4934 11.92					
AR1 (Wafer Style) and AR2 (Lugged Flange Style) Series Automatic Shut-Off Valves featuring Resilient Seated Butterfly Valve					R711, R713 and R384 Series Automatic Shut-Off Valves					
BSPT and NPT Screwed and Welded End Connections					R711 Flanged Reduced Bore Firesafe Ball Valve Class 150.					
Available in Carbon Steel and Stainless Steel					Available in Carbon Steel or Stainless Steel.					
RWT 0°C to 60°C										
AR1 Series					50 2" R711 050 F79U-006 STC AGA 2000 2					
50	2"	AR1 050 F79U 012 STC AGA	1200	2	R711 050 F79S-012 STC AGA 2000 2					
					80	3"	R711 080 F79U-036 STC AGA	2000	2	
65	2 1/2"	AR1 065 F79U 012 STC AGA	1200	2	R711 080 F79S-036 STC AGA 2000 2					
					100	4"	R711 100 F79U-065 STC AGA	2000	2	
80	3"	AR1 080 F79U 012 STC AGA	1200	2	R711 100 F79S-072 STC AGA 2000 2					
					150	6"	R711 150 F79U-065 STC AGA	2000	2	
100	4"	AR1 100 F79U 024 STC AGA	1200	2	R711 150 F79S-072 STC AGA 2000 2					
					R713 Flanged Reduced Bore Firesafe Ball Valve Class 300.					
125	5"	AR1 125 F79U 036 STC AGA	1200	2	Available in Carbon Steel or Stainless Steel.					
					50	2"	R713 050 F79U-006 STC AGA	5000	2	
150	6"	AR1 150 F79U 036 STC AGA	1200	2	R713 050 F79S-012 STC AGA 5000 2					
					80	3"	R713 080 F79U-036 STC AGA	5000	2	
					R713 080 F79S-036 STC AGA 5000 2					
AR2 Series					100	4"	R713 100 F79U-065 STC AGA	5000	2	
50	2"	AR2 050 F79U 012 STC AGA	1200	2	R713 100 F79S-072 STC AGA 5000 2					
					150	6"	R713 150 F79U-065 STC AGA	5000	2	
65	2 1/2"	AR2 065 F79U 012 STC AGA	1200	2	R713 150 F79S-072 STC AGA 5000 2					
80	3"	AR2 080 F79U 012 STC AGA	1200	2						
100	4"	AR2 100 F79U 024 STC AGA	1200	2						
125	5"	AR2 125 F79U 036 STC AGA	1200	2						
150	6"	AR2 150 F79U 036 STC AGA	1200	2						

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure	Operating Position				Working Pressure	Operating Position
mm	in		kPa	(See Key)	mm	in		kPa	(See Key)

Tyco Flow Control Pacific Pty Ltd Continued

RICHARDS

All R711 and R713 packages available with:

- Keystone F79U or F79S spring to close pneumatic actuators
- Asco 314, 551, 307, 327 series solenoid valves
- Goyen Model 10ISS5/2N solenoid valve (15m remote mount)
- Asco 542 series solenoid valve (15m remote mount)
- Asco MV27 series 1/4" or 1/2" quick exhaust valves
- Vicker AQE series 1/4" or 1/2" quick exhaust valves
- Keystone F792LP or F792K switch boxes with position proving and position indicating.

R384 3 Piece Reduced Bore Firesafe Ball Valve. BSPT and NPT Screwed and Welded End Connections. Available in Carbon Steel and Stainless Steel.

15	1/2"	R384 015 F79U-002 STC AGA	6000	2
20	3/4"	R384 020 F79U-002 STC AGA	6000	2
25	1"	R384 025 F79U-003 STC AGA	6000	2
32	1 1/4"	R384 032 F79U-003 STC AGA	6000	2
40	1 1/2"	R384 040 F79U-003 STC AGA	6000	2
50	2"	R384 050 F79U-006 STC AGA	6000	2

All R384 packages available with:

- Keystone F79U spring to close pneumatic actuators
- Asco 314, 551, 307, 327 series solenoid valves
- Goyen Model 10ISS5/2N solenoid valve (15m remote mount)
- Asco 542 series solenoid valve (15m remote mount)
- Asco MV27 series 1/4" and 1/2" quick exhaust valves
- Vicker AQE series 1/4" and 1/2" quick exhaust valves
- Keystone F792LP or F792K switch boxes with position proving and position indicating.

5937 8.00

R721 Series Flanged Full Bore Ball Valve, Class 150

Available in Carbon Steel or Stainless Steel

15	1/2"	R721 015 F79U 003 STC AGA	2000	2
		R721 015 F79S 003 STC AGA	2000	2
20	3/4"	R721 020 F79U 006 STC AGA	2000	2
		R721 020 F79S 006 STC AGA	2000	2
25	1"	R721 025 F79U 006 STC AGA	2000	2
		R721 025 F79S 006 STC AGA	2000	2
40	1 1/2"	R721 040 F79U 006 STC AGA	2000	2
		R721 040 F79S 012 STC AGA	2000	2
50	2"	R721 050 F79U 024 STC AGA	2000	2
		R721 050 F79S 023 STC AGA	2000	2
		R721 050 F79B 023 STC AGA	2000	2
80	3"	R721 080 F79U 036 STC AGA	2000	2
		R721 080 F79S 046 STC AGA	2000	2
		R721 080 F79B 046 STC AGA	2000	2
100	4"	R721 100 F79U 065 STC AGA	2000	2
		R721 100 F79S 144 STC AGA	2000	2
		R721 100 F79B 100 STC AGA	2000	2
150	6"	R721 150 F79U 180 STC AGA	2000	2
		R721 150 F79S 144 STC AGA	2000	2
		R721 150 F79B 135 STC AGA	2000	2

R723 Series Flanged Full Bore Ball Valve, Class 300

Available in Carbon Steel or Stainless Steel

15	1/2"	R723 015 F79U 003 STC AGA	5000	2
		R723 015 F79S 003 STC AGA	5000	2
20	3/4"	R723 020 F79U 006 STC AGA	5000	2
		R723 020 F79S 006 STC AGA	5000	2
25	1"	R723 025 F79U 006 STC AGA	5000	2
		R723 025 F79S 006 STC AGA	5000	2
40	1 1/2"	R723 040 F79U 006 STC AGA	5000	2
		R723 040 F79S 012 STC AGA	5000	2
50	2"	R723 050 F79U 024 STC AGA	5000	2
		R723 050 F79S 036 STC AGA	5000	2
		R723 050 F79B 036 STC AGA	5000	2

Tyco Flow Control Pacific Pty Ltd Continued

RICHARDS

80	3"	R723 080 F79U 065 STC AGA	5000	2
		R723 080 F79S 072 STC AGA	5000	2
		R723 080 F79B 072 STC AGA	5000	2
100	4"	R723 100 F79U 180 STC AGA	5000	2
		R723 100 F79S 144 STC AGA	5000	2
		R723 100 F79B 135 STC AGA	5000	2
150	6"	R723 150 F79U 180 STC AGA	5000	2
		R723 150 F79S 270 STC AGA	5000	2
		R723 150 F79B 270 STC AGA	5000	2

Note: Valve packages include F79B, F79S or F79U spring to close pneumatic actuator; Asco 314 series, 551 series, 307 series, 327 series, 542 Series or Goyen 10ISS5/2N solenoid valve; Asco MV27 series or Vickers AQE series quick exhaust valve; and optional F792 LP or F792 K switchboxes with position proving and position indicating.

**AUTOMATIC SHUT-OFF VALVES
(CLASS 2) (AG 214)**

Hurl Nu-Way Pty Ltd

BLACK TEKNIGAS

3734 2.84

24 Series. Direct acting normally closed valve with half wave rectified coils.

6	1/8 BSP	2411	5	3	
8	1/4 BSP	2421	5	3	
10	3/8 BSP	2431	5	3	
10	3/8 BSP	double	2432	5	3
		15	1/2 BSP	2441	5
15	1/2 BSP	double	2442	5	3

25 Series. Direct acting normally closed valve with full wave rectified coils.

6	1/8 BSP	2511...	5	3	
8	1/4 BSP	2521...	5	3	
10	3/8 BSP	2531...	5	3	
10	3/8 BSP	double	2532...	5	3
		15	1/2 BSP	2541...	5
15	1/2 BSP	double	2542...	5	3

Techrite Controls Australia Pty Ltd

DUNGS

5785 12.98

BM 740 Series Automatic Shut-off Valve

Models BM 740-001 and BM 740-002, Triple Solenoid	6.5	2
Models BM 740-007 and BM 740-008, Double Solenoid	6.5	2
Models BM 740-009 and BM 740-010, Single Solenoid	6.5	2

Nominal Size mm	Connections in	Designation	Rated		Nominal Size mm	Connections in	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)

**AUTOMATIC SHUT-OFF VALVES
(CLASS 3) (AG 214)**

Ascomation Pty Ltd

ASCO

2729 5.80

AGD215 Series. Diaphragm valve, 240V AC Solenoid.

25	1 BSP	AGD215B50	AC/DC	175/100	1
32	1¼ BSP	AGD215B60	AC/DC	175/100	1
40	1½ BSP	AGD215B70	AC/DC	175/100	1
50	2 BSP	AGD215B80	AC/DC	175/100	1
65	2½ BSP	AGD215A90	AC	35	1
80	3 BSP	AGD215A40	AC	35	1

Optional construction with NPT thread has "D" replaced with "B"
e.g. AGB215B50.

Optional solenoids are indicated by prefixes FA, NE or SC
e.g. FAAGD215B50.

2869 11.82

210 Series Diaphragm Valve/Direct Acting Solenoid

10	3/8	*****_-210C74	AC	350	2
			DC	175	2
15	½	*****_-210C75	AC	350	2
			DC	175	2
20	¾	*****_-210C76	AC	350	2
			DC	175	2

Ambient Temperature -28°C to 75°C

Options: 1st Character Set, Coil and Enclosure Type

AG, AGU, AGUS, AGSC, EAAG, VMAG, WSVMAG & WPAG

2nd Character Set, Thread Type 'B' NPT, 'D' BSPT and 'E' BSPP

BASO Gas Products LLC

Agent: Accutherm International Pty Ltd

BASOTROL

4235 7.87

H91 Series Disc on seat Automatic Shut-Off Valve

6	1/8"	H91A*	3.5	2
8	¼"	H91B*	3.5	2
10	3/8"	H91C*	3.5	2
15	½"	H91D*	3.5	2
15	½"	H91E*	3.5	2
20	¾"	H91L*	3.5	2
25	1"	H91M*	3.5	2

*Suffix denotes voltage

A: 120 Vac, 60 Hz

B: 240 Vac, 50/60 Hz

G: 25 Vac, 60 Hz

S: 208/240 Vac, 60 Hz

V: 12 Vdc

All thread forms NPT and BSPP

Goyen Controls Company Pty Ltd

GOYEN

6562 3.04

Two-Way, Direct Acting, Disc on Seat, Solenoid Operated Shut-Off Valve

15	RC ½	12BL2-C3BNT-6xy7	15	2
----	------	------------------	----	---

BL2-C3BNT = 12.7mm B coil, low pressure, design series,

DC normally closed, Class 3, brass, nitrile seat, RC threads.

X denotes coil housing connection - 0: Din socket,

1: Screw terminals in Nema 1 metric enclosure, 3: Screw terminals open C frame, 4: Twin flying leads

y denotes coil voltage, 4: 240V, 9: 110V, G: 74V, B: 48V, C: 32V,

2: 24V

7 = DC, 6 = B coil

Invensys Controls Australia Pty Ltd

INVENSYS

6797 5.05

Gas Solenoid Valve

15	½" BSPP	FJT-79	3.5	2
----	---------	--------	-----	---

VENT VALVES (AS 4629)

Atlas Measurement (Gas) Pty Ltd

RMG

6204 6.02

EVO Series. Direct Acting, Disc on Seat Solenoid Valve.

Threaded Valves.

10	Rp 3/8	02-EVO 3-4R	20	3
15	Rp ½	02-EVO 5-4R	20	3
20	Rp ¾	02-EVO 7-4R	20	3
8	Rp ¼	1-EVO 2-4R	100	3
10	Rp 3/8	1-EVO 3-4R	100	3
15	Rp ½	1-EVO 5-4R	100	3
20	Rp ¾	1-EVO 7-4R	100	3
25	Rp 1	1-EVO 10-4R	100	3
8	Rp ¼	4-EVO 2-4R	400	3
10	Rp 3/8	4-EVO 3-4R	400	3
15	Rp ½	4-EVO 5-4R	400	3
20	Rp ¾	4-EVO 7-4R	400	3
10	Rp 3/8	6-EVO 3-4R	600	3
15	Rp ½	6-EVO 5-4R	600	3

Flanged Valves

DN 15	1-EVO 5N-4R	100	3
DN 20	1-EVO 5N-4R	100	3
DN 25	1-EVO 10N-4R	100	3
DN 32	1-EVO 12N-4R	100	3
DN 40	E-EVO 15N-4R	100	3
DN 50	1-EVO 20N-4R	100	3

- Notes:
1. Operating position - all valves vertical ± 5°, except "W" suffix valves, suitable for vertical or horizontal.
 2. Optional position indicator.
 3. Supply voltage - 24 Vac to 230 Vac or 24 Vdc to 23 Vdc

6349 12.02

EPVO Series Electro-Pneumatic, Disc On Seat Vent Valve.

20	Rp ¾	10-EPVO 7-4R	1000	3
25	DN 25	10-EPVO 25NH-4R	1000	3
50	DN 50	10 EPVO 50NH-4R	1000	3
65	DN65	10-EPVO 65NH-4R	1000	3

Note: Operating position - all valves, except "W" suffix valves, solenoid vertical

Nominal Size mm	Connections in	Designation	Rated		Nominal Size mm	Connections in	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)

Flowserve Australia Pty Ltd

WORCESTER

2727 4.80

K52 Series 15mm-150mm ANSI Flanged 300, Raised Face Vent Valves 5000 2
 05K52-**66*T/10RDB40, 07K52-**66*T/10RDB40, 10K52-**66*T/10RDB40, 15K52-**66*T/15RDB40, 20K52-**66*T/20RDB40, 30K52-**66*Z/30RDB40, 40K52-**66*Z/33RDB40 and 60K52-**66*Z/40RDB40

Note:

- 6th and 7th characters ** designate body material ie 44 = Carbon Steel, 66 = Stainless Steel, 10th character * designates seat material ie T = PFTE, R = RPFTE, 11th Character designates stem seal material, ie T = PFTE, Z = Graphite
- The AGA approved actuator/valve combination are based upon a specified rated supply pressure (air) of 550 to 700 kPa.
- Optional Norbro J-Switch proving and position indicating switch boxes and ASCO silencers.

2728 4.80

K51 Series 15mm – 150mm ANSI Flanged 150, Raised Face Vent Valves 1900 2
 05K51-**66*T/10RDB40, 07K51-**66*T/10RDB40, 10K51-**66*T/10RDB40, 15K51-**66*T/15RDB40, 20K51-**66*T/20RDB40, 30K51-**66*Z/30RDB40, 40K51-**66*Z/33RDB40 and 60K51-**66*Z/40RDB40

Note:

- 6th and 7th characters ** designate body material ie 44 = Carbon Steel, 66 = Stainless Steel, 10th character * designates seat material ie T = PFTE, R = RPFTE, 11th Character designates stem seal material, ie T = PFTE, Z = Graphite
- The AGA approved actuator/valve combination are based upon a specified rated supply pressure (air) of 550 to 700 kPa.
- Optional Norbro J-Switch proving and position indicating switch boxes and ASCO silencers.

2739 5.81

F44 Series, 3 Piece Body, Reduced Bore, Firesafe Vent Valve, MWP 5000 kPa @ 0°C to 60°C. Available in Carbon Steel or Stainless Steel with PTFE or RPTFE

15	½"	05F44-4466TZ/10RDB40	5000	3
20	¾"	07F44-4466TZ/10RDB40	5000	3
25	1"	10F44-4466TZ/10RDB40	5000	3
32	1¼"	12F44-4466TZ/10RDB40	5000	3
40	1½"	15F44-4466TZ/15RDB40	5000	3
50	2"	20F44-4466TZ/20RDB40	5000	3

6th and 7th characters denote body material

44 = carbon steel

66 = stainless steel

10th character denotes seat material

T = PTFE R = RPTFE (15% Glass Filled)

Valve packages include:

Norbro RDB40 series spring to close actuator

Asco 551 series solenoid valve

Optional: Norbro J-Switch position proving

and position indicating switchboxes

Flowserve Australia Pty Ltd Continued

WORCESTER

6827 7.05

F519, F529, F819 and F829 Series Vent Valves 15mm – 40mm ANSI Flanged 150 Raised Face 1900 2
 One Piece Body
 05F519 466TZ 10RDB40, 07F519 466TZ 10RDB40, 10F519 466TZ 10RDB40 and 15F519 466TZ 15RDB40

50mm – 150mm ANSI Flanged 150 Raised Face 1900 2
 Two Piece Body
 20F819 466TZ 20RDB40, 30F819 466TZ 30RDB40, 40F819 466TZ 33RDB40 and 60F819 466TZ 40RDB40

15mm – 40 mm ANSI Flanged 300 Raised Face 5000 2
 One Piece Body
 05F529 466TT 10RDB40, 07F529 466TT 10RDB40, 10F529 466TT 10RDB40 and 15F529 466TT 15RDB40

50mm – 150mm ANSI Flanged 300 Raised Face, 5000 2
 Two Piece Body
 20F829 466TZ 20RDB40, 30F829 466TZ 33RDB40, 40F829 466TZ 35RDB40 and 60F829 466TZ 40RDB40

VENT VALVES (AG 214)

Ascomation Pty Ltd

ASCO

2508 4.76

AGD030 Series Disc on seat valve. D.A. Sol. 20 ¾ BSP AGD030B83 AC 14 2
 Optional construction with NPT thread has "D" replaced with "B" e.g. AGB030B83.
 Optional solenoids are indicated by prefixes: EA, FA, NE, SC or SD. Eg: EAAGD030B83

2509 4.76

AGD210 Series. Disc on seat valve. Diaphragm Sol. 20 ¾ BSP AGD210B35 AC/DC 420 2
 Optional construction with NPT thread has "B" replaced with "D" e.g. AGB210B35.
 Optional solenoids are indicated by prefixes EA, FA, NE or SC e.g. EAAGD210B35.

2510 4.76

AGD215 Series. Disc on seat valve. Diaphragm Sol. 20 ¾ BSP AGD215137 AC/DC 175 2
 25 1 BSP AGD215B53 AC/DC 175 2
 32 1¼ BSP AGD215B63 AC/DC 175 2
 40 1½ BSP AGD215B73 AC/DC 175 2
 50 2 BSP AGD215B83 AC/DC 175 2
 Optional construction with NPT Thread has "D" replaced with "B" (eg: AGB215B53)
 Optional Solenoids are prefixed FA, NE, SC (eg: AGSCD215B53)

2868 11.82

AGD262 Series Disc on seat valve. D.A. Sol. 8 ¼ BSP AGD262A264 AC/DC 315/175 2
 8 ¼ BSP AGD262A265 AC/DC 210/100 2
 Optional construction with NPT thread has "D" replaced with "B" e.g. AGB262A264/265.
 Optional solenoids are indicated by prefixes EA, FA, NE or SC e.g. EAAGD262A264/265.

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure	Operating Position				Working Pressure	Operating Position
mm	in		kPa	(See Key)	mm	in		kPa	(See Key)

Maxon Corporation –Agent: Techrite Controls Australia P/L
MAXON

2446 1.76
STO-A Series. Sliding Gate Valve. Solenoid and Motor.

20	¾	STO-A-	860	3
25	1	STO-A-	860	3
40	1½	STO-A-	480	3
50	2	STO-A-	480	3
80	3	STO-A-	210	3

2447 1.76
STO-M Series. Sliding Gate Valve. Manual Reset.

20	¾	STO-M-	860	3
25	1	STO-M-	860	3
40	1½	STO-M-	480	3
50	2	STO-M-	480	3
80	3	STO-M-	210	3

Metso Automation (ANZ) Pty Ltd
JAMESBURY

6777 5.05
Series 4000

15	½ 4 A ##### # 1	6895	3
20	¾ 4 A ##### # 1	6895	3
25	1 4A ##### # 1	6895	3
40	1½ 4 A ##### # 1	6895	3
50	2 4 A ##### # 1	6895	3

Reduced Bore
4th – 7th Characters denote 2236 or 3600
8th – 9th Characters denote TT, MT or XT

20	¾ 4 B ##### # 1	6895	3
25	1 4 B ##### # 1	6895	3
40	1½ 4 B ##### # 1	6895	3

Full Bore
4th – 7th Characters denote 2236 or 3600
8th – 9th Characters denote TT, MT or XT
Assemblies marked "Vent" and includes:
Quadra-Powr II actuator – QP1C/M
Asco pilot operated solenoid valve – EF8316G54
Stonel Quartz position indicating switch types
QZM or QZP

6778 5.05
Series 5000

15	½ 5150 31 ##### # 1 2000	3
20	¾ 5150 31 ##### # 1 2000	3
25	1 5150 31 ##### # 1 2000	3
40	1½ 5150 31 ##### # 1 2000	3
50	2 5150 31 ##### # 1 2000	3

8th – 11th Characters denote 2236 or 3600
12th – 13th Characters denote TT, MT or XT
Assemblies marked "Vent" and includes:
Quadra-Powr II actuator – QP1C/M (½" to 1"),
QP2C/M (1½" & 2")
Asco pilot operated solenoid valve – EF8316G54
Stonel Quartz position indicating switch types
QZM or QZP

Metso Automation (ANZ) Pty Ltd Continued
JAMESBURY

6779 5.05
Series 7000

80	3 7150 31 ##### # 1 2000	3
100	4 7150 31 ##### # 1 2000	3
150	6 7150 31 ##### # 1 2000	3

8th – 11th Characters denote 2236 or 3600
12th – 14th Characters denote TTT, MTT or XTZ
Assemblies marked "Vent" and includes:
Quadra-Powr II actuator – QP3C/M (3"),
QP4C/M (4" & 6")
Asco pilot operated solenoid valve – EF8316G54
Stonel Quartz position indicating switch types
QZM or QZP

OneSteel Piping Systems A Business of OneSteel Trading P/L
KITZ/EL-O-MATIC

6116 5.01
Class 150 Models SCTAM-FS Reduced Port and SCTBZM-FS – Full Port Sizes 15, 20, 25, 40, 50, 80, 100 and 150 mm @ 60°C 1900 2
Class 300 SCTAM-FS – Reduced Port and SCTBZM –FS – Full Port Sizes 15, 20, 25, 40, 50, 80, 100 and 150 mm @ 60°C 4920 2
Fitted with various models El-O-Matic Actuators and Burket model 6519 ¼" solenoids

OneSteel Piping Systems A Business of OneSteel Trading P/L
EMICO/EL-O-MATIC

6566 3.04
Emico Full Bore Ball Valves/El-O-Matic Spring to Close Actuator

15	½"	V 15 * ***	5000	2
20	¾"	V 20 * ***	5000	2
25	1"	V 25 * ***	5000	2
40	1½"	V 40 * ***	5000	2
50	2"	V 50 * ***	5000	2

V: Vent valve – Emico EA 305A or EA305C
*: Body construction ie A = Stainless Steel, B = Carbon Steel
***: Limit Switch APL = APL310N (general purpose),
HDX = El-O-Matic HDX model H2 (explosion proof)

Additional Package Details:
Actuators – El-O-Matic models:
15mm package: ES0012.MIA0202A.09K (ES12 prior to May 2003)
20mm package: ES0025.MIA04A.11K (ES25 prior to May 2003)
25mm package: ES0040.MIA04A.14K (ES40 prior to May 2003)
40mm package: ES0065.MIA04A.14K (ES65 prior to May 2003)
50mm package: ES0100.MIA04A.19K (ES100 prior to May 2003)
Solenoid valve: Burket 6519 (namur) NB: Pressure limited to 800 kPa (700 kPa with I.S. coil), Voltages (AC/DC): 24, 110, 240
Silencer (std on all packages): SAS brand, SFS series, Model 2SEP, size ¼"
Isolation valve: Emico valves are available with NPT, BSP thread forms or socket weld ends. Working temperature 0-60°C

OneSteel Piping Systems A Business of OneSteel Trading P/L
TURNFLO

6444 9.03
T3 and T5 (Wafer Body) – T4 and T6 (Lugged Body) Butterfly Valves, NB 50, 65, 80, 100, 125 and 150mm 1050 2
Note: Valve package includes El-o-matic type ES pneumatic actuator/Burkert type 6519 solenoid valve, coil voltages either 240, 110, 28, 24 and 12/VSR quick exhaust-silencer/ APL model 310N limit switch

Nominal Size mm	Connections in	Designation	Rated		Nominal Size mm	Connections in	Designation	Rated	
			Working Pressure kPa	Operating Position (See Key)				Working Pressure kPa	Operating Position (See Key)

System Control Engineering Pty Ltd

KROMSCHRODER

2725 4.80

VAN Series. Disc on seat valve. Electrohyd.

15	½ BSP	VAN ½"	20	3
20	¾ BSP	VAN ¾"	20	3
25	1 BSP	VAN 1"	20	3
40	1½ BSP	VAN 1½"	20	3
50	2 BSP	VAN 2"	20	3

Techrite Controls Australia Pty Ltd

DUNGS

4135 11.86

LGV Series. Disc on seat valve. D.A. Sol.

20	¾ BSP	LGV507/5	50	1
----	-------	----------	----	---

Tyco Flow Control Pacific Pty Ltd

KEYSTONE

2742 8.81

F990 Series Wafer Style Resilient Seated Butterfly Valve.

25	1"	025 F79U-006 STO AGA	900	2
40	1½"	040 F79U-006 STO AGA	900	2
50	2"	050 F79U-012 STO AGA	900	2
65	2½"	065 F79U-012 STO AGA	900	2
80	3"	080 F79U-024 STO AGA	900	2
100	4"	100 F79U-024 STO AGA	900	2
125	5"	125 F79U-036 STO AGA	900	2
150	6"	150 F79U-065 STO AGA	900	2

All valves are fitted with F79U series spring to open pneumatic actuators and with the option of F792 switchboxes with position proving and position indicating.

5488 11.96

AR1 (Wafer Style) and AR2 (Lugged Flange Style) Series Vent Valves featuring Resilient Seated Butterfly Valve

BSPT and NPT Screwed and Welded End Connections

Available in Carbon Steel and Stainless Steel RWT 0°C to 60°C

AR1 Series

50	2"	AR1 050 F79U 012 STO AGA	1200	2
		AR1 050 F79S 012 STO AGA		
65	2½"	AR1 065 F79U 012 STO AGA	1200	2
		AR1 065 F79S 012 STO AGA		
80	3"	AR1 080 F79U 024 STO AGA	1200	2
		AR1 080 F79S 036 STO AGA		
100	4"	AR1 100 F79U 024 STO AGA	1200	2
		AR1 100 F79S 036 STO AGA		
125	5"	AR1 125 F79U 036 STO AGA	1200	2
		AR1 125 F79S 036 STO AGA		
150	6"	AR1 150 F79U 065 STO AGA	1200	2
		AR1 150 F79S 072 STO AGA		

AR2 Series

50	2"	AR2 050 F79U 012 STO AGA	1200	2
		AR2 050 F79S 012 STO AGA		
65	2½"	AR2 065 F79U 012 STO AGA	1200	2
		AR2 065 F79S 012 STO AGA		
80	3"	AR2 080 F79U 024 STO AGA	1200	2
		AR2 080 F79S 036 STO AGA		
100	4"	AR2 100 F79U 024 STO AGA	1200	2
		AR2 100 F79S 036 STO AGA		
125	5"	AR2 125 F79U 036 STO AGA	1200	2
		AR2 125 F79S 036 STO AGA		
150	6"	AR2 150 F79U 065 STO AGA	1200	2
		AR2 150 F79S 072 STO AGA		

All packages available with:

- Keystone F79U or F79S spring to open pneumatic actuators
- Asco 314, 551, 307, 327 series solenoid valves

Tyco Flow Control Pacific Pty Ltd Continued

KEYSTONE

- Asco MV27 series ¼" or ½" quick exhaust valves
- Vicker AQE series ¼" or ½" quick exhaust valves
- Keystone F792LP or F792K switch boxes with position proving and position indicating.

Tyco Flow Control Pacific Pty Ltd

RICHARDS

4786 1.92

R382 and R392 3 Piece Reduced Bore Vent Ball Valves. BSPT and NPT Screwed and Welded End Connections. Available in Carbon Steel and Stainless Steel. RWT 0°C to 60°C

R382 Series

15	½"	R382 015 F79U 002 STO AGA	6000	2
20	¾"	R382 020 F79U 002 STO AGA	6000	2
25	1"	R382 025 F79U 002 STO AGA	6000	2
32	1¼"	R382 032 F79U 003 STO AGA	6000	2
40	1½"	R382 040 F79U 003 STO AGA	6000	2
50	2"	R382 050 F79U 006 STO AGA	6000	2

R392 Series

15	½"	R392 015 F79U 002 STO AGA	6000	2
20	¾"	R392 020 F79U 002 STO AGA	6000	2
25	1"	R392 025 F79U 003 STO AGA	6000	2
32	1¼"	R392 032 F79U 003 STO AGA	6000	2
40	1½"	R392 040 F79U 006 STO AGA	6000	2
50	2"	R392 050 F79U 012 STO AGA	6000	2

All packages available with:

- Keystone F79U spring to open pneumatic actuators
- Asco 314, 551, 307 or 327 series solenoid valves
- Asco MV27 series ¼" or ½" quick exhaust valves
- Vicker AQE series ¼" or ½" quick exhaust valves
- Keystone F792LP or F792K switch boxes with position proving and position indicating

4935 11.92

R711, R713 and R384 Series Vent Valves RWP 0°C to 60°C

R711 Flanged Reduced Bore Firesafe Ball Valve Class 150.

Available in Carbon Steel or Stainless Steel

50	2"	R711 050 F79U-006 STO AGA	2000	2
		R711 050 F79S-012 STO AGA		
80	3"	R711 080 F79U-036 STO AGA	2000	2
		R711 080 F79S-036 STO AGA		
100	4"	R711 100 F79U-065 STO AGA	2000	2
		R711 100 F79S-072 STO AGA		
150	6"	R711 150 F79U-090 STO AGA	2000	2
		R711 150 F79S-144 STO AGA		

R713 Flanged Reduced Bore Firesafe Ball Valve Class 300.

Available in Carbon Steel and Stainless Steel.

50	2"	R713 050 F79U-006 STO AGA	5000	2
		R713 050 F79S-012 STO AGA		
80	3"	R713 080 F79U-036 STO AGA	5000	2
		R713 080 F79S-036 STO AGA		
100	4"	R713 100 F79U-065 STO AGA	5000	2
		R713 100 F79S-072 STO AGA		
150	6"	R713 150 F79U-090 STO AGA	5000	2
		R713 150 F79S-144 STO AGA		

All R711 and R713 packages available with:

- Keystone F79U or F79S spring to open pneumatic actuators
- Asco 314, 551, 307, 327 series solenoid valves
- Goyen model 10ISS5/2N solenoid valve (15m remote mount)
- Asco 542 series solenoid valve (15m remote mount)
- Asco MV27 series ¼" or ½" quick exhaust valves
- Vicker AQE series ¼" or ½" quick exhaust valves
- Keystone F792LP or F792K switch boxes with position proving and position indicating

Nominal Size	Connections	Designation	Rated		Nominal Size	Connections	Designation	Rated	
			Working Pressure	Operating Position				Working Pressure	Operating Position
mm	in		kPa	(See Key)	mm	in		kPa	(See Key)

Tyco Flow Control Pacific Pty Ltd Continued

RICHARDS

R384 Series 3 Piece Reduced Bore Firesafe Ball Valve. BSPT and NPT Screwed and Welded End Connections. Available in Carbon Steel and Stainless Steel.

15	½"	R384 015 F79U-002 STO AGA	6000	2
20	¾"	R384 020 F79U-002 STO AGA	6000	2
25	1"	R384 025 F79U-003 STO AGA	6000	2
32	1¼"	R384 032 F79U-003 STO AGA	6000	2
40	1½"	R384 040 F79U-003 STO AGA	6000	2
50	2"	R384 050 F79U-006 STO AGA	6000	2

All R384 packages available with:

- Keystone F79U spring to open pneumatic actuators
- Asco 314, 551, 307, 327 series solenoid valves
- Goyen model 10ISS5/2N solenoid valve (15m remote mount)
- Asco 542 series solenoid valve (15m remote mount)
- Asco MV27 series ¼" or ½" quick exhaust valves
- Vicker AQE series ¼" or ½" quick exhaust valves
- Keystone F792LP or F792K switch boxes with position proving and position indicating

5938 8.00

R721 Series Flanged Full Bore Ball Valve, Class 150

Available in Carbon Steel or Stainless Steel

15	½"	R721 015 F79U 003 STO AGA	2000	2
		R721 015 F79S 003 STO AGA	2000	2
20	¾"	R721 020 F79U 006 STO AGA	2000	2
		R721 020 F79S 006 STO AGA	2000	2
25	1"	R721 025 F79U 006 STO AGA	2000	2
		R721 025 F79S 006 STO AGA	2000	2
40	1½"	R721 040 F79U 006 STO AGA	2000	2
		R721 040 F79S 012 STO AGA	2000	2
50	2"	R721 050 F79U 012 STO AGA	2000	2
		R721 050 F79S 023 STO AGA	2000	2
80	3"	R721 080 F79U 036 STO AGA	2000	2
		R721 080 F79S 036 STO AGA	2000	2
		R721 080 F79B 036 STO AGA	2000	2
100	4"	R721 100 F79U 065 STO AGA	2000	2
		R721 100 F79S 144 STO AGA	2000	2
		R721 100 F79B 100 STO AGA	2000	2
150	6"	R721 150 F79U 090 STO AGA	2000	2
		R721 150 F79S 144 STO AGA	2000	2
		R721 150 F79B 135 STO AGA	2000	2

R723 Series Flanged Full Bore Ball Valve, Class 300

Available in Carbon Steel or Stainless Steel

15	½"	R723 015 F79U 003 STO AGA	5000	2
		R723 015 F79S 003 STO AGA	5000	2
20	¾"	R723 020 F79U 006 STO AGA	5000	2
		R723 020 F79S 006 STO AGA	5000	2
25	1"	R723 025 F79U 006 STO AGA	5000	2
		R723 025 F79S 006 STO AGA	5000	2
40	1½"	R723 040 F79U 006 STO AGA	5000	2
		R723 040 F79S 012 STO AGA	5000	2
50	2"	R723 050 F79U 012 STO AGA	5000	2
		R723 050 F79S 036 STO AGA	5000	2
80	3"	R723 080 F79U 065 STO AGA	5000	2
		R723 080 F79S 072 STO AGA	5000	2
		R723 080 F79B 072 STO AGA	5000	2
100	4"	R723 100 F79U 090 STO AGA	5000	2
		R723 100 F79S 144 STO AGA	5000	2
		R723 100 F79B 135 STO AGA	5000	2
150	6"	R723 150 F79U 180 STO AGA	5000	2
		R723 150 F79S 270 STO AGA	5000	2
		R723 150 F79B 270 STO AGA	5000	2

Tyco Flow Control Pacific Pty Ltd Continued

RICHARDS

Note: Valve packages include F79B, F79S or F79U spring to close pneumatic actuator; Asco 314 series, 551 series, 307 series, 327 series, 542 series or Goyen 10ISS5/2N solenoid valve; Asco MV27 series or Vickers AQE series quick exhaust valve; and optional F792 LP or F792 K switchboxes with position proving and position indicating.

LPG AUTOMOTIVE COMPONENTS

**VAPORISER/REGULATORS
(AS/NZS 1425)**
Boemo Engineering Pty Ltd
BRC

5294	6.95	Automotive Vaporiser/Regulator Model AT 90 E	MWP 2.6 MPa
------	------	---	-------------

Boemo Engineering Pty Ltd
EMMEGAS

5304	1.96	Automotive Vaporiser/Regulator Model ML 94 E2R	MWP 2.6 MPa
------	------	---	-------------

Impco Technologies Pty Ltd

3103	6.80	Series E Models EB, EB-2 and EB-2-856	
3104	6.80	Models Cobra, Cobra-I & Cobra-II	
3423	12.82	L Series Models LB and LB-2	
6186	9.01	Beam 120A, 120A-E, 120A-P, 120-AUS	

Impco Technologies Pty Ltd
M.T.M.

6749	2.05	Vaporiser Regulator Model Genius	
------	------	----------------------------------	--

Impco Technologies Pty Ltd
M.T.M. ITALY

6748	2.05	Vaporiser Regulator Model Genius Max	
------	------	--------------------------------------	--

Landi Renzo SpA
Agent: Apollo Gas Products Pty Ltd

5993	6.00	Landi Renzo SE81 Series SE81 1/8", SE81 Oversize 1/8", SE81 Super Oversize 1/8", SE81 Super Overplus 1/8" SE81 SIC 1/8", SE81 SIC Oversize 1/8", SE81 SIC Super Oversize 1/8", SE81 SIC Super Overplus 1/8" SE81 Step Motor 1/8", SE81 Step Motor 1/8" Oversize, SE81 Step Motor 1/8" Super Oversize 2550 kPa	
------	------	--	--

LANDI Srl - Agent: Apollo Gas Products Pty Ltd

4015	1.86	Landi LSE97N, LSE97M, LSE97SM, LSE97SM2, LS80N, LS80M, LS80SM LE98M, LE98N, LSE98M, LSE98N, LSE98SM and LSE98SM2	
------	------	---	--

LG Motor-Gas Pty Ltd

4971	6.93	Model B2	
5395	12.97	Model P4 and P6	

LPM Corporation Pty Ltd
CENTURY

3192	3.81	Century Vaporiser Regulator Model G85	MWP 2.6 MPa
3193	3.81	Century Vaporiser Regulator Model H	MWP 2.6 MPa
3195	3.81	Century Vaporiser Regulator Model M6	MWP 2.6 MPa

MED (Aust) Pty Ltd
AIROD AUTOGAS EQUIPMENT

4795	2.92	Airod E40	MWP 2.6 MPa
------	------	-----------	-------------

Poliauto Ing. Pietro Parletti & C snc
Agent: Parnell LP Gas Systems Pty Ltd

5026	7.93	Poliauto Vaporiser Regulator Models 72C4 and 83C5	MWP 3.0 MPa
------	------	--	-------------

Sprint Gas (Aust) Pty Ltd

5896	7.99	Model MBM Mk 1	
------	------	----------------	--

Sprint Gas (Aust) Pty Ltd
OMVL

5254	1.95	Electronic LPG Vaporiser Regulator Models R85/3 and R90E	
5366	2.96	Vaporiser Regulator Model BO-REG 95	

Tartarini Auto SpA
TARTARINI

6798	7.05	Model G-ETAGAS (Sequential Version)	
------	------	-------------------------------------	--

Toyota Motor Corporation Australia Ltd
AISAN

5645	3.98	Aisan Model-C	
------	------	---------------	--

Vialle Alternative Fuel Systems BV
Agent: Boral Alternative Fuel Systems

5518	2.97	Type F, Type F4/F5 Adjustable & Non- Adjustable Models, Type F5 Model 5964.1	
------	------	---	--

FUEL LOCK-OFF VALVES (AG 802)

Note: As of January 1998 AGA has withdrawn AG 801, AG 802 and AG 804 and AGA now recognises AS/NZ 1425 as the applicable Standard. Certificates which have been assessed against AS/NZS 1425 are listed accordingly. Those that have yet to be so assessed, remain listed under the obsolete AGA code.

Ascomation Pty Ltd
ASCO

3130	9.80	Cat. USAGD262C14V Optional construction with NPT thread has "D" replaced with "B" e.g. USXB262C14V.	
------	------	--	--

FUEL LOCK-OFF VALVES (AS/NZS 1425)
AMR Manufacturing Pty Ltd
AMR

5625	7.98	Fuel Lock Off Valve Model GL20	MWP 2.6 MPa
------	------	-----------------------------------	-------------

Apollo Gas Products
MED TECNICA

5349	2.96	MED Model 131GS -	MWP 2.6 MPa
5350	3.96	MED 1414GS Series Type 800 -	MWP 2.6 MPa

Boemo Engineering Pty Ltd
BRC

5295	6.95	Fuel Lock-Off Valve	MWP 2.6 MPa
------	------	---------------------	-------------

Goyen Controls Company Pty Ltd**GOYEN**

3239	6.81	Fuel Lock-Off Valves 1QxM-A1BVT-7uv7
x= '3'		1/8 Pipe thread
x= '6'		1/4 Pipe thread
u= '0'		Din Socket
u= '1'		Screw terminals in Nema 1 Metric enclosure
u= '3'		Screw terminals - open C frame
u= '4'		Twin flying leads
u= '5'		6.3mm spade terminals - open C frame
u= '6'		2 core cable - open C frame
v= '2'		24V
v= 'D'		12V

Impco Technologies Pty Ltd**BEAM**

4577	7.90	Electric Fuel Lock-off Model FL-418-12V
------	------	--

Impco Technologies Pty Ltd**IMPCO**

3102	6.80	Vacuum Fuellock Filter Models VFF30 and VFF30-2
6747	2.05	Fuel Lock-off Valve (With or Without Filter) Model ET98

LPM Corporation Pty Ltd**CENTURY**

4381	11.88	Century Fuel Lock-Off Valve Model STF-2384B	MWP 2.6 MPa
4382	11.88	Century Fuel Lock-Off Valve Model GA1-2341	MWP 2.6 MPa

MED (Aust) Pty Ltd

6135	10.01	Valtek and Airod LPG Fuel Lock-Off Valve	
		Type 07 - Direct Mounting	3 MPa
		Type 07.LPG.14 - Direct Mounting	3 MPa

MED (Aust) Pty Ltd**MED**

5331	6.97	Airod Model EST075 Electronic Service Tap	MWP 2.6 MPa
------	------	--	-------------

MED (Aust) Pty Ltd**VALTEK**

5528	5.97	Airod Series 01 Auto Lock Off Valve Model VAL01	MWP 2.6 MPa
5572	6.97	Airod Series Model EST097 - Type 73LPS.01	MWP 2.6 MPa
6558	6.04	Model 05.LPG.13 Fuel Lock Off Valve	MWP 2.6 MPa

Poliauto Ing. Pietro Parletti & C snc**Agent: Parnell LP Gas Systems Pty Ltd**

5025	7.93	LPG Fuel Lock-Off Valve Model DGM-11009	MWP 3.0 MPa
------	------	--	-------------

Sprint Gas (Aust) Pty Ltd

5286	8.95	LPG Fuel Lock-off Valves Models LSG-02-H4, LSG-03-H4, LSG-06-H4 and LSG-08-H4
------	------	---

Sprint Gas (Aust) Pty Ltd**OMVL**

5253	1.95	Automotive LPG Fuel Lock-Off Valve Type E/GPL	MWP 2.44 MPa
------	------	--	--------------

COMBINATION VALVES (AG 802)

Note: As of January 1998 AGA has withdrawn AG 801, AG 802 and AG 804 and AGA now recognises AS/NZS 1425 as the applicable Standard. Certificates which have been assessed against AS/NZS 1425 are listed accordingly. Those that have yet to be so assessed, remain listed under the obsolete AGA code.

Sprint Gas (Aust) Pty Ltd

5250	1.95	ELM-1 Electro Manual Excess Flow Valve
------	------	--

CONTAINER FITTINGS (AS/NZS 1425)**AMR Manufacturing Pty Ltd****AMR**

5079	1.94	LPG Filler Valves – Panel Mount and Universal Models Designed to Suit Ford Vehicle Models RF27XF – XD, XE, XF Sedans RF27EA – EA-ED Sedans RF27EALW – EA/EL Wagons RF27EFL – EF/EL Sedans RF27AU – AU Falcon Sedans & Wagons Models Designed to Suit Holden Vehicle Models RF27VB – VB-VK Sedans and Wagons RF27VN – VN-VS Sedans and Wagons RF27VL – VL Sedans and Wagons RF27HQ – HQ Sedans RF27VT – VT Sedans RF27VTW – VT Wagons Models Designed to Suit Mitsubishi Vehicle Models RF27TE – TE Sedans RF27TEW – TE Wagons RF27TR/TS – TR/TS Sedans RF27PJ – Pajero Wagons Models Designed to Suit Toyota Vehicle Models RF27FJ80 – FJ80 Landcruiser '95 Wagons RF27FJ100 – FJ100 Series Landcruiser Wagons RF27HA – Hi Ace Vans Models Designed to Suit Nissan Vehicle Models RF27GQ – GQ Patrol Wagons RF27GU – GU Patrol Wagons Model Designed to Suit Jeep Vehicle Model RF27JEP – Grand Cherokee Wagons Note: General use RF27 P/Van under trays etc. RF20STR straight filler for general purpose, fork lift filler RF27DFA for fork lift cylinder LPG panel mounted fillers. RF20 comes in a range of 6 colours and is designed for fitment into vehicle panels.
------	------	--

Nugas Technologies Pty Ltd

5456	7.98	STM Multivalve, incorporating Fuel Sender Unit
------	------	---

Sidek Industries Pty Ltd

5169	9.94	Fuel Shut-off Valve Model ST 100C Threaded Automatic	2600 kPa
		Model ST 100B Flanged Automatic	2600 kPa
		Model ST 100 FL Threaded Manual	3300 kPa
5678	9.98	LPG Multivalve Model Quadvalve	
6395	6.03	Filler Valve and Adaptor Model FV-100 Filler Valve Model AD-100 Fill Valve Adaptor	3300 kPa 3300 kPa

Sprint Gas (Aust) Pty Ltd

5876	5.99	Models T1 and T2 Automotive Multivalves	
------	------	--	--

HOSES ASSEMBLIES (AS/NZS 1869)

**Please note Hose Assemblies for LPG Automotive use
now listed under general Components section, sub-heading
Hose Assemblies AS/NZS 1869**

NATURAL GAS VEHICLE (NGV) EQUIPMENT

CHECK VALVES (AG 805)

Fluid System Technologies (ES) Pty Ltd

NUPRO

4657 8.91 Compact Check Valve CH Series 41 300 kPa

HOSE CONNECTIONS (AG 805)

Barfell Industries Pty Ltd

TEMA

4872	7.92	Quick-Release Self-Sealing Couplings Series	
		5000 (13 mm)	25 MPa
		7500 (20 mm)	22.5 MPa
		10000 (25 mm)	18 MPa

FUEL LOCK-OFF VALVES (AG 805)

Impco Fuel Systems Pty Ltd

6182 8.01 Advanced Fuel Components Model 211B (1/4" NPT female thread) MWP 24.8 MPa

QUICK-CONNECT DEVICES (AG 805)

Parker Hannifin (Aust) Pty Ltd

PARKER

5324 9.95 60 Series 1/8", 1/4", 3/8" and 1/2" (Type 2) 20 000 kPa

HOSE ASSEMBLIES (AG 807)

Parker Hannifin (Australia)

5544 5.97 Parker Parflex CNG Series Thermoplastic Hose Assemblies for Natural Gas Vehicles and Fuel Dispensers
Types 3CNG, 4CNG, 5CNG Sizes 1/4" to 1" ID MWP Range 24.8 to 34.5 MPa

Cert. Number	Suspension Date	Appliance				
--------------	-----------------	-----------	--	--	--	--

APPROVAL CERTIFICATE SUSPENSIONS

New suspensions may occur, and/or existing ones lifted or superseded by formal cancellation, at any time. For current information regarding suspensions you should contact the Technical Office on (03) 9580 4500.

CERTIFICATE SUSPENDED – AWAITING RETEST / AUDIT
--

Aira Pty Ltd

5554	15.04.05	Ultra Ray U50NG Outdoor Heater U40LPG Outdoor Patio Heater	N		P
------	----------	---	---	--	---

Alan Brown Energy Resouces Ltd – Agent: Sitro Group Aust.

5687	31.3.05	LPG Liquid Transfer Valve Gasmate Model 12897/Aber Model 7659P2700 kPa			
------	---------	---	--	--	--

Alan Brown Energy Resources Ltd

ABER

5800	31.3.05	Models POL-P, HA-1, HA-2 and HA-3 – 6, 8, and 10mm Hose Assembly (Class C) 2600 kPa Note: Model number relates to length and type of end fittings.			
------	---------	--	--	--	--

BASO Gas Products LLC

PENN GAS PRODUCTS

2839	13.8.02	Combination Controls (Class 3) G93 Series	3.5 kPa		
------	---------	---	---------	--	--

Blodgett Oven Company – Agent: Curtin Pty Ltd T/as Global Food Equipment

SC348	16.5.03	Blodgett DFG 100 Series Convection Oven	N		P
SC349	16.5.03	Zephair GL Commercial Oven, Single or Double Stacked	N		P

Brandt Asia Pte Ltd – Agent: Kleenmaid Pty Ltd

5742	26.11.04	Kleenmaid, De Dietrich and Brandt 4 and 5 Burner Kleenmaid Models CH80X, CH80X8, CH80W, CH80W8, CH80E, CH80E8, CH700X, CH700W, CH700FFX, CH600W, CH600X, CH600FFX and CH600FFW	N		U
		De Dietrich Models DTE372X, DTE372W, DTE312X and DTE312W	N		U
		Brandt Models TE214XS1, TE214WS1, TE218XU1, TE218WU1, TE270XS1, TE270WS1 and TE274XS1	N		U

Brandt Asia Pte Ltd

6388	26.11.04	De Dietrich DTG Series Hotplates Models DTG101XE1 (2 Burner), DTG103XE1 (4 Burner) and DTG115XE1 (3 Burner) with Wok and Electric Element	N		U
------	----------	---	---	--	---

Cookon Commercial Catering Equipment Pty Ltd

SC351	10.12.03	BT/DC (Standard Burner) and BT/HS (High Speed Burner) Boiling Burner for Stock Pots	N		P
SC377	14.09.05	Model CMR4 – 4 Boiling Burners, Salamander & Oven			P
2183	10.12.03	Chinese Cooking Stove	N	TLP	T PB
3759	10.12.03	Model WU6 Urn	N	TLP	T P
4637	10.12.03	Model S1 Single Hole Wok Stove	N		P

Focus Lifestyle Products Pty Ltd

6184	15.10.02	Manhattan Model FBG-4BR – 4 Burner Hooded Trolley Barbecue with Back Radiant & Side Burners	N		U
------	----------	--	---	--	---

Cert. Number	Suspension Date	Appliance		
Hearth & Home Pty Ltd				
4194	24.2.04	Benja 3, 4 & 5 Burner Outdoor Barbecues (Inbuilt or Trolley Mounted) Models 3B, 4B and 5B Available with optional side burner (Models BBSB1 and BBSB2 – Propane only) Available with optional roasting hood	N	P
Honeywell Limited				
HONEYWELL				
2124	23.12.03	V800 Series Combination Control 3.5 kPa		
IVR Valvole A Sfera SpA				
6312	28.7.05	IVR Manual Ball Valve – Type 1 Model 20 “Ocean” NB (10, 15, 20, 25, 32, 40 and 50 mm) 2100 kPa Note: Thread form complies with AS 1722 Part 1, modified ISO 7-1 and BS 21 internal threads.		
Johnson Controls, JCI Regelungstechnik GmbH				
4168	13.8.02	Electrohyd Solenoid Vent Valve 20 ¾ BSP GS 3001-3* 36 3		
Maxco Industries Pty Ltd				
4429	5.4.00	TC Series Caravan Oven/Grill/Hotplate TM Series Marine Oven/Grill/Hotplate		P P
Miele Australia Pty Ltd				
6129	4.8.05	2 Burner and Single Wok Burner Hotplates Model KM404 – 2 Burner Model KM416 (Wok) – Single Burner Note: Also for use with Singapore Towns gas “T” denotes Singapore Towns gas (1.0 kPa burner/ test point pressure, 2.0 kPa supply pressure) “ULP” denotes Universal LP gas (3.0 kPa inlet pressure)	T T	U U
Peam Pty Ltd T/as EH Cambridge & Co				
5650	12.11.01	“Gasaloo” Mark 1 Human Waste Incinerating Toilet		PU
Primus Australia Pty Ltd				
6051	23.12.03	Primus Model 2059-61 Single Burner Stove		P
Sitro Group Australia Pty Ltd				
5950	20.4.06	Gasmaster Outdoor Patio Heaters Model VHL10 Model VHN40	N	P
The McCormack Family Trust T/as The Outdoor Connection				
6513	23.8.05	Outdoor Portable Country Cooker Models CC10, CC20 and CC30		P
The Montague Company – Agent: Maurice Kemp & Associates				
5794	14.3.02	Montague Grizzly Series Models GE, GEC and GEM Optional extras include:- Closed Boiling Table and Fry Top (Solid Grill Plate)	N	P
5949	14.3.02	Montague “Grizzly” Salamander Broiler Models SBE3418 & SBE3618	N	P
Trazend Pty Ltd				
4815	18.2.04	Burning Log/Grill King (Built-In or Trolley Mounted) Models B3B, B4B, B5B Options: Side Burner: SB/BL-GK, Hoods: Hoods: H or HW, Wind Shield: W, Trolley: (EL3-4, EL4-5)	N	P
Tytronics Pty Ltd				
6086	15.3.04	Model HC01 24VAC, Direct Spark Ignition System Class 2B		
Xcellent Products International Co Ltd				
6411	7.9.05	Party Q Patio Heater – Models GA 2101 and GA 2201		P

Cert. Number	Cancellation Date	Appliance		
--------------	-------------------	-----------	--	--

CANCELLATIONS

The following is a list of cancellations for the last twelve months. New cancellations may occur at any time so you should check with the AGA on (03) 9580 4500 if in any doubt about the currency of a particular Certificate.

Advanced Products Pty Ltd

5565	7.05	Gas Cock and Manifold Assemblies 7 kPa Model AP01 – 45°outlet Model AP02 – Straight outlet Model AP03 – 2x¼” BSP Female plus Injector & Burner Support Model AP04 – 2x¼” BSP Female Model AP05 – M6 x 0.75 Female 45° Model AP06 – M6 x 0.75 Straight Female Model AP07 – 3/8” Compression Union Model AP08 - ¼ x ¼ Male BSP Thread		
------	------	--	--	--

Aira Pty Ltd

2954	6.05	H.C.V. Series Models 12/6, 16/8, 24/11, 35/16 and 40/20	N	T
------	------	---	---	---

Ambience Appliances Pty Ltd

5260	3.06	G10 Freestanding Decorative Log Effect	to be retested	N	P
------	------	--	----------------	---	---

AMR Manufacturing Pty Ltd

5065	8.05	Fuel Lock Off Valve Model GL30 MWP 2.6 MPa		
------	------	--	--	--

Andi Appliances Pty Ltd

6148	7.05	Andi 5 Burner Inbuilt Cooktops Models APX75D2 and APX75DV2 Note: X = denotes stainless steel hob V = denotes flame failure device		N	P
------	------	--	--	---	---

Appliances International Australia Pty Ltd

6216	8.05	Candy Models PDA640/1X AUS, PDAS640/1X and PSA640/1FX		N	P
6224	8.05	Candy 5 Burner Hotplate Model P700/1 SDX AUS		N	P

Atlas Copco Australia Pty Ltd

3588	1.06	BAL 18mm-50mm Ball Valves4000 kPa		
------	------	-----------------------------------	--	--

Aussie Gas Pty Ltd

4749	6.05	Aussie Gas Model AG12L Pizza Oven		N	P
------	------	-----------------------------------	--	---	---

Austcrowne (International) Pty Ltd

5453	8.05	Models CRN 803 / 806 3 & 4 Burner Enamel Hotplate		N	P
------	------	---	--	---	---

Australian BBQ Manufacturers, Div of Custom Group Aust Pty Ltd

4829	8.05	Ultra Q Heritage, Splash, Quattro, Opal, Sapphire and Diamond 2, 3, 4 & 5 Burner Barbecues Available with Optional Hood Models B2BPC, B2BV, B2BS, B3BPC, B3BV, B3BS, B4BPC, B4BV, B4BS, B5BPC, B5BV, B5BS, B2BSC and B2BVC Model designation of optional hoods to suit the above mentioned Barbecue models: H2BV, H2BS, H3BV, H3BS, H4BV, H4BS, H5BV and H5BS Model designation for 2 burner barbecues with integrated hood: B2BSC and B2BVC		N	P
------	------	--	--	---	---

Automotive Ignition Systems Pty Ltd T/as Piranha Off Road Products

5833	9.05	Hot ₂ Go Gas Kettle Model GK-1			B
------	------	---	--	--	---

Cert. Number	Cancellation Date	Appliance					
Barfell Industries Pty Ltd							
BARFELL							
5045	10.05	8mm ID x 15mm OD PVC Hose Assembly up to 3M long (Class A) fitted with either a 1/4" or 3/8" BSP loose nut or fixed male nipple and LP gas regulator model 7060, which is under coverage of Cert 5087	7 kPa				
BBQ Factory Pty Ltd							
4265	8.05	Tucker Box Barbecue with Hood, Freestanding or Trolley Mounted Models 2 Burner Tucker Box, 3 Burner Tucker Box and 4 Burner Tucker Box				N	P
5433	8.05	Tucker Boy Freestanding or Mobile Barbecues Models 3 Burner Tucker Boy and 4 Burner Tucker Boy					P
Bromic Pty Ltd							
RECA							
6337	6.05	Bromic/F 6mm Hose Assembly (Class C)	2600 kPa				
Carrier Air Conditioning Pty Ltd (Brivis Plant)							
2593	8.05	Brivis Wombat Horizontal Internal Warm Air Furnaces Models 92	214/m ³	1.6/48°	N		P
		92DR and 92XA	Not tested	1.0/30°	N		P
		92EMS	185/m ³	2.5/75°	N		P
		120	222/m ³	1.4/42°	N		P
		120DR and 120XA	Not tested	1.0/30°	N		P
		120EMS	197/m ³	2.1/63°	N		P
3183	8.05	Brivis Buffalo Weatherproof External Warm Air Furnaces Models 52	235/m ³	1.1/33°	N		P
		85	200/m ³	2.0/60°	N		P
		85DR	Not tested	1.0/30°	N		P
		85EMS	169/m ³	3.1/93°	N		P
		85XA	203/m ³	1.9/57°	N		P
		120	211/m ³	1.7/51°	N		P
		120DR and 120XA	Not tested	1.0/30°	N		P
		120EMS	188/m ³	2.4/72°	N		P
Carrier Air Conditioning Pty Ltd							
5283	11.05	Carrier Maximizer Plus Internal Models 58PIN015	194/m ³	2.2/66°	N		P
		58PIN020	185/m ³	2.5/75°	N		P
		58PIN025, 58PIN030, 58PIN035	176/m ³	2.8/84°	N		P
5285	11.05	Carrier Maximizer Plus External Models 58PON015	186/m ³	2.4/73°	N		P
		58PON020	190/m ³	2.3/69°	N		P
		58PON025	179/m ³	2.7/81°	N		P
		58PON030	164/m ³	3.3/99°	N		P
Caterimp Pty Ltd							
6320	6.05	Olis Griddle Plates Models 80SG FTC, 60SG FTC and 40SG FTC				N	PU
6374	6.05	Olis Commercial Ranges Models 769CGV-CE (6 Boiling Burners & Oven) and 749CGV-CE (4 Boiling Burners & Oven)				N	P
		Optional Configured Model 769CAGV-CE (4 or 6 Boiling Burners only)				N	P
Climate Technologies Pty Ltd							
2356	3.06	Models 11-02, 11-03 100mm Round Flue Cowl					
2463	3.06	Vulcan Rectangular (Type 2) Twin Wall Metal Flue 14/17, 14/18 and 14/47 and Jointing Kit 14/19					

Cert. Number	Cancellation Date	Appliance				
Coleman Brands Pty Ltd						
4618	7.05	Coleman Model 5154 C 700A 2 Mantle with Piezo Ignition				P
		Coleman Model 5151 C 700A Single Mantle with Manual Ignition				P
		Coleman Model 5152 C 700A 2 Mantle with Manual Ignition				P
5629	7.05	Camping Gaz Model Trek 270 Single Burner Catalytic Camping Stove (tested with 80% B and 20% P)				B/P
5873	7.05	Coleman Model 5431-700A				P
6152	7.05	Camping Stoves Outlander Standard CPS Model 064766				P/B
		Outlander Compact PZ Model 064768				P/B
		Outlander Compact CPS Model 064770				P/B
		Outlander Micro Model 064771 (Tested with 70% B and 30% P)				P/B
6517	4.06	Coleman Road Trip Grill Sport Barbecue Model 9944-851A				P
6561	5.06	Coleman LP Gas Hose Assembly (Class D) 5470-7931A 2600 kPa (For exclusive use with selected Coleman products only)				
6579	4.06	Coleman Outdoor Barbecue Models 5100, 5300 and 5600				P
Convector Barb						
5619	1.06	Convector Barb Gas Conversion Kit for 22.5" Barbecue Kettle				P
Cookon Commercial Catering Equipment Pty Ltd						
SC393	10.05	Ward's Model SBG-120		N		P
4783	10.05	Cookon Models DK3 and DK4 Vertical Spit		N		P
4811	10.05	Cook-on Model FFRS-1-525 Supafry Single Pan		N	TLP	P
Curtin Pty Ltd T/as Global Food Equipment						
6023	10.05	Zanussi FCV Series Steam Convection Oven Models FCV10 1/1G, FCV10 2/1G, FCV20 1/1G and FCV20 2/1G			N	P
Drivetrain Australia Pty Ltd						
DANA						
5157	12.05	H36606 Hose Assembly Class D Size 5/16" with field serviceable fittings 2600kPa				
Dux Manufacturing Ltd						
5793	3.06	Dux Deliverance DX 1440 External	20 506	5.1/155°	N	P
		Dux Deliverance IQ 1800 External	20 823	5.0/150°	N	P
Electrolux Home Products Pty Ltd						
6310	10.05	Electrolux EHT Series Models EHT 310X (Wok Burner), EHT 332X (2 Burner) and EHT 632X (4 Burner)			N	U
6359	10.05	Westinghouse 4 Burner Hotplate with Wok Model GHJ76A			N	P
Eurolinx Pty Ltd						
5296	7.05	ILVE Models 6631 CMP, 6640 CMP and 6640 CGG			N	P
5401	7.05	ILVE Model P665, 4 Burner Hotplate Note: Previous to the date 3.01 model suitable for use with ULPG.			N	P
6077	7.05	Foster Model 7055/043, 5 Burner with Wok Burner			N	P
		Foster Model 7059/043, 5 Burner with Fish Burner			N	P
6078	7.05	Foster 4 Burner Hotplate with Wok Burner Model 7053/043			N	P

Cert. Number	Cancellation Date	Appliance		
Eurolinx Pty Ltd Continued				
6082	7.05	Foster 5 Burner Hotplates or Hotplate/Sink Combination with Wok Burner		
		Hotplate Models 7065/093, 7095/043 and 7295/043	N	P
		Hotplate/Sink Combination Series Models 3580/031, 3580/032, 3524/031 and 3524/032 Series	N	P
		Note: The 3580 and 3524 Series incorporate model 7295/043 Hotplate. 031 or 032 indicates right hand or left hand sink versions, respectively.		
6471	7.05	Foster Models 7024/043, 3558/341, 3558/342, 3559/341, 3559/342, 3560/341 and 3560/342 – Features stand alone 4 burner hotplate (Model 7024/043) or Hotplate/Sink Modular Units	N	P
Fagor Industrial, S Coop - Agent: Fagor Australasia Pty Ltd				
5983	7.05	Model GA 20 Commercial Gas Water Heater supports ECO Series Dishwashers	N	P
Foker SRL – Foker South Pacific				
5444	9.05	LB 500 01079 (Primus) and 01089 (Sievert) Lantern		P
5445	9.05	FCG Art 02250 (Primus) and Art 02260 (Sievert) Camping Stove		P
Gameco (NSW) Pty Ltd				
ROCK				
5836	1.06	Model L20-W Regulator with Downstream Over-Pressure Protection of 14 kPa		
Glem Gas Appliances Pty Ltd				
5901	11.05	Glem Models EN514 and EN514MVI, 4 Burner	N	P
GLG Australia Pty Ltd				
6491	10.05	4 Burner Trolley Mounted Barbecue Calypso Model C	N	P
Henny Penny Corporation - Agent: JL Lennard Food Equipment Pty Ltd				
6157	2.06	Henny Penny Models OFG 390 and OFG 391, Open Fryer	N	P
		Henny Penny Models PFG 690 and PFG 691, Pressure Fryer	N	P
Hobart Food Equipment, A Division of ITW Australia Pty Ltd				
SC398	3.06	Hobart/Vulcan Commercial Fryers, Models IGR35, IGR45 and IGR65	N	P
5019	3.06	Hobart/Vulcan Boiling Table/Range Models MG24, MG36 and MG48	N	P
5020	3.06	Hobart/Vulcan Snorkel Convection Ovens		
		Models 36LC, 36FLC, 36SLC, 60FLC, 60FLCC,	N	P
		60LC, 60LCC, 60SLC, 60SLCC, 60XLC, 60ZLC,	N	P
		160LC, 160XLC, 260LC, 260LCC,	N	P
		481FLC, 481LC, 481SLC and 481XLC	N	P
5021	3.06	Hobart Models MG12S, MG24F, MG36X & MG48Z Griddle	N	P
5022	3.06	Hobart/Vulcan Models 36L, 36FL, 36SL, 36XL, 60L,	N	P
		60FL, 60SL, 60XL, 60ZL, 160L, 160XL, 260L, 481L,	N	P
		481FL, 481SL, 481XL, 481ZL and 148L	N	P
		Note: Depending on model, options available include: Boiling Burners, Griddle Plate or Solid Grill Plate		
5023	3.06	Hobart/Vulcan Models 24L, 24FL, 24SL (Single Oven)	N	P
		48L, 48FL, 48SL, 48XL, 48ZL (Double Oven)	N	P
		Note: Depending on model, options available include: Boiling Burners, Griddle Plate or Solid Grill Plate		

Cert. Number	Cancellation Date	Appliance		
Honeywell Limited				
HONEYWELL				
2694	6.05	Modusnap Valves V5155A and B 3/8", 1/2", 3/4" and 1" 3.5 kPa		
5880	5.06	VE5000 Series. Disc On Seat Valve. Solenoid Valve. 65mm – 100mm Sizes 2 1/2"-3" VE5 35 3 100mm Size 3" VE5 20 3		
		Note: VE5---AIn combination with motor V4055A on/off In combination with motor V4055B on/off VE5---CIn combination with motor V4062 high/low, or with motor V9055 modulating		
6183	5.06	VS8420, VS8510 and VS8520 Series Combination Gas Control Class 3 Regulator: Type B, Class 2, Grade 20 Temperature Range: -18°C to 79°C 10 3/8" VS842* 3.5 kPa 10 3/8" VS85** 3.5 kPa Various Distinctive Characteristics ie. VS84*** Special (refer note 1) VS85*** Standard capacity focus valve VS8*1** 750 MV operator/750 mV power unit VS8*2** 750 MV operator/30 mV power unit VS8**0* Standard pilot model VS8**1* Unvented applications only VS8***A Standard opener VS8***D Hi/Low regulator VS8***E Convertible Hi/Low regulator Note 1: VS8420 "Special" The only difference between the VS84XX and the VS85XX families is the location of the terminal block. The VS85XX has a centrally located terminal block, the VS84XX has the terminal block on the end of the valve. In all other respects the valves are the same and function the same. Note 2: The final four digits after the model number have no effect on the safety of the valve, but determine finer characteristics and individual customer special requirements. For additional information, please contact Honeywell.		
Hurl Nu-Way Pty Ltd				
BLACK TEKNIGAS				
3734	3.06	Series 24 with Double Block Class 2 Models 24303 3/8" BSP and 24403 3/8" BSP with Class 3 Regulator 5 kPa		
Invensys Appliance Controls Australia Pty Ltd				
2987	6.05	J601 Series. Disc on seat valve. D.A. Solenoid Single solenoid valve. 10 3/8 BSP J601-3*** 5 1 15 1/2 BSP J601-4*** 5 1 20 3/4 BSP J601-6*** 5 1		
J Goldstein & Company Pty Ltd				
SC334	7.05	Gourmet 750 Series Open Top Models GC/G350, 2 Burner and GC/G700, 4 Burner Models GC/G355, 2 Burner and GC/G710, 4 Burner with Flame Failure	N N	P P
JL Lennard Food Equipment Pty Ltd				
5302	7.05	Henny Models 600 and 600C Pressure Fryer	N	P
SC391	7.05	Henny Penny OG301, OG302 and OG303	N	P
Johnson Controls Australia Pty Ltd				
5845	5.06	G750 Series Microprocessor Based with Hot Surface Ignition Class 2Cb		

Cert. Number	Cancellation Date	Appliance				
Johnson Controls, JCI Regelungstechnik GmbH						
4453	11.05	Series P33A Pressure Switch Differential Pressure (Air)				
		Series P33G Pressure Switch Over-Pressure (Gas)				
		Differential or Under-Pressure (Air)				
5060	11.05	SM47 Series. Disc on seat valve.				
		6 Rp 1/8 SM473-0700-VJ01	36	2		
		8 Rp 1/4 SM474-0700-VJ01	36	2		
		Valves listed are 240 volt versions.				
		For 110 volts change 11 th character to "L" e.g. SM473-0700-VL01.				
		For 24 volts ac change 11 th character to "M" e.g. SM473-0700-VM01.				
		For 24 volts dc change 11 th character to "T" e.g. SM473-0700-VT01.				
		SM70 Series. Disc on seat valve.				
		10 Rp 3/8 SM705-1200-BJ01	20	2		
		15 Rp 1/2 SM706-1200-BJ01	20	2		
		Valves listed are 240 volt versions.				
		For 110 volts change 11 th character to "L" e.g. SM705-1200-BL01.				
		For 24 volts ac change 11 th character to "M" e.g. SM705-1200-BM01.				
		For 24 volts dc change 11 th character to "T" e.g. SM705-1200-BT01.				
Kenmark Industries (A) Co Pty Ltd						
6242	8.05	Kenmark Model (Jackeroo) KM2 Fold Away				U
6249	8.05	Kenmark (Jackeroo) Models KM3, KM4, KM6				U
Lentek International Inc – Agent: Coriolis Infrastructure Services Pty Ltd						
6489	8.05	Mosquito Trap Model MK01				P
Major Electrical Appliances Pty Ltd, A Division of Hagemeyer Brands Australia Pty Ltd						
5207	5.05	Blanco Upright Cooker Models BFMC 645SS			N	U
		and BFMC 955SS (Gas Cooktop, Electric Oven & Grill)			N	U
6141	5.05	Blanco Freestanding Cooker Model BC75X, 5 Burner Gas Hotplate, Electric Oven/Grill			N	U
M.E.D (Aust) Pty Ltd						
4379	8.05	Series 21 Automatic Shut-off				
		Device Part (A) MWP 2.6 MPa				
4763	8.05	1410 Series (Type 800) MWP 3.0 MPa				
Morcraft Industries Pty Ltd						
4629	5.05	Heatmaster Model 150 Litre Internal	26 500	2.1/65°	N	P
Nomalon Imports Pty Ltd						
5969	5.06	Lofra Dual Fuel Freestanding Cookers				
		Models WK600, WKE600, WK700, WKE700, WK800, WKE800, FB800, FBE800, WK900 and WKE900			N	P
Opentrade Pty Ltd T/as Melbourne Refrigeration & Catering Equipment						
5960	6.05	Model D.C.S. 36-6-1, 6 Burner and Single Oven Commercial Range			N	
Overseas Industrial Corp - Agent: Citro Group Australia Pty Ltd						
6131	4.06	Gasmate, Gasmaster, Jumbuck & Jackeroo Portable Round Babecue Model SH-18R				P
Prima Australasia Pty Ltd						
6679	2.06	Magi-Heat Barbecue Model BBQ100				P
Prime Benefits Pty Ltd (T/as Kitchenmaid)						
6280	11.05	Accent Domain CG60 and Teka ES60 Series 4 Burner Hotplates with Wok				
		Domain Models CG60W and CG60S			N	P
		Teka Models ES60.5 4GW and ES60.5 4GS			N	P
		Note: W indicates White, S indicates Stainless Steel				

Cert. Number	Cancellation Date	Appliance				
Sidek Industries Pty Ltd						
6393	7.05	Sidek Float Gauge Model LA-FL 3300 kPa Combination Level Arm and Contents/Level Indicator				
6394	5.06	Pressure Relief Valve and Vent/Bleed Valve Model PRX Pressure Relief 3300 kPa Model VT-100 Vent/Bleed 3300 kPa Valve				
Sitro Group Australia Pty Ltd						
3169	4.06	Gasmate/Gasmaster/Jackeroo/Jumbuck Model NG21 Round Barbecue				P
3955	4.06	Gasmate/Gasmaster/Jackeroo/Jumbuck Models 1067, 1067PL, 2067 & 2067PL Portable Cooker				P
5799	4.06	Gasmate Astra Models 2010 & 2010PL with Piezo Ignition lanterns (tested with 70% B & 30% P)				B/P
5869	4.06	Gasmate/Gasmaster/Jackeroo/Jumbuck Models 1068 – 2 Burner and 1386 – 3 Burner Portable Stoves				P
5870	4.06	Gasmate/Gasmaster/Jackeroo/Jumbuck Models 3313, 3313PL, 3315 and 3315PL				P
Stadt Industries Pty Ltd (In Receivership – contact AGA)						
4925	7.05	Model Jupiter 60 External	Not tested	1.0/30°	N	
4926	7.05	Model Jupiter 120 External	245/m ³	1.0/30°	N	
4910	7.05	Model Jupiter 90 External	Not tested	1.0/36°	N	
System Control Engineering Pty Ltd						
THEOBALD						
5381	2.06	Theobald TK Series Class 1 Models TK15, TK25 and TK25Hr6.5 kPa Models TK15S, TK25S and TK25SHr5 kPa Note: S Regulator, Hr Hydraulically slow opening				
Takagi Industrial Co Ltd – Agent: Edwards Hot Water Pty Ltd						
6156	7.05	Edwards Comfort 300 External	20 337	5.2/157°	N	P
6159	7.05	Edwards Comfort 100 & 200 External	20 337	5.2/157°	N	P
Techrite Controls Australia Pty Ltd						
FAG						
5520	7.05	FAG Series Models 30150 (½”), 30151 (¾”), 30152 (1”), 30153 (1¼”), 30154 (1½”), 30155 (2”) Class 2, Grade 20. Rated Working Pressure 0.95kPa-50kPa Note: Outlet Pressure Range 0.5 kPa-10kPa				
5920	7.05	FAG Series Models 30051 (½”), 30052 (¾”), 30053 (1”) Class 2, Grade 20 Rated Working Pressure 0.95 kPa-20 kPa Note: Outlet Pressure Range 1.0 kPa-20 kPa, 1.5 kPa-3.5 kPa				
Techrite Controls Australia Pty Ltd						
SCP						
5409	7.05	SC300 Series Class 2, Models N, L & C 5 kPa Class 2 Grade 20 SC200 Series Models N, L & C 5 kPa Class 0 Grade 20				

